BLICKMAN

Ambulation Devices

Increase mobility, support independence, and cut costs

Includes:

- Nezzie
- Nezzie Jr.
- Options & Accessories

OUR MISSION

Customer Focus

Exceed customer expectations through a commitment to continuous improvement of our products and services.

Quality Products

Offer the marketplace a broad range of high quality, cost effective, and durable products of superior craftsmanship.

Organizational Excellence

Strive for excellence in all we do by fostering a participative, team based environment, which nurtures the active involvement of all members of the organization.

Marketplace Recognition

Earn the respect, admiration, and loyalty of our people, customers, and suppliers by treating them with dignity and respect, embracing diversity, and developing and maintaining long term partnerships.

Collaborative Workplace

Encourage all employees to work safely and efficiently, contribute innovative ideas, and personally benefit from the ongoing success of the company.

BLICKMAN

THE BLICKMAN **DIFFERENCE**

- The Nezzie by Blickman was created by a thoracic surgeon to significantly improve patient ambulation.
- It holds most devices, monitors, oxygen tanks, and IV poles, thereby eliminating the need to transfer and carry each item individually during ambulation.
- Wrap around adjustable handle design accommodates individual patient size and contributes to patient safety and confidence during ambulation.
- Antimicrobial paint and the ability to be dedicated to one patient at a time improves infection control.
- It is specifically designed to reside bedside, requiring no more room than a standard IV pole and uses four casters to pivot 360° in tight spaces, such as bathrooms.

Key Product Features



WHY CHOOSE NEZZIE?

FOR PATIENT:

- Improves patients' safety and satisfaction of care
- Improves patients' independence and sense of well being
- Reduces complications of immobility
- Lowers incidence of readmission due to hospital-acquired debility and deconditioning

FOR STAFF:

- Improves staff safety and satisfaction of care
- Less staff is required to assist with ambulation allowing for more one-on-one care

FOR DEPARTMENT:

- Increases department workflow and efficiency by freeing up nurses to do other duties
- *Reduces costs*

REDUCED COSTS

Annual savings in Labor Costs per Year for One Nezzie Calculated Below

365 Hours

Yearly Ambulation Hours per Patient

An average patient ambulates for 20 minutes three times a day, which is 1 hour a day or 365 hours per year of ambulation per patient.

2 Less Staff Members

Number of Staff Needed for 1 Patient to Ambulate

On average, 3 staff members are needed for a patient. With the Nezzie, only 1 staff member is needed, freeing up 2 staff members.

730 Fewer Worker Hours

Hours of Ambulation Assistance Per Year

For 3 staff, a total of 1,095 worker hours per year are used for ambulation. For one staff member, only 365 worker hours are used.

$14,600 Saved



Cost of Ambulation Assistance Per Year

Considering $20 is the average hourly rate for a nurses' aid, it would cost $21,900 for 1,095 hours of labor from three staff members, as opposed to $7,300 for 365 hours from one staff member.

STABILITY TEST

SET UP:

- Test was performed with IV poles overextended to 82”
- 10 lb. weight was attached to the top of each IV stand to simulate IV bags
- 20 lb. weight was placed close to the base of the device to simulate an oxygen tank

PERFORMED:

- The device was lifted 10° to check for stability
- At 10°, the device was checked for tip over test using a half inch hazard

RESULT:

- The device maintained its stability at a 10° angle
- The device did not roll over and/or tip over a $^{1}/_{2}$” hazard at a 10° angle

“Nezzie allowed me the freedom to walk with confidence and security. It made a big difference in my recovery after my operation.”

-Ray Drew
Cardiac Surgery Patient

BLICKMAN

ULTIMATE LOAD TEST

SET UP:

- Test was set up with loads applied to locations on the Nezzie that would hold weight
- Locations included:
  - Top of the device, 1" from edge
  - Hanger, 2" - 3" from the end
  - Handles, 2" - 3" from the ends

PERFORMED:

- Force and deflection were recorded using a compression test machine

RESULT:

- The device maintained its stability at a 10° angle
- The device did not roll over and/or tip over a half inch hazard at a 10° angle.

PUSH AND PULL FORCE TEST

SET UP:

- Test was performed with increments of loads up to 200 lbs. on the tray shelf of the device

PERFORMED:

- Static and kinetic force for push and pull of the device were recorded using a force gauge

RESULT:

PUSH

Weight (lbs.)	Static (lbs.)	Kinetic (lbs.)
20	2.8	2.4
40	3.0	1.6
60	3.6	1.8
80	6.4	3.4
100	5.2	3.4
150	6.0	5.4
200	7.2	4.8

PULL

Weight (lbs.)	Static (lbs.)	Kinetic (lbs.)
20	3.6	0.8
50	4.4	1.6
100	4.6	2.4
150	5.4	2.6
200	5.2	4.4

Ambulation Devices

Nezzie Devices

Our Nezzie Carries and Manages:

- ✓ Two Oxygen tanks (delivery & suction)
- ✓ Multiple IV fluid delivery systems
- ✓ Oxygen saturation monitor
- ✓ Additional drainage collection devices for various specialties
- ✓ EKG monitor
- ✓ Chest tube collection canisters
- ✓ Urinary catheter bags
- ✓ Nezzie Jr. for pediatric use

Scan to see Nezzie informational video on Blickman website

NEZZIE

#NZ9000

DIMENSIONS AND WEIGHT:
27 13/16"(width) x 26 3/8" (depth)
Height of IV Poles: 52" - 83"
Height of Handles: 33 3/8" - 38 7/8"

NEZZIE JR.

#NZ9100

DIMENSIONS AND WEIGHT:
27 13/16" (width) x 26 3/8" (depth)
Height of IV Poles: 52" - 72"
Height of Handles: 21 1/4" - 26 3/4"

Name	Nezzie	Nezzie Jr.
Model #	NZ9000	NZ9100
Item #	0429000000	0429100000
Shipping Weight	77 lbs.	67 lbs.

Custom Powder Coated Colors Available Upon Request
Please email us at info@blickman.com

Ambulation Devices

External Oxygen Tanks

The Nezzie is a compact design to maneuver in tight spaces, however, for longer ambulation, a patient may require additional oxygen tanks that are easier to access in order to switch out the old for new. For these situations, increase your Nezzie's capacity from two oxygen tanks to four by ordering a tank holder kit for the Nezzie or a separate tank holder and accessory clamp for the Nezzie Jr.

STANDARD NEZZIE

The tank holder kit includes two small brackets, two small slides, two 1380 clamps and two 1386 tank holders and necessary hardware. This allows for two oxygen tanks outside the body of the Nezzie in addition to the two internal oxygen tanks inside the body of the Nezzie.

Part #	Description	Shipping Weight
0499000200	Oxygen Tank Holder Kit for Standard Nezzie	19 lbs.

NEZZIE JR.

External oxygen tanks can be attached to the Nezzie Jr. using an accessory clamp and a tank holder. Attach the tank holder accessory to the extended handle slides on the side of the Nezzie Jr. using the accessory clamp.

Accessory Clamp

Tank holder

Part #	Description	Shipping Weight
7801380000	Accessory Clamp	4 lbs.
7801386000	Tank Holder	5 lbs.

Custom Powder Coated Colors Available Upon Request

Please email us at info@blickman.com

Ambulation Devices

Options & Accessories

OPTIONS

IV Hook Configurations



Nezzie	2 Hooks	4 Hooks	6 Hooks	8 (Rake) Hooks
Part #	780063700L	780063800L	780066900L	7802808750
Shipping Weight	2 lbs.	2 lbs.	2 lbs.	5 lbs.

ACCESSORIES

Power Strip

Tray

Part #	Description	Shipping Weight
9170232104	Medical Grade Power Strip	3 lbs.
0499000102	Large Stainless Steel Tray (16" x 21")	11 lbs.
0499000101	Small Stainless Steel Tray (16" x 12")	8 lbs.

Custom Powder Coated Colors Available Upon Request

Please email us at info@blickman.com

Ambulation Devices

Construction Specifications

Construction Specifications

Universal Dimensions	Width: 27 13/16" x Depth: 26 3/8" Nezzie Height: 52" - 83" Nezzie Jr. Height: 52" - 72"
Materials/ Gauge	Main Frame: Powder Coated Cold Roll Steel, 18 GA Base: Powder Coated Steel Tube Base, 11 GA IV Pole: 304 stainless steel, 7/8" diameter, 18GA
Welding	All welding by heliarc method and exposed welds are ground smooth
Finish	Antimicrobial powder coated steel and exposed stainless steel Exposed surfaces are free from pit marks, welded seams and are polished with #4 polish to a satin finish
Electrical	4 hospital grade receptacles and hospital grade plug Three foot coiled cord (extends to 10 foot), 120V AC, 50/60Hz, 15A Tested to comply UL 1363A specifications
Casters	4" twin wheel, antimicrobial precision ball bearing, swivel casters with brakes, which allow for 360 degree pivoting in tight spaces
Notes	• Mobile, versatile, low profile, compact • Eliminates tipping and meets ISO 11199-3 standards for safety • Consolidates most devices

Shipping Information

All shipping weights are estimates and may be changed without prior notice. Specifications may be improved and dimensions changed without prior notice. Please contact customer service for estimated shipping costs at info@blickman.com.

OUR PROMISE

For over 100 years, Blickman has been known throughout the healthcare industry for exceptional product quality. We pride ourselves on providing high-end and personalized service to ensure 100% customer satisfied. If you are not completely satisfied for any reason, we will make it right. All of our equipment is backed by our Limited Lifetime Warranty, so you can be certain that you have made the very best choice for your healthcare facility.

Call Blickman:
Toll Free: (800) 247-5070
Local: (973) 330-0557

www.blickman.com
info@blickman.com
500 U.S. Highway 46 East, Clifton, NJ 07011

BLICKMAN

Bassinets

Transport infants safely and comfortably

Includes:

- Bassinet Kits
- Bassinet Frames
- Basket & Mattress

OUR MISSION

Customer Focus

Exceed customer expectations through a commitment to continuous improvement of our products and services.

Quality Products

Offer the marketplace a broad range of high quality, cost effective, and durable products of superior craftsmanship.

Organizational Excellence

Strive for excellence in all we do by fostering a participative, team based environment, which nurtures the active involvement of all members of the organization.

Marketplace Recognition

Earn the respect, admiration, and loyalty of our people, customers, and suppliers by treating them with dignity and respect, embracing diversity, and developing and maintaining long term partnerships.

Collaborative Workplace

Encourage all employees to work safely and efficiently, contribute innovative ideas, and personally benefit from the ongoing success of the company.

BLICKMAN

THE BLICKMAN **DIFFERENCE**

- Our bassinets are renowned for their reliable 304 stainless steel, welded construction, durability and optimal performance which has made them the preferred choice among maternity nurses for decades.
- Our inverted "U-frame" bassinet design provides a stable and comfortable resting place for newborns. Our standard 4" ball bearing swivel casters, with two brakes, ensure safe transport.
- We offer various storage choices such as shelves, drawers and cabinets. Cabinets can be closed for more security or open for easier access.
- Our clear acrylic infant basket includes a cardholder for baby identification and rests in specially formed support rods so it can be set in the flat or Trendelenburg position.

Key Product Features



Bassinets

Bassinet Kits

We offer bassinet kits so you can get everything you need in one order. Our bassinet kits include:

- ✓ The stainless steel bassinet frame of your choosing
- ✓ The acrylic basket
- ✓ The foam mattress pad

Now Included

BASSINET KITS

All of our bassinets are the same dimensions:
Width: 31" x Height: 41 1/2" x Depth: 17 3/4"

Description:

- Upper shelf has four sided guardrail to protect supplies
- Two shelves are 8" and 23" from the floor
- Shelf dimensions (WxHxD): 31" x 17 3/4"

Description:

- Storage drawer that is counter weighted for stability
- One shelf, 8" from the floor
- Drawer inside dimensions (WxHxD): 19 3/4" x 6 1/2" x 13 7/8"

Description:

- Two 17" deep storage compartments with doors
- Right side has removable shelf
- Cabinet inside dimensions (WxHxD): 29" x 13 3/4" x 15 7/8"

Description:

- Two open 17" deep storage compartments
- Right side includes non-removable shelf
- Cabinet inside dimensions (WxHxD): 29" x 13 3/4" x 16 5/8"

Name	Bassinet Kit with Open Shelves	Bassinet Kit with Drawer	Bassinet Kit with Closed Cabinet	Bassinet Kit with Open Cabinet
Model #	8044SS-KIT	8047SS-KIT	8048SS-KIT	8049SS-KIT
Item #	1118044KIT	1118047KIT	1118048KIT	1118049KIT
Shipping Weight	69 lbs.	98 lbs.	98 lbs.	77 lbs.

Custom Designs Available Upon Request
Please email us at info@blickman.com

Bassinets

Parts Ordered Separately

BASSINETS

All of our Bassinets are the same dimensions:
Width: 31" x Height: 38 1/2" x Depth: 17 3/4"

Name	Bassinet with Open Shelves	Bassinet with Drawer	Bassinet with Closed Cabinet	Bassinet with Open Cabinet
Model #	8044SS	8047SS	8048SS	8049SS
Item #	1118044000	1118047000	1118048000	1118049000
Ship Weight	53 lbs.	83 lbs.	82 lbs.	61 lbs.

ACCESSORIES

Basket

Dimensions: 31 1/8" x 9 7/8" x 16 1/8"
Seamless, clear acrylic bassinet basket with cardholder for easy identification

Mattress

Dimensions: 26" x 2" x 12 1/2"
2" thick foam padding with staph check cover. Flame retardant

Name	Basket	Mattress
Model #	3070P	3069MP
Item #	9841307001	8441306901
Ship Weight	12 lbs.	3 lbs.

Custom Designs Available Upon Request
Please email us at info@blickman.com

Bassinets

Construction Specifications

Construction Specifications

Universal Dimensions	**Bassinets:** Width: 31" x Height: 38 1/2" x Depth: 17 3/4" **Bassinet Kits:** Width: 31" x Height: 41 1/2" x Depth: 17 3/4"
Materials	304 stainless steel
Gauge	Legs: 16GA Shelves: 18 GA Body Parts and Removable Inside Shelves: 20GA
Welding	All welding by heliarc method and exposed welds are ground smooth
Finish	Exposed surfaces are free from pit marks, weld seams, scale and are polished with #4 polish to a satin finish
Casters	4" ball bearing, swivel casters, two with brakes
Notes	• All models utilize specially formed support rods so basket can be set in the flat or Trendelenburg position • Infant basket and mattress pad can be sold separately

Shipping Information

All shipping weights are estimates and may be changed without prior notice. Specifications may be improved and dimensions changed without prior notice. Please contact customer service for estimated shipping costs at info@blickman.com.

Custom Designs Available Upon Request
Please email us at info@blickman.com

BLICKMAN

OUR PROMISE

For over 100 years, Blickman has been known throughout the healthcare industry for exceptional product quality. We pride ourselves on providing high-end and personalized service to ensure 100% customer satisfied. If you are not completely satisfied for any reason, we will make it right. All of our equipment is backed by our Limited Lifetime Warranty, so you can be certain that you have made the very best choice for your healthcare facility.

Call Blickman:
Toll Free: (800) 247-5070
Local: (973) 330-0557

www.blickman.com
info@blickman.com
500 U.S. Highway 46 East, Clifton, NJ 07011

BLICKMAN

Cabinets & Casework

Customizable, secure, and organized

Includes:

- Freestanding Cabinets
- Customizable Casework
- Sinks and Countertops
- Console Cabinets
- Accessories and Options

OUR MISSION

Customer Focus

Exceed customer expectations through a commitment to continuous improvement of our products and services.

Quality Products

Offer the marketplace a broad range of high quality, cost effective, and durable products of superior craftsmanship.

Organizational Excellence

Strive for excellence in all we do by fostering a participative, team based environment, which nurtures the active involvement of all members of the organization.

Marketplace Recognition

Earn the respect, admiration, and loyalty of our people, customers, and suppliers by treating them with dignity and respect, embracing diversity, and developing and maintaining long term partnerships.

Collaborative Workplace

Encourage all employees to work safely and efficiently, contribute innovative ideas, and personally benefit from the ongoing success of the company.

BLICKMAN

THE BLICKMAN **DIFFERENCE**

Freestanding Cabinets

- Our stainless steel cabinets are constructed with a seamless welded face preventing dirt collection while providing long lasting durability through unparalleled strength and corrosion resistance.
- Our freestanding cabinets rest on four legs with glides or can be mobilized on casters.
- Add a sloped top to prevent dirt collection to create a sterile environment.
- Kay and Kennedy cabinets feature two separate sections with unlocked or locked compartments.
- Paul and Walter cabinets provide maximum storage room for large equipment.

Key Product Features

Cabinets

FREESTANDING

Description: Our Kay and Kennedy freestanding cabinets feature separate upper and lower sections. The upper sections of these cabinets are locked, transparent compartments for easily viewing and securing contents. The Kennedy cabinet includes an independently locked and welded narcotic locker.

Kay Cabinet

Upper section: Consists of a locked 29 3/4" x 31 3/8" x 15" compartment with a glass door and three removable glass shelves

Lower section: Consists of a 29 3/4" x 20 1/2" x 15" compartment with a stainless steel door and one stainless steel shelf

Kennedy Cabinet

Upper Section: 8" deep and contains a welded and independently locked narcotic locker

Lower Section: 16" deep and contains three 7" deep drawers and one 15" deep compartment

Name	Kay	Kennedy
Dimensions (WxHxD)	**30" x 58" x 16"**	**36" x 76 1/2" x 16"**
Model #	7953SS	7956SS
Item #	1517953000	1527956000
Shipping Weight	219 lbs.	291 lbs.

Options: 2 "Casters, stainless steel shelves for upper cabinets, sloping top, all stainless steel doors

Custom Designs Available Upon Request

Please email us at info@blickman.com

Cabinets

FREESTANDING

Description: Our Paul and Walter cabinets are double door freestanding cabinets. They each come standard with two glass locked doors for securing contents. Our Walter cabinet is ideal for storing large instruments on its back pegboard, while our Paul cabinet includes shelving for storing lots of instruments and supplies. They are both 16" deep and 76" tall on gliders. They are 79 1/4" tall on casters. Choose from two standard width sizes: 35 5/8" and 47 5/8".

Walter Cabinet

This cabinet is great for storing endoscopy equipment or other large instruments on its pegboard

Paul Cabinet

This cabinet provides maximum shelving storage for instruments and supplies. Glass shelves are adjustable every 1/2"

Name	Walter		Paul	
Width	**35 5/8"W**	**47 5/8"W**	**35 5/8"W**	**47 5/8"W**
Model #	7959SS	7960SS	7970SS	7971SS
Item #	1537959000	1537960000	1537970000	1537971000
Shipping Weight	269 lbs.	310 lbs.	330 lbs.	400 lbs.

Options: Glides or casters, recessing, flat top, stainless steel shelves (Paul Cabinet), all stainless steel doors

Custom Designs Available Upon Request

Please email us at info@blickman.com

Cabinets

OPTIONS

Foot Options

Locking Casters

Casters

Gliders

Recessed Options

*For more information see Console Cabinets Section.

Recessed Paul

Recessed Walter

ACCESSORIES

Electronic Locking Systems, available for most of our cabinets

Additional Shelves, your choice of stainless steel or glass

Sloped top (see order details below)

Model #	Item #	Description	Shipping Weight
ST-3016	4503516300	Sloped Top for Kay (30" x 6" x 16")	35 lbs.
ST-3608	4503536080	Sloped Top for Kennedy (36" x 6" x 8")	37 lbs.
ST-3516	4503516350	Sloped Top for Walter or Paul (slim) (35 5/8" x 6" x 16")	43 lbs.
ST-4716	4503516470	Sloped Top for Walter or Paul (wide) (47 5/8" x 6" x 16")	54 lbs.

Cabinets

FREESTANDING
Construction Specifications

Construction Specifications

Standard Dimensions	**All Freestanding Cabinets:** 16" deep
Materials	304 stainless steel 1/4" clear tempered sheet glass
Gauge	Body, Sloped Top, Drawers, and Shelf Inserts: 18GA; Legs: 12GA Glass Doors (Front and Back): 18GA Solid Doors (Front): 18GA; Solid Doors (Back): 20GA
Welding	All welding by heliarc method and exposed welds are ground smooth
Finish	Exposed surfaces are free from pit marks, weld seams, scale and are polished with #4 polish to a satin finish
Casters	2" or 3" ball bearing, swivel casters with brakes
Notes	• **Kay**: A counter weight is fastened underneath at bottom rear of cabinet for doors in open position. Upper door fitted with lock handle and three way latching device engaging at top. • **Kennedy:** Right hand door equipped with a locking knob and three way latching. Left hand door with dummy knob and roller latch. An independently locked narcotic cabinet, 13 1/4" x 5" x 7 3/4" with double walled door is welded to the bottom, back, and side of the compartment. • **Paul & Walter:** A counter weight is fastened underneath at bottom rear of cabinet for doors in open position. Right hand door is fitted with a locking handle and three point latching, and the left door has a dummy knob and spring loaded nylon roller catches.

Shipping Information

All shipping weights are estimates and may be changed without prior notice. Specifications may be improved and dimensions changed without prior notice. Please contact customer service for estimated shipping costs at info@blickman.com.

THE BLICKMAN **DIFFERENCE**

Casework

- Need more flexibility in today's space squeezed environment? We provide you with casework that can be assembled together and modified to fit your custom dimensions.
- Whether it is renovation or new construction, we will be happy to work with your facility's personnel, architects, contractors, and/or equipment planners to meet your custom requirements.
- Utilizing 3D Design Software REVIT®, we have developed a library of our standard products which is available at no charge to your company. Our 3D library will save you considerable time and money when working on projects that require stainless steel cabinets and equipment.
- Each product line of cabinets (console cabinets, high cabinets, base cabinets, and wall cabinets) have their individual properties identified for easy customization: (cubic feet, weight, "X", "Y" and "Z" dimensions, voltage, etc.).

Key Product Features



Cabinets

Customizable Casework

HIGH CABINETS

Description: Our stainless steel high cabinets are designed to stand alone or fit within a framework of cabinets. They are constructed as floor and wall supported individual cases with finished sides. They each contain five adjustable stainless steel shelves, with the option of glass shelves and additional shelves. They are all 84" tall and 18" deep cabinets. Width varies and other alternative dimensions are available.

Customize the widths and depths of these models to your room.

Common Dimensions:

- Single Door: 24 3/4" W
- Double Door: 29", 41", and 47"W
- Alternative Depth: 23"D



Name	Single Door	Double Door	Double Sliding Doors
		Glass Doors	
Dimensions (WxHxD)	18 3/4" x 84" x 18"	35" x 84" x 18"	35" x 84" x 18"
Model #	K18HAS	L35HAS	M35HAS
Item #	2030518000	203053500	2030635000
Shipping Weight	215 lbs.	310 lbs.	325 lbs.
		Solid Stainless Steel Doors	
Dimensions (WxHxD)	18 3/4" x 84" x 18"	35" x 84" x 18"	35" x 84" x 18"
Model #	H18HAS	I35HAS	J35HAS
Item #	2030418000	2030435000	2030535180
Shipping Weight	230 lbs.	300 lbs.	347 lbs.

Options: Sloped top, glass shelves, additional shelves

Custom Designs Available Upon Request

Please email us at info@blickman.com

Cabinets

Customizable Casework

WALL CABINETS

Description: Our stainless steel wall cabinets are designed to stand alone with finished sides or to fit within a framework of cabinets. They are constructed for flush face wall surfaces with a recessed back panel for uneven wall surfaces. Each cabinet comes with two $^{1}/_{2}$" adjustable stainless steel shelves. Choose from swinging or sliding doors made of either solid stainless steel or glass. Our wall cabinets are all 30" tall and 13" deep. Width varies and other alternative dimensions are available.

Customize the widths and heights of these models to your room.

Common Dimensions:

- Single Door: 18 $^{3}/_{4}$" and 24 $^{3}/_{4}$" W
- Double Door: 29", 35" 41", and 47"W
- Alternative Heights: 36" and 48"H



Name	Single Door	Double Door	Sliding Doors
		Glass Doors	
Dimensions (WxHxD)	18 $^{3}/_{4}$" x 30" x 13"	35" x 30" x 13"	35" x 30" x 13"
Model #	D18LS	E35LS	F35LS
Item #	2020318000	2020335000	2023035000
Shipping Weight	95 lbs.	145 lbs.	135 lbs.
		Solid Stainless Steel Doors	
Dimensions (WxHxD)	18 $^{3}/_{4}$" x 30" x 13"	35" x 30" x 13"	35" x 30" x 13"
Model #	A18LS	B35LS	C35LS
Item #	2020218000	2020235000	2023135000
Shipping Weight	90 lbs.	141 lbs.	130 lbs

Options: Sloped top, glass shelves, additional shelves

Custom Designs Available Upon Request

Please email us at info@blickman.com

Cabinets

Customizable Casework

OPEN WALL SHELVES

Description: Our stainless steel open wall cabinet is designed to stand alone with finished sides or fit within a framework of cabinets and comes with two adjustable stainless steel shelves. Alternatively, we offer a wall shelf that can be placed anywhere along a wall.

Common Dimensions:

- Wall Cabinet Widths: 29" and 41", Heights: 36" and 48"
- Wall Shelf Widths: 48", 60", and 72", Depths: 16"



Name	Open Wall Cabinet		Wall Shelf	
Width	35" W	47" W	36" W	84" W
Dimensions (WxHxD)	35" x 30" x 13"	47" x 30" x 13"	36" x 12"	84" x 12"
Model #	G35LS	G47LS	WS3612	WS8412
Item #	2020435000	202044700	1813612000	1818412000
Shipping Weight	75 lbs.	142 lbs.	26 lbs.	40 lbs.

OPEN BASE CABINETS

Description: Our stainless steel open base cabinets offer open shelving to fit within a framework of cabinets or stand alone with finished sides. They are constructed for flush face wall surfaces and come with two adjustable stainless steel shelves. Our open base cabinets are all 22" deep and 35 3/4" high and come in a variety of width sizes.

Other Commonly Ordered Double Width Sizes: 29"W and 41"W



Name	Single Width		Double Width	
Width	18 1/8" W	24 1/8" W	35" W	47" W
Model #	AJ18HS	AJ24HS	AJ35HS	AJ47HS
Item #	2012518000	2012524000	2012535000	2012547000
Shipping Weight	102 lbs.	122 lbs.	152 lbs.	170 lbs.

Custom Designs Available Upon Request

Please email us at info@blickman.com

Cabinets

Customizable Casework

SINGLE BASE CABINETS

Description: Our stainless steel single width base cabinets come in five different configurations and are designed to stand alone with finished sides or to fit withing a framework of cabinets. They are all 35 3/4" tall and 22" deep, and come in two width sizes, 18 1/8" and 24 1/8".



Name	-AA- Door	-AB- Door, Drawer	-AC- Door, Vent (Sink)
		18 1/8" Wide	
Model #	AA18HS	AB18HS	AC18HS
Item #	2012118000	2012218000	2012218001
Shipping Weight	80 lbs.	125 lbs.	107 lbs.
		24 1/8" Wide	
Model #	AA24HS	AB24HS	AC24HS
Item #	2012224000	2012124000	2012224001
Shipping Weight	132 lbs.	147 lbs.	118 lbs.

Note: Cabinets without vents include one stainless steel shelf inside

Name	-AS- 3 Drawer	-AE- 4 Drawer
	18 1/8" Wide	
Model #	AS18HS	AE18HS
Item #	2012718000	2012318000
Shipping Weight	167 lbs.	174 lbs.
	24 1/8" Wide	
Model #	AS24HS	AE24HS
Item #	2012724000	2012324000
Shipping Weight	183 lbs.	192 lbs.

Note: Cabinets without vents include one stainless steel shelf inside

Custom Designs Available Upon Request

Please email us at info@blickman.com

Cabinets

Customizable Casework

DOUBLE BASE COMPARTMENT CABINETS

Description: Our stainless steel double base compartment cabinets come in seven different configurations and are designed to stand alone with finished sides or to fit within a framework of cabinets and. They are all 35 3/4" tall and 22" deep, and come in two width sizes, 35" and 47".

Name	-DA- Double Door	-DB- Double Vent (Sink)	-DC- Large Drawer	-DD- Double Drawer
		35" Wide		
Model #	DA35HS	DB35HS	DC35HS	DD35HS
Item #	2013235200	2013235000	2013235001	2013335000
Shipping Weight	161 lbs.	145 lbs.	200 lbs.	194 lbs.
		47" Wide		
Model #	DA47HS	DB47HS	DC47HS	DD47HS
Item #	2013247200	2013247000	2013247001	2013347000
Shipping Weight	205 lbs.	178 lbs.	235 lbs.	243 lbs.

Note: Cabinets without vents include one stainless steel shelf inside

Name	-DG- 1 Door, 4 Drawer	-DJ- 1 Door, 8 Drawer	-DK- 1 Door, 5 Drawer
		35" Wide	
Model #	DG35HS	DJ35HS	DK35HS
Item #	2013435000	2013535001	2013535000
Shipping Weight	180 lbs.	225 lbs.	257 lbs.
		47" Wide	
Model #	DG47HS	DJ47HS	DK47HS
Item #	2013447000	2013547001	2013547000
Shipping Weight	282 lbs.	280 lbs.	283 lbs.

Note: Cabinets without vents include one stainless steel shelf inside

Custom Designs Available Upon Request

Please email us at info@blickman.com

Cabinets

Customizable Casework

DOUBLE BASE DRAWER CABINETS

Description: Our stainless steel double base drawer cabinets come in five different configurations and are designed to stand alone with finished sides or to fit within a framework of cabinets. They are all 35 3/4" tall and 22" deep, and come in two width sizes, 35" and 47".

Name	-DP- 4 Drawer	-DS- 5 Drawer
	35" Wide	
Model #	DP35HS	DS35HS
Item #	2013735000	2013735001
Shipping Weight	238 lbs.	275 lbs.
	47" Wide	
Model #	DP47HS	DS47HS
Item #	2013647000	2013747001
Shipping Weight	276 lbs.	315 lbs.

Name	-DT- 8 Drawer	-DR- 4 Small, 2 Large	-FC- 6 Small, 2 Large
		35" Wide	
Model #	DT35HS	DR35HS	FC35HS
Item #	2013835000	2013635000	2013235002
Shipping Weight	287 lbs.	265 lbs.	275 lbs.
		47" Wide	
Model #	DT47HS	DR47HS	FC47HS
Item #	2013847000	2013747000	2013247002
Shipping Weight	324 lbs.	310 lbs.	323 lbs.

Custom Designs Available Upon Request

Please email us at info@blickman.com

Cabinets

Customizable Casework

SINKS AND COUNTERTOPS

Please email us at info@blickman.com

Description: Our sinks and countertops must be ordered separately and are installed in the field. Most of our countertops are fabricated from one piece of fully welded, 16 gauge, 304 stainless steel. They extend 1" beyond the front, right, and left sides of base cabinet dimensions. Unless otherwise specified, they come with a Marine Edge to help protect against liquid slippage. Optionally, 4" high backsplashes and endsplashes are available to protect wall surfaces.

Base Cabinets Compatible with Additional Sink Bowl



AC	DB	AA	DA	DG	DJ

We suggest using Models AC and DB for moisture ventilation.

All piping and sink bowls can fit under any of these models with the door compartments and no drawers on top.

DRAWER HOUSING

Please email us at info@blickman.com



Description: You can use drawer housing to add a drawer or two under your countertop or tabletop surface. This helps increase storage space to prevent lack of access to equipment and supplies when stored separately.

All drawer housing is 22" deep and reaches 5" below the underside of the countertop or tabletop. Width of drawer housing varies depending on size and number of drawers inside. The drawers are all 18 1/8" deep and 2 1/2" tall and come in two width sizes: 14 1/8" and 20 1/8".





Name	Single Drawer		Double Drawer	
Drawer & Housing Widths	**14 1/8"W Drawer 24"W Housing**	**20 1/8"W Drawer 29"W Housing**	**14 1/8"W Drawer 35"W Housing**	**20 1/8"W Drawer 47"W Housing**
Model #	DH124S	DH129S	DH235S	DH247S
Item #	2043424000	2043429000	2043435000	2043447000
Shipping Weight	35 lbs.	40 lbs.	50 lbs.	60 lbs.

Custom Designs Available Upon Request

Please email us at info@blickman.com

Cabinets

OPTIONS

Sloped Top is available for all High Cabinets and Wall Cabinets.
Listed below are the sloped tops that correspond to the cabinets with the standard dimensions shown in this previously in this section.

Model #	Item #	Description	Shipping Weight
ST-1818	5003518180	Sloped Top for 18 3/4"W High Cabinets (18 3/4" x 11 1/4" x 18")	24 lbs.
ST-3518	5003535180	Sloped Top for 35"W High Cabinets (35" x 11 1/4" x 18")	41 lbs.
ST-1813	5003518130	Sloped Top for 18 3/4" W Wall Cabinets (18 3/4" x 8 1/4" x 13")	21 lbs.
ST-3513	5003535130	Sloped Top for 35" W Wall Cabinets (35" x 8 1/4" x 13")	36 lbs.

ACCESSORIES

Electronic Locking Systems available for most of our cabinets

Additional Shelves, your choice of stainless steel or glass

Custom Designs Available Upon Request
Please email us at info@blickman.com

Cabinets

Construction Specifications

Standard Dimensions	**High Cabinets:** 84" tall x 18" deep, widths vary **Wall Cabinets:** 30" tall x 13" deep, widths vary **Base Cabinets:** 35 3/4" tall x 22" deep, widths vary **Countertops:** 1" overhang in front and both sides of base cabinets
Materials	304 Stainless Steel 1/4" clear tempered sheet glass
Gauge	Body, Sloped Top, Drawers, and Shelf Inserts: 18GA; Base: 16GA Glass Doors (Front and Back): 18GA Solid Doors (Front): 18GA; Solid Doors (Back): 20GA
Welding	All welding by heliarc method and exposed welds are ground smooth
Finish	Exposed surfaces are free from pit marks, weld seams, scale and are polished with #4 polish to a satin finish
Casters	N/A
Notes	• **Cabinet Parts:** ◦ **Hinge Doors:** Hung on semi concealed stainless steel hinges and fitted with die cast aluminum bar pulls and spring loaded nylon roller catches. ◦ **Sliding Doors:** Suspended from overhead ball bearing rollers, which are noiseless and self-lubricating, and ride in stainless steel guide strips fitted with die formed, recessed pulls securely welded in place. ◦ **Shelves**: Constructed with a channel shaped, flanged edge and centers the full height of the cabinet. ◦ **Drawers:** Drawer bodies are a one piece construction with covered corners. Drawer face equipped with die cast aluminum bar pole handles. Drawers operated on ball bearing roller slides with full extension. • **High Cabinets & Wall Cabinets:** Recessed pan back, 3/4" deep. • **Base Cabinets:** Each applied with a channel shaped base, incorporating toe space approximating 3" deep and 4" high, for easy cabinet access. Can be omitted when recessed or another base is used. • **Sinks and Countertops:** Fabricated in one piece, where possible, with welded corners, channel shaped exposed edges, and reinforced with three full length hat shaped galvanneal channels.

Shipping Information

All shipping weights are estimates and may be changed without prior notice. Specifications may be improved and dimensions changed without prior notice. Please contact customer service for estimated shipping costs at info@blickman.com.

THE BLICKMAN **DIFFERENCE**

Console Cabinets

- Our console cabinets are designed with you in mind. Choose these cabinets for storage for a full scheduled day, to protect your sterile supplies behind closed doors, and have instant access to supplies and equipment to minimize procedural delays.
- We offer individual units that can be combined and assembled into your own custom console arrangements. You can easily design your own by selecting cabinets with solid or glass doors available with or without locks. Locks can be keyed alike or independently.
- Our cabinets can also be furnished as freestanding cabinets on glides, casters, or bases with or without sloped tops to prevent dust collection.
- Stainless steel perimeter recessing trim may be purchased with all built-in installations.

Key Product Features

Cabinets

Console Cabinets

SINGLE WIDTH

Description: Our single width console cabinets are all designed as individual units that can be combined and assembled into your own custom console arrangements. All doors and shelves come in glass or solid stainless steel. Drawers are all stainless steel. The shelving and desk cabinet dimensions are 24 1/8" x 60" x 18" and the warming cabinet dimentions are 30" x 60" x 20".





Name	Shelving Cabinet		Desk Cabinet	Warming Cabinet	
	Glass Door	Solid Door	Drawers	Glass Door	Solid Door
Model #	MS24	MS24S	DC24	SW30TG	SW30TS
Item #	1716724000	1716724258	1713224000	14BSW30243	14BSW30200
Shipping Weight	240 lbs.	240 lbs.	245 lbs.	320 lbs.	320 lbs.

Custom Designs Available Upon Request
Please email us at info@blickman.com

Cabinets

Console Cabinets

DOUBLE WIDTH

Description: Our double width console cabinets are all designed as individual units that can be combined and assembled into your own custom console arrangements. All doors and shelves come in glass or solid stainless steel. They are both 60" high and 18" deep and come in two width sizes: 35" and 47".

Name	Double Door Shelving Cabinet (Recessed Paul Cabinet)		Double Door Pegboard Cabinet (Recessed Walter Cabinet)	
	Glass Door	Solid Door	Glass Door	Solid Door
		35" W		
Model #	ES35	ES35S	TA35G	TA35
Item #	1713735000	1713735258	1718235010	1718235000
Shipping Weight	250 lbs.	250 lbs.	250 lbs.	250 lbs.
		47" W		
Model #	ES47	ES47S	TA47G	TA47
Item #	1713747000	1713747258	1718247003	1718247000
Shipping Weight	275 lbs.	275 lbs.	355 lbs.	355 lbs.

Custom Designs Available Upon Request
Please email us at info@blickman.com

ACCESSORIES

Cemented Corner Guard, 16 gauge 304 stainless steel

Recess trim available for built-in console cabinets

Model #	Description	Shipping Weight
CG4448	48" High corner guards, for protection and corrosion resistance (4"x4"x48")	20 lbs.
CG4496	96" High Corner guards, for protection and corrosion resistance (4"x4"x96")	20 lbs.
Rt120	Recessing trim, 22GA 304 stainless steel (10' strips, 1 1/2" x 1 1/2 wide)	20 lbs.

Electronic Locking Systems available for most of our cabinets



Passthrough Cabinets available for built-in applications

Custom Designs Available Upon Request
Please email us at info@blickman.com

Cabinets

CONSOLE CABINET
Construction Specifications

Construction Specifications

Standard Dimensions	All console cabinets are 16" high x 18" deep, widths vary Exception: warming cabinets are 20" deep
Materials	304 Stainless Steel 1/4" clear tempered sheet glass
Gauge	Body, Sloped Top, Drawers, and Shelf Inserts: 18GA Glass Doors: Front and Back: 18GA Solid Doors (Front): 18GA; Solid Doors (Back): 20GA
Welding	All welding by heliarc method and exposed welds are ground smooth
Finish	Exposed surfaces are free from pit marks, weld seams, scale and are polished with #4 polish to a satin finish
Casters	N/A
Notes	• **All Console Cabinets:** Solid doors are double panned, channel reinforced. Glass doors come in double shell design, with one piece outer frames dieformed to receive rubber gasketed glass panels held in place by inner retaining strips. • **Double Door Console Cabinets:** Right door fitted with two point up and down knob latching, left hand door with integral stops, dummy knob, and spring loaded nylon roller catch. Doors operate on three semi-concealed stainless steel hinges. Pegboard Cabinet interiors (back and sides) are lined with removable 18GA stainless steel pegboard. • **Desk Console Cabinet:** Four drawers with double wall fronts operate on side mounted, two section ball bearing roller slides with built-in extension stops. Heads provided with diecast aluminum bar pulls. • **Single Door Shelving Console Cabinet:** Can be either right or left hinged. • **Recessed Warming Cabinet:** Temperature control from 90°F - 160°F. 160x180 pixel graphical display with dual colors (red/green). Built-in temperature data recorder with real time clock (RTC).

Shipping Information

All shipping weights are estimates and may be changed without prior notice. Specifications may be improved and dimensions changed without prior notice. Please contact customer service for estimated shipping costs at info@blickman.com.

Blickman REVIT® Library

We have developed a library of our standard products using 3D Design Software REVIT®, which is available to your company at no charge.

Included in our Revit Library you can find:
Free standing Cabinets
Casework
Case Carts
Tables
Warming Cabinets

Visit: **www.blickman.com/revit-files**

Create your entire room from our cabinet files to discover a design that works best for your needs. We are happy to work with you to create custom cabinetry, casework, tables, etc. to fit in your space.

Custom Designs Available Upon Request
Please email us at info@blickman.com

BLICKMAN

OUR PROMISE

For over 100 years, Blickman has been known throughout the healthcare industry for exceptional product quality. We pride ourselves on providing high-end and personalized service to ensure 100% customer satisfied. If you are not completely satisfied for any reason, we will make it right. All of our equipment is backed by our Limited Lifetime Warranty, so you can be certain that you have made the very best choice for your healthcare facility.

Call Blickman:
Toll Free: (800) 247-5070
Local: (973) 330-0557

www.blickman.com
info@blickman.com
500 U.S. Highway 46 East, Clifton, NJ 07011

BLICKMAN

Case Carts

Compact, stable, secure transport

Includes:

- Closed Case Carts
- Open Case Carts
- Shelving Options
- Accessories

OUR MISSION

Customer Focus

Exceed customer expectations through a commitment to continuous improvement of our products and services.

Quality Products

Offer the marketplace a broad range of high quality, cost effective, and durable products of superior craftsmanship.

Organizational Excellence

Strive for excellence in all we do by fostering a participative, team based environment, which nurtures the active involvement of all members of the organization.

Marketplace Recognition

Earn the respect, admiration, and loyalty of our people, customers, and suppliers by treating them with dignity and respect, embracing diversity, and developing and maintaining long term partnerships.

Collaborative Workplace

Encourage all employees to work safely and efficiently, contribute innovative ideas, and personally benefit from the ongoing success of the company.

BLICKMAN

THE BLICKMAN **DIFFERENCE**

- Operating room surgical staff can transport fully loaded case carts throughout the facility with the doors closed for increased protection and cart cleaning is a simple and easy task.
- We offer options that meet a variety of different surgery needs including neurosurgery, general surgery, outpatient surgery, labor and delivery, and more. We also offer space saving solutions that take up less floor space while being able to handle more extensive procedures.
- Our broad offering of case carts remains the most durable and highest functioning on the market. We are the only manufacturer in our class to offer a lifetime limited warranty. Our advanced engineering capabilities enable us to customize case cart designs to satisfy virtually any requirement your medical facility may have.
- The doors of the closed case carts swing a full 270° and a positive spring acting clip at the cart ends capture doors to stay in the open position during cart washing and while in use in the operating room.

Key Product Features

Case Carts

Maxi to Mini

Description: Our while maxi, multipurpose, and mini case carts differ in width, they are all 40 1/2" tall and 29" deep.. They each come standard with one wire shelf. The maxi case cart comes standard with a heavy duty roll-out shelf, and the multipurpose and mini case carts come with a lightweight pull-out shelf.

Push Handle

Maxi Cart

52"W

Ideal for procedures that require a larger volume of supplies such as neurosurgery and orthopedic surgery

Internal Dimensions:
42 7/8"W x 29 3/8"H x 25"D

Multipurpose Cart

42" W

Ideal size for most routine surgical procedures, whether or not your facility uses a container system

Internal Dimensions:
32 7/8"W x 29 5/8"H x 25"D

Mini Cart

29 5/8" W

Designed for labor and delivery and outpatient surgery, where a smaller cart is preferred

Internal Dimensions:
20 1/2"W x 29 5/8"H x 25"D

Name	Maxi	Multipurpose	Mini
Solid Doors			
Model #	CCC1-19	CCC2-19	CCC3-19
Item #	2293331000	2293332000	2293333000
Floor Space	10 1/2 ft²	8 1/2 ft²	6 ft²
Shipping Weight	266 lbs.	225 lbs.	168 lbs.
Glass Doors			
Model #	CCC1-19G	CCC2-19G	CCC3-19G
Item #	22933G1000	22933G2000	22933G3000
Floor Space	10.47 ft²	8.46 ft²	5.97 ft²
Shipping Weight	260 lbs.	219 lbs.	165 lbs.

Custom Designs Available Upon Request
Please email us at info@blickman.com

Case Carts

Space Saving

Description: Our space saver case carts are designed to give a greater capacity while using the same floor space as the mini and multipurpose case carts. Their height and additional shelving provide additional storage capacity. Instead of 40 1/2" tall, they are 55 1/2" tall, and instead of one shelf, they come standard with two lightweight pull-out wire shelves.

Recessed Handle

Space Saving Cart

29 5/8" W

This cart can handle most routine surgical procedures.

Internal Dimensions:
20 1/2"W x 44 5/8"H x 25"D

Ultra Space Saving Cart

42" W

This cart can handle more extensive procedures.

Internal Dimensions:
32 7/8"W x 44 5/8"H x25"D

Name	Space Saving	Ultra Space Saving
	Solid Doors	
Model #	CCC4-19	CCC5-19
Item #	2293334000	2293335000
Floor Space	6 ft²	8 1/2 ft²
Shipping Weight	208 lbs.	276 lbs.
	Glass Doors	
Model #	CCC4-19G	CCC5-19G
Item #	22933G4000	22933G5000
Floor Space	6 ft²	8 1/2 ft²
Shipping Weight	198 lbs.	262 lbs.

Custom Designs Available Upon Request
Please email us at info@blickman.com

Case Carts

Open

Description: Our open case cart designs are easy to clean, dry, load, and maneuver. The full encircling bumper and solid bottom prevents cross contamination. This design is ideal for carts that go directly to a sterile core, bypassing non-sterile transport.

Overall Dimensions:

Width: 42" x Height: 42" x Depth: 29"

Name	Solid Shelves	Wire Shelves
Model #	OCC3	OCC4
Item #	2410396000	2410496000
Shipping Weight	219 lbs.	141 lbs.

Custom Designs Available Upon Request

Please email us at info@blickman.com

Case Carts

Interior Shelving

STANDARD

Wire Roll Out Shelf

CCC1

Wire Pull Out Shelf

CCC2, 2E, 3, 4, and 5

OPTIONAL

	Roll Out Shelving			Pull Out Shelving		
Case Carts	**Wire**	**Perforated**	**Solid**	**Wire**	**Perforated**	**Solid**
CCC1	611C1RWKIT	611C1RPKIT	613C1RSKIT	N/A	61517P1KIT	6152042KIT
CCC2/CCC5	610C2RWKIT	610C2RPKIT	610C2RSKIT	6152272KIT	6152275KIT	6152274KIT
CCC3/CCC4	610C1RWKIT	610C1RPKIT	610C1RSKIT	6152273KIT	6152271KIT	6152073KIT

Case Carts

Exterior Shelving

EXTENSION SHELVES

Compatible with CCC2 Only

- Expand your work surface area -

DROP SHELVES

Compantible with CCC1, 2, & 3

- Expand your work surface area -

Custom Designs Available Upon Request

Please email us at info@blickman.com

ACCESSORIES

Clean/Dirty Indicators

US Design Patent #: US D883,378 S
US Utility Patent#: US 10,643,505 B1

US Design Patent #: US D883,379 S
US Utility Patent#: US 10,643,505 B1

Part #	Description	Shipping Weight
5278628KIT	Angle Model	2 lbs.
5200045KIT	Dial Model	2 lbs.
5278618KIT	Pod Model	2 lbs.

Card Holder

We offer a 8.5" x 11" card holder. Custom sizes and placement options available. Stainless steel frame withstands prolonged use and cutouts allow for drainage.

Tote Boxes

Sturdy, long lasting tote boxes are ideal for organizing and storing small supplies that may slip through the spaces of wire shelves.

Part #	Description	Shipping Weight
5206701185	Card Holder	N/A - Factory Installed
9854194720	Tote Boxes	5 lbs.

Case Carts Construction Specifications

Construction Specifications

Universal Dimensions	**Closed Case Carts:** 29" deep, varying widths. Standard Height: 40 1/2"; Space saving height: 55 1/2" **Open Case Carts:** 42" x 42" x 29"
Materials	304 stainless steel, non-magnetic
Gauge	**Closed Case Carts:** Body & Doors: 18GA; Top & Chassis: 16GA **Open Case Carts:** Top & Bottom: 16GA; Shelf: 18GA **Bumper Channel:** 14GA
Welding	All welding by heliarc method and exposed welds are ground smooth
Finish	Exposed surfaces are free from pit marks, weld seams, scale and are polished with #4 polish to a satin finish
Casters	Four 6" stainless steel swivel casters with polyurethane wheels, weight rated at 300lbs (one with directional lock)
Notes	Found on next page

Shipping Information

All shipping weights are estimates and may be changed without prior notice. Specifications may be improved and dimensions changed without prior notice. Please contact customer service for estimated shipping costs at info@blickman.com.

Custom Designs Available Upon Request
Please email us at info@blickman.com

Notes Continued

CLOSED CASE CARTS:

- Body: One piece top and one piece body. Sound deadening angle welded under the top. Sound deadening channel on the center back. A pan shaped, step down bottom with a slope that facilitates draining. Horizontal intersections filled with heat resistant silicone. The body shell is bolted to the chassis. A tubular push handle is provided at one end of the cart.

- Doors: Double walled, channel enforced, (double or triple) hinged doors with paddle latch pulls on leading edges. Doors less than 36" high swing on two hinges, while doors greater than 36" high swing on three hinges. All doors permit full 270° swing. In fully opened position, positive spring acting clips at the cart ends capture doors for cart washing or operating room use.

- Shelves: Shelves slide on adjustable stainless steel wires, suspended from keyhole punched standards welded to the cart interior.

OPEN CASE CARTS:

- Frame: U-shaped tubular framing formed around 3" radii or tubular corner posts stabilized and capped by a pan shaped top welded to posts at contact points. Posts are fitted with casters and either rolling bumpers or encircling rubber bumpers.

- Tops, bottoms, fixed shelves: Fabricated with turned down edges, either hemmed or flanged, with corners notched to sit over or snuggly against the inside contour of the upright members. Notched corners are fully welded to the uprights the full height of the facing edges as well as around the notch.

- Adjustable shelves: Solid rods welded between the tubular uprights at each end, stabilizing the framing members while providing varying levels of shelf adjustment.

Custom Designs Available Upon Request
Please email us at info@blickman.com

OUR PROMISE

For over 100 years, Blickman has been known throughout the healthcare industry for exceptional product quality. We pride ourselves on providing high-end and personalized service to ensure 100% customer satisfied. If you are not completely satisfied for any reason, we will make it right. All of our equipment is backed by our Limited Lifetime Warranty, so you can be certain that you have made the very best choice for your healthcare facility.

Call Blickman:
Toll Free: (800) 247-5070
Local: (973) 330-0557

www.blickman.com
info@blickman.com
500 U.S. Highway 46 East, Clifton, NJ 07011

BLICKMAN

Chairs

Providing ultimate comfort and function

Includes:

- Patient Room Chairs
- Waiting Room Chairs

OUR MISSION

Customer Focus

Exceed customer expectations through a commitment to continuous improvement of our products and services.

Quality Products

Offer the marketplace a broad range of high quality, cost effective, and durable products of superior craftsmanship.

Organizational Excellence

Strive for excellence in all we do by fostering a participative, team based environment, which nurtures the active involvement of all members of the organization.

Marketplace Recognition

Earn the respect, admiration, and loyalty of our people, customers, and suppliers by treating them with dignity and respect, embracing diversity, and developing and maintaining long term partnerships.

Collaborative Workplace

Encourage all employees to work safely and efficiently, contribute innovative ideas, and personally benefit from the ongoing success of the company.

BLICKMAN

THE BLICKMAN **DIFFERENCE**

Chairs

- Our patient chairs come in our same washable vinyl (73 colors available - see upholstry catalog) and are designed to be used in patient rooms and offices that require easy-to-clean, sterile environments.
- Our waiting room chairs come in our new 100% Polyester fabric (19 colors available - see upholstry catalog) and are designed to be used in more comfortable and inviting environment such as waiting areas.
- All of our chairs include a backrest and four black washable plastic legs. We offer a standard size with and without arm rests and a bariatric size that includes arm rests.
- Our bariatric chair was designed using the weight of a 99.5 percentile male body to accommodate up to 400 lbs.

Key Product Features

Chairs

Patient Room & Waiting Room

Patient Room Chairs: Our patient room chairs come in our vinyl fabric for comfortable seating designed for use in patient exam rooms, offices, hallways, and other areas of your facilities that require sterilization.

Waiting Room Chairs: Our waiting room chairs come in our polyester fabric for more comfortable and inviting environments such as waiting areas.

Sizes:

- Our standard chair size is 24" x 33" x 22 $^{5}/_{8}$" and comes with or without arm rests
- Our bariatric size is 36" x 35 $^{1}/_{2}$" x 23 $^{1}/_{2}$" and has a weight capacity of 400 lbs

Name	Chair	Chair with Arms	Bariatric Chair
Fabric		**Vinyl (Patient Room Chairs)**	
Model #	1130	1130WA	1131WA
Item #	1051130000	1051130100	1051131000
Shipping Weight	18 lbs.	21 lbs.	31 lbs.
Fabric		**Polyester Fabric (Waiting Room Chairs)**	
Model #	1120	1120WA	1121WA
Item #	1051120000	1051120100	1051121000
Shipping Weight	18 lbs.	21 lbs.	31 lbs.

Options: 19 polyester fabric colors or 73 vinyl colors - see upholstry catalog

Chairs

Construction Specifications

Construction Specifications

Standard Dimensions	**Standard Seat:** Width: 24" x Height: 33" x Depth: 22 5/8" **Bariatric Seat:** Width: 36" x Height: 35 1/2" x Depth: 23 1/2"
Materials	**Arms and Legs:** Black Plastic **Seats:** 73 vinyl colors or 19 polyester fabric colors - see upholstry catalog
Gauge	N/A
Welding	N/A
Finish	N/A
Casters	N/A

Shipping Information

All shipping weights are estimates and may be changed without prior notice. Specifications may be improved and dimensions changed without prior notice. Please contact customer service for estimated shipping costs at info@blickman.com.

OUR PROMISE

For over 100 years, Blickman has been known throughout the healthcare industry for exceptional product quality. We pride ourselves on providing high-end and personalized service to ensure 100% customer satisfied. If you are not completely satisfied for any reason, we will make it right. All of our equipment is backed by our Limited Lifetime Warranty, so you can be certain that you have made the very best choice for your healthcare facility.

Call Blickman:
Toll Free: (800) 247-5070
Local: (973) 330-0557

www.blickman.com
info@blickman.com
500 U.S. Highway 46 East, Clifton, NJ 07011

BLICKMAN

Decontamination Stations

Optimal infection control

Includes:

- Decontamination Stations
- Faucet Options
- Accessories

OUR MISSION

Customer Focus

Exceed customer expectations through a commitment to continuous improvement of our products and services.

Quality Products

Offer the marketplace a broad range of high quality, cost effective, and durable products of superior craftsmanship.

Organizational Excellence

Strive for excellence in all we do by fostering a participative, team based environment, which nurtures the active involvement of all members of the organization.

Marketplace Recognition

Earn the respect, admiration, and loyalty of our people, customers, and suppliers by treating them with dignity and respect, embracing diversity, and developing and maintaining long term partnerships.

Collaborative Workplace

Encourage all employees to work safely and efficiently, contribute innovative ideas, and personally benefit from the ongoing success of the company.

BLICKMAN

THE BLICKMAN **DIFFERENCE**

Decontamination Stations

- Our decontamination stations provide optimal infection control in today's high risk healthcare environments. Our durable stainless steel decontamination stations meet the stringent Association for the Advancement of Medical Instrumentation (AAMI) guidelines for maximum sterility and utility.
- Our decontamination stations have an ergonomic working height for reduced back stress, symmetrical design for either left or right work flow, 18" counter space on both sides to set instruments down, and an 8" backsplash to protect against water splashes.
- Three sink bowls are included, which feature a unique, "no drip" sink lip, pitched bottoms for proper drainage, and permanently etched gallon and liter calibration inside each bowl for precise measurement.
- Faucets are sold separately. Options include: a pre-rinse combination faucet, a wall-mounted faucet, and a wall-mounted air, gas and VAC valve with serrated barbed end hose.

Key Product Features



Decontamination Stations

Description: We offer three decontamination stations. One sits on two base cabinets, and the other two sit on stainless steel legs that are either stationary or adjustable. All three types of decontamination stations are set to ergonomic working heights. You have the choice of wall-mounted and deck-mounted faucets. Faucets sold separately.

Decontamination Station External Dimensions

Width: 116" x Height: 37" x Depth: 26 1/2" or 30"

*33" - 40" adjustable height range for hydraulic unit

Base Cabinet Decontamination Station

Mounting Types	Wall mounted Faucets 26 1/2" Deep	Deck Mounted Faucets 30" Deep
Model #	DSBC26	DSBC30
Item #	162DSBC001	162DSBC000
Shipping Weight	371 lbs.	391 lbs.

Stationary Decontamination Station

Mounting Types	Wall mounted Faucets 26 1/2" Deep	Deck Mounted Faucets 30" Deep
Model #	DSHB26	DSHB30
Item #	162DSHB001	162DSHB000
Shipping Weight	442 lbs.	462 lbs.

Hydraulic Decontamination Station

Mounting Types	Wall mounted Faucets 26 1/2" Deeps	Deck Mounted Faucets 30" Deep
Model #	DSHY26	DSHY30
Item #	162DSHY017	162DSHY000
Shipping Weight	442 lbs.	462 lbs.

All decontamination stations include three station sinks.

Sink Dimensions: 25" x 18" x 10"

Decontamination Stations

Options

FAUCET OPTIONS

Deck Mounted

Wall Mounted

Name	Pre-rinse Combo Faucet	Swing Faucet	Swivel Gooseneck Faucet	DI/RO Lab Faucet & Lab Hose Fitting Kit
		Deck Mount		
Part #	9200601000	9200002214	9243232204	9201074150
Shipping Weight	13 lbs.	5 lbs.	5 lbs.	5 lbs.
		Wall Mount		
Part #	9200133010	9200231020	9243232414	9204250KIT
Shipping Weight	13 lbs.	5 lbs.	5 lbs.	2 lbs.

Note: The DI/RO Lab Faucet is not for water, but for gas, air, or vacuum hose purposes

Decontamination Stations

Accessories

Peg Board
(Image is representative)

Eyewash

Overflow Back Drain

Cleaning Spray Gun

Thermo Valve

Name	Peg Board (24" x 116")	Eyewash	Overflow Back Drain	Cleaning Spray Gun + Tabletop Rosette	Thermo Valve
Part #	2701160240	9201849LHL	9201074150	9200107006 + 9200800017	9203600LF0
Shipping Weight	143 lbs.	8 lbs.	6 lbs.	2 lbs. + 1 lb.	7 lbs.



Accurate Diagram of Full Pegboard Back

Etched Measurements in Sink Bowl

Note: The Cleaning Spray Gun comes with 1 tip. 8 different sized replacement tips can be ordered:
Part #: 9200107006

Decontamination Stations

Construction Specifications

Construction Specifications

Standard Dimensions	**External Dimensions:** Width: 116" x Depth: 26 1/2 or 30" x Height: 37" (33" - 40" hydraulic unit) **Internal Sink Bowl Dimensions:** Width: 25" x Height: 18" x Depth: 10"
Materials	304 stainless steel
Gauge	Bowl: 14GA Sink Top and Channel: 16GA DSHY Legs: 16GA; Cross Bracing Square Tube: 18GA DSHB Legs and Cross Bracing Square Tube
Welding	All welding by heliarc method and exposed welds are ground smooth
Finish	Exposed surfaces are free from pit marks, weld seams, scale and are polished with #4 polish to a satin finish
Electrical	Hydraulic Unit: 120V AC
Casters	N/A
Notes	• Ergonomic working height for reduced back stress, symmetrical design for either left or right work flow. • 18" counter space on both sides to set instruments down. • 8" backsplash to protect against water splashes. • Three sink bowls which feature a unique, "no drip" sink lip, pitched bottoms for proper drainage, and permanently etched gallon and liter calibration inside each bowl for precise measurement. • Faucets sold separately.

Shipping Information

All shipping weights are estimates and may be changed without prior notice. Specifications may be improved and dimensions changed without prior notice. Please contact customer service for estimated shipping costs at info@blickman.com.

OUR PROMISE

For over 100 years, Blickman has been known throughout the healthcare industry for exceptional product quality. We pride ourselves on providing high-end and personalized service to ensure 100% customer satisfied. If you are not completely satisfied for any reason, we will make it right. All of our equipment is backed by our Limited Lifetime Warranty, so you can be certain that you have made the very best choice for your healthcare facility.

Call Blickman:
Toll Free: (800) 247-5070
Local: (973) 330-0557

www.blickman.com
info@blickman.com
500 U.S. Highway 46 East, Clifton, NJ 07011

BLICKMAN

Exam/ Patient Room

Improve Workflow and Efficiency

Includes:

- Folding Utility Cart
- Overbed Table
- Mayo Stands
- Foot Stools
- Exam Stools
- Patient Chairs

OUR MISSION

Customer Focus

Exceed customer expectations through a commitment to continuous improvement of our products and services.

Quality Products

Offer the marketplace a broad range of high quality, cost effective, and durable products of superior craftsmanship.

Organizational Excellence

Strive for excellence in all we do by fostering a participative, team based environment, which nurtures the active involvement of all members of the organization.

Marketplace Recognition

Earn the respect, admiration, and loyalty of our people, customers, and suppliers by treating them with dignity and respect, embracing diversity, and developing and maintaining long term partnerships.

Collaborative Workplace

Encourage all employees to work safely and efficiently, contribute innovative ideas, and personally benefit from the ongoing success of the company.

BLICKMAN

THE BLICKMAN **DIFFERENCE**

- Exam rooms are typically the first place in which patients seek medical care, except in the event of an emergency.
- We provide a wide variety of exam room furniture products to fit your needs. From overbed tables to folding utility carts to vinyl exam stools and patient chairs.
- Our stainless steel equipment provide sterile and long lasting solutions that will withstand many patients rotating through your exam room.
- If you're looking for more storage solutions, go to www.blickman.com or view our cabinet catalog.

Key Products

Folding Utility Cart

Overbed Table

Mayo Stands

Exam Stools

Patient Chairs

Foot Stools

Exam Room Utility Cart & Overbed Table

FOLDING UTILITY CART

Description: Our folding utility cart is versatile and can assist with almost any application such as movement of mail, patient records, and laboratory materials. Choose any combination of 6" or 12" deep wire baskets to complete your cart. The metal frame is designed for easy assembly and folds for storage. Rubber stoppers support and protect the wire racks to provide a quiet ride on four, 3" hard rubber casters.

Folding Utility Cart Dimensions:
Width: 29 1/4" x Height: 38 1/2" x Depth: 19 1/2"

Name	Model #	Item #	Shipping Weight
Folding Utility Cart	2440	2422440000	21 lbs.
	ORDER SEPARATELY		
6" Wire Basket	2441	2422441000	5 lbs.
12" Wire Basket	2442	2422442000	6 lbs.

OVERBED TABLE

Description: Our overbed table comes in an attractive mark resistant laminate top in a walnut wood grain. It moves up or down with a simple one touch adjustment. Security features include a built-in column lock and four point base. The table travels smoothly on four 2" hooded casters.

Overbed Table Dimensions
Width: 30" x Height: 30" (max) x Depth: 15 1/2"

Name	Overbed Table
Model #	3400
Item #	2833400000
Shipping Weight	27 lbs.

Exam Room

Mayo Stands

CHROME MAYO STANDS

Description: Each of our chrome Mayo stands contain a 12 5/8" x 19 1/8" stainless steel tray and are height adjustable using a Tru-Loc™ friction knob. We offer different base and pole set ups to meet your varying needs.

Middle Pole

Base: Five leg cast aluminum base with wall savers™ and 2" twin wheel hooded casters

Double Pole

Base: Chrome loop base with two 2" twin wheel hooded back casters

Single Pole

Base: Two pronged chrome base with single hard rubber back casters

Name	Middle Pole	Double Pole	Single Pole
Height Adjustment	29 1/2" - 49"	34 1/2" - 54"	34 1/2" - 54"
Model #	1501	1510	1515
Item #	0661501000	0661510000	0661515000
Shipping Weight	14 lbs.	18 lbs.	12 lbs.

Exam Room

Mayo Stands

NEWARK MAYO STANDS

Description: Each of our stainless steel Mayo stands contain a 12 5/8" x 19 1/8" stainless steel tray and are height adjustable using a Tru-Loc™ friction knob. We offer different base set ups to meet your varying needs.

Lightweight

Base: Two pronged stainless steel base with two hard rubber back casters

Standard

Base: Two pronged stainless steel base with two roller blade back casters

Four Caster

Base: Two pronged stainless steel base with four roller blade casters

Name	Lightweight	MR	Standard	MR	Four Caster
Height Adjustment	37 1/4" - 64"		39 1/2" - 62"		39 1/2" - 62"
Model #	1520SS		8841SS		8841MR	8848SS
Item #	0671520000		0638841000		0638841200	0648848000
Shipping Weight	26 lbs.		36 lbs.		36 lbs.	39 lbs.

Exam Room

Mayo Stands

BENJAMIN MAYO STAND

Description: Our Benjamin Mayo stand design is made for ease and durability. Our state of the art double post design minimizes lateral movement and increases overall stability. We offer this design in three different tray sizes.

Via a foot operated mechanism, you can adjust the height from 39 1/2" to 62" off the ground. A guard over the foot prevents accidental release.

Name	Benjamin Mayo Stands	
Tray Size	**12 5/8" x 19 1/8" (Standard)**	
Model #	8867SS	
Item #	0668867000	
Shipping Weight	40 lbs.	
Tray Size	**16" x 21"**	
Model #	8869SS	
Item #	0668869000	
Shipping Weight	41 lbs.	
Tray Size	**20" x 25"**	
Model #	8871SS	
Item #	0668871000	
Shipping Weight	43 lbs.	

Exam Room

Foot Stools

8” HIGH FOOT STOOLS

Description: Our MR conditional approved Kent foot stools include one step 8” off the ground. They are industry standard, fully welded, stainless steel construction with non-slip rubber treads and feet tips. 18” and 30” width sizes are available. Depth is 12”. Include a 41” tall handrail for additional support.

8” stools have the same dimensions:
Width: 18” or 30” x Height: 8” x Depth: 12”

18” Wide
Kent Stool

30” Wide
Kent Stool

Name	18”W	30”W
	With Handrail (41” tall)	
Model #	7757MR-HR	7761MR-HR
Item #	1017757100	1017761100
Shipping Weight	20 lbs.*	30 lbs.*
	Without Handrail	
Model #	7757MR	7761MR
Item #	1017757000	1017761000
Shipping Weight	11 lbs.	20 lbs.

*Shipping weight with an asterisk is the combined shipping weight of separate parts

Exam Room

Foot Stools

9” HIGH FOOT STOOLS

Description: Our 9” high foot stools come in either chrome or stainless steel and consist of one step 9” off the ground with non-slip rubber treads and feet tips. A 35 3/4” tall handrail for additional support is available for the chrome stool.

All 9” stools have the same dimensions:
Width: 14 1/4” x Height: 9” x Depth: 11 3/8”

Stainless Steel Stool

Name	Model #	Item #	Ship Weight
Stainless Steel Stool	1260SS	1011260000	8 lbs.

Chrome Stool
with Handrail

Parts Also Sold Separately

#1250 - Stool

#651 - Handrail

Name	Model #	Item #	Ship Weight
Chrome Stool with HR	1251	1011251000	11 lbs.*
ORDER SEPARATELY			
Chrome Stool	1250	1021251640	7 lbs.
Handrail (35 3/4” tall)	651	7900651000	4 lbs.

*Shipping weight with an asterisk is the combined shipping weight of separate parts

Exam Room

Foot Stools

TWO STEP FOOT STOOLS

Description: Our MR conditional approved two step foot stools are industry standard, fully welded, stainless steel construction with H-braces for additional reinforcement, non-slip rubber treads for secure footing, and feet tips for firm floor placement.

Step Surface Areas	Heights of Steps
Top Step: 36" x 12"	Top Step: 15 3/4"
Bottom Step: 36" x 24"	Bottom Step: 8"

Name	2-Step Foot Stool
	With Handrails (41" high)
Model #	7764MR-HR
Item #	1012041096
Shipping Weight	65 lbs.

Two Step Foot Stool
with Side Handrails

Step Surface Areas	Heights of Steps
Top Step: 24" x 8"	Top Step: 15 3/4"
Bottom Step: 24" x 16"	Bottom Step: 8"

Name	The Donnelly
	With Handrails (41" high)
Model #	7763MR-HR
Item #	1017763100
Shipping Weight	40 lbs.*
	Without Handrail
Model #	7763MR
Item #	1017763000
Shipping Weight	27 lbs.

The Donnelly
with Handrail

*Shipping weight with an asterisk is the combined shipping weight of separate parts

Exam Room

Foot Stools

OUR EZ Stacking Stool allows you to:

- ✓ Create wider platforms by locking side-to-side
- ✓ Create higher platforms by stacking top-to-bottom
- ✓ Store efficiently and transport easily with our corresponding dolly

EZ STACKING STOOLS

Description: Our EZ stacking stools and dolly are made with our durable stainless steel. The stools are covered with a non-slip rubber tread and feet tips.

EZ Stool Dimensions:
20" x 6 1/4" x 15"

Dolly Dimensions:
24 3/4" x 39" x 17 5/16"

Name	EZ Stacking Stool		Dolly
	NO MR	MR	
Model #	8862SS	8862MR	8862SS-D
Item #	1018862000	10188620MR	1018862300
Ship Weight	14 lbs.	14 lbs.	20 lbs.

Exam Room

Exam Stools

4 LEG SPINDLE EXAM STOOLS

Description: We offer two four-leg spindle adjusted exam stools with the option of 2" casters or rubber feet tips. Choose our Passaic stool and sit comfortably on a 15" diameter, 3" thick polyfoam padded seat upholstered in vinyl or choose our Clifton stool for an easy-to-clean stainless steel seat with a non-slip vinyl insert. Add a removable pad slipcover to your Clifton stool for a more comfortable option.



Spindle

Adjusts 12"
Rubber Tips: 19" - 31"
Casters: 21" - 33"

Name	CLIFTON		PASSAIC
	Standard	With Pad	Standard
		Casters	
Model #	7745SS-C	7745SS-PC	7714-PSSC
Item #	1027745001	1027745003	1027714001
Shipping Weight	17 lbs.	17 lbs.	17 lbs.
		Feet	
Model #	7745SS	7745SS-P	7714-PSS
Item #	1027745000	1027745002	1027714000
Shipping Weight	16 lbs.	16 lbs.	16 lbs.

Options: Available in standard black. Consult factory for requests in other colors for large order quantities

Exam Room

Exam Stools

5 LEG SPINDLE EXAM STOOL

Description: Our five-leg spindle exam stool rests on a 24" diameter base. Choose between a black composite base or an aluminum base with Wall Saver™ tips on the ends to protect against scuff marks and offer a textured surface for foot grip. Sit comfortably on its 15" diameter, vinyl upholstered seat with 3" thick polyfoam padding. This model is available with or without a back.

Spindle

Adjusts 5 $^{7}/_{8}$"
Height: 20 $^{7}/_{8}$" - 26 $^{3}/_{4}$"

Name	5 Leg Spindle Stool	5 Leg Spindle Stool with backrest
	Aluminum Base	
Model #	1113	1113WB
Item #	1021113000	1021113200
Shipping Weight	22 lbs.	26 lbs.
	Black Composite Base	
Model #	1113BLK	1113WB-BLK
Item #	1021113100	1021113300
Shipping Weight	22 lbs.	26 lbs.

Options: Foot ring, 73 different vinyl colors - see upholstry catalog

Exam Room

Exam Stools

FOOT OPERATED EXAM STOOL

Description: Our five-leg foot operated exam stool have a push ring under a 24" diameter aluminum base with Wall Saver™ tips on the ends to protect against scuff marks and offer a textured surface for foot grip. Sit comfortably on its 15" diameter, vinyl upholstered seat with 3" thick polyfoam padding. This model is available with or without a back.

Foot Pedal

Adjusts 7"
Height: 18 3/8" - 25 3/8"

Name	Foot Operated Stool	Foot Operated Stool with Backrest
	Aluminum Base	
Model #	1205	1206
Item #	1041205000	1041206000
Shipping Weight	22 lbs.	28 lbs.

Options: Foot ring, 73 different vinyl colors - see upholstry catalog

Exam Room

Exam Stools

HAND OPERATED EXAM STOOLS

Description: Our five-leg hand operated exam stool rests on a 24" diameter base. Choose between a black composite base or an aluminum base with Wall Saver™ tips on the ends to protect against scuff marks and offer a textured surface for foot grip. Sit comfortably on its 15" diameter, vinyl upholstered seat with 3" thick polyfoam padding. This model is available with or without a back.

Standard Stools



Hand Lift

Adjusts 7"
Height: 18 3/8" - 25 3/8"

Name	Hand Operated Stool	Hand Operated Stool with Backrest
	Aluminum Base	
Model #	1210	1210WB
Item #	1041210000	1041210200
Shipping Weight	22 lbs.	26 lbs.
	Black Composite Base	
Model #	1210BLK	1210WB/BLK
Item #	1041210100	1041210300
Shipping Weight	22 lbs.	26 lbs.

Options: Foot ring, 73 different vinyl colors - see upholstry catalog

Exam Room

Exam Stools

HAND OPERATED EXAM STOOLS

Economy Stools

Description: Our economy hand operated exam stool rests on a 24" diameter black composite base with black plastic twin wheel casters. Sit in comfort on a 15" diameter, vinyl upholstered seat with 3" thick polyfoam padding. this model is available with and without a back.

Adjusts 7" from 18 $^{3}/_{8}$" to 25 $^{3}/_{8}$" off the ground

Name	Economy Stool	
	Without Back	**With Back**
Model #	1200	1201
Item #	1041200125	1041201325
Shipping Weight	22 lbs.	26 lbs.

Options: Foot ring, 73 different vinyl colors - see upholstry catalog

Deluxe Stools

Description: Our deluxe hand operated exam stool comes standard with a foot ring for leg-joint comfort. These stools rest on a 24" diameter black composite or aluminum base, which comes with Wall Saver™ tips to protect against scuff marks and offer a textured surface for foot grip. Both bases travel easily on 2" hard rubber casters. Sit in comfort on a 15" diameter, vinyl upholstered seat with 3" thick polyfoam padding with a backrest.

Adjusts 7" from 21 $^{3}/_{8}$" to 28 $^{3}/_{8}$" off the ground.

Name	Deluxe Stool	
	Aluminum Base	**Black Composite Base**
Model #	1212	1212BLK
Item #	1041212025	1041212125
Shipping Weight	29 lbs.	29 lbs.

Options: 73 different vinyl colors - see upholstry catalog

Foot Ring as an Accessory: Compatible on all 5 leg stools

Part #	Description	Shipping Weight
7901243000	Foot Ring for Leg Joint Comfort	6 lbs.

Exam Room

PATIENT CHAIRS

Description: Our patient chairs are designed for comfortable seating in patient exam rooms. Our standard size is 24" x 33" x 22 5/8" and come with or without arm rests. Our bariatric size is 36" x 35 1/2" x 23 1/2" and has a weight capacity of 400 lbs. All our patient chairs are available in our 73 vinyl colors.

Name	Chair	Chair with Arms	Bariatric Chair
Model #	1130	1130WA	1131WA
Item #	1051130025	1051130125	1051131025
Shipping Weight	21 lbs.	17.5 lbs.	31 lbs.

Options: 73 vinyl colors. See upholstry catalog or visit www.blickman.com/chairs for all available colors

OUR PROMISE

For over 100 years, Blickman has been known throughout the healthcare industry for exceptional product quality. We pride ourselves on providing high-end and personalized service to ensure 100% customer satisfied. If you are not completely satisfied for any reason, we will make it right. All of our equipment is backed by our Limited Lifetime Warranty, so you can be certain that you have made the very best choice for your healthcare facility.

Call Blickman:
Toll Free: (800) 247-5070
Local: (973) 330-0557

www.blickman.com
info@blickman.com
500 U.S. Highway 46 East, Clifton, NJ 07011

BLICKMAN

Exam Stools

Providing ultimate comfort and function

Includes:

- Spindle Adjusted Stools
- Pneumatic Stools
- Parts & Accessories

OUR MISSION

Customer Focus

Exceed customer expectations through a commitment to continuous improvement of our products and services.

Quality Products

Offer the marketplace a broad range of high quality, cost effective, and durable products of superior craftsmanship.

Organizational Excellence

Strive for excellence in all we do by fostering a participative, team based environment, which nurtures the active involvement of all members of the organization.

Marketplace Recognition

Earn the respect, admiration, and loyalty of our people, customers, and suppliers by treating them with dignity and respect, embracing diversity, and developing and maintaining long term partnerships.

Collaborative Workplace

Encourage all employees to work safely and efficiently, contribute innovative ideas, and personally benefit from the ongoing success of the company.

BLICKMAN

THE BLICKMAN **DIFFERENCE**

EXAM STOOLS

- Our durable, high quality chrome and stainless steel exam stools come with 3" thick, dense foam 15" diameter cushion for ultimate comfort.
- Our upholstery is washable vinyl and is available in an array of 73 fashion colors that meet specific design requirements - see upholstry catalog for details.
- For applications that require the longevity that stainless steel provides, pick from our revolving stools, or for a more modern look, choose from four or five leg models with spindle adjusted or pneumatic lift mechanisms.
- For back support, choose one of our models with a back rest.
- Our three styles of locking casters allow for easy mobility and safety.

Key Product Features

Exam Stools

Spindle

4 LEG SPINDLE EXAM STOOLS

Description: We offer two four leg spindle adjusted exam stools with the option of 2" casters or rubber feet tips. Choose our Passaic stool and sit comfortably on a 15" diameter, 3" thick polyfoam padded seat upholstered in vinyl or choose our Clifton stool for an easy-to-clean stainless steel seat with a non-slip vinyl insert. Add a removable pad slipcover to your Clifton stool for a more comfortable option.



Spindle

Adjusts 12"
Rubber Tips: 19" - 31"
Casters: 21" - 33"

Name	CLIFTON		PASSAIC
	Standard	With Pad	Standard
		Casters	
Model #	7745SS-C	7745SS-PC	7714-PSSC
Item #	1027745001	1027745003	1027714001
Shipping Weight	17 lbs.	17 lbs.	17 lbs.
		Feet	
Model #	7745SS	7745SS-P	7714-PSS
Item #	1027745000	1027745002	1027714000
Shipping Weight	16 lbs.	16 lbs.	16 lbs.

Options: Available in standard black. Consult factory for requests in other colors for large order quantities

Exam Stools

Spindle

5 LEG SPINDLE EXAM STOOL

Description: Our five leg spindle exam stool rests on a 24" diameter base. Choose between a black composite base or an aluminum base with Wall Saver™ tips on the ends to protect against scuff marks and offer a textured surface for foot grip. Sit comfortably on its 15" diameter, vinyl upholstered seat with 3" thick polyfoam padding. This model is available with or without a back.

Spindle

Adjusts 5 7/8"
Height: 20 7/8" - 26 3/4"

Name	5 Leg Spindle Stool	5 Leg Spindle Stool with backrest
	Aluminum Base	
Model #	1113	1113WB
Item #	1021113000	1021113200
Shipping Weight	22 lbs.	26 lbs.
	Black Composite Base	
Model #	1113BLK	1113WB-BLK
Item #	1021113100	1021113300
Shipping Weight	22 lbs.	26 lbs.

Options: Foot ring, 73 different vinyl colors - see upholstry catalog

Exam Stools

Pneumatic

FOOT OPERATED EXAM STOOL

Description: Our five-leg foot operated exam stool have a push ring under a 24" diameter aluminum base with Wall Saver™ tips on the ends to protect against scuff marks and offer a textured surface for foot grip. Sit comfortably on its 15" diameter, vinyl upholstered seat with 3" thick polyfoam padding. This model is available with or without a back.

Foot Pedal

Adjusts 7"
Height: 18 3/8" - 25 3/8"

Name	Foot Operated Stool	Foot Operated Stool with Backrest
	Aluminum Base	
Model #	1205	1206
Item #	1041205000	1041206000
Shipping Weight	22 lbs.	28 lbs.

Options: Foot ring, 73 different vinyl colors - see upholstry catalog

Exam Stools

Pneumatic

HAND OPERATED EXAM STOOLS

Description: Our five-leg hand operated exam stool rests on a 24" diameter base. Choose between a black composite base or an aluminum base with Wall Saver™ tips on the ends to protect against scuff marks and offer a textured surface for foot grip. Sit comfortably on its 15" diameter, vinyl upholstered seat with 3" thick polyfoam padding. This model is available with or without a back.

Standard Stools



Hand Lift

Adjusts 7"
Height: 18 3/8" - 25 3/8"

Name	Hand Operated Stool	Hand Operated Stool with Backrest
	Aluminum Base	
Model #	1210	1210WB
Item #	1041210000	1041210200
Shipping Weight	22 lbs.	26 lbs.
	Black Composite Base	
Model #	1210BLK	1210WB-BLK
Item #	1041210100	1041210300
Shipping Weight	22 lbs.	26 lbs.

Options: Foot ring, 73 different vinyl colors - see upholstry catalog

Exam Stools

Pneumatic

HAND OPERATED EXAM STOOLS

Economy Stools

Description: Our economy hand operated exam stool rests on a 24" diameter black composite base with black plastic twin wheel casters. Sit in comfort on a 15" diameter, vinyl upholstered seat with 3" thick polyfoam padding. this model is available with and without a back.

Adjusts 7" from 18 $^{3}/_{8}$" to 25 $^{3}/_{8}$" off the ground

Name	Economy Stool	
	Without Back	**With Back**
Model #	1200	1201
Item #	1041200100	1041201300
Shipping Weight	22 lbs.	26 lbs.

Options: Foot ring, 73 different vinyl colors - see upholstry catalog

Deluxe Stools

Description: Our deluxe hand operated exam stool comes standard with a foot ring for leg-joint comfort. These stools rest on a 24" diameter black composite or aluminum base, which comes with Wall Saver™ tips to protect against scuff marks and offer a textured surface for foot grip. Both bases travel easily on 2" hard rubber casters. Sit in comfort on a 15" diameter, vinyl upholstered seat with 3" thick polyfoam padding with a backrest.

Adjusts 7" from 21 $^{3}/_{8}$" to 28 $^{3}/_{8}$" off the ground

Name	Deluxe Stool	
	Aluminum Base	**Black Composite Base**
Model #	1212	1212BLK
Item #	1041212000	1041212100
Shipping Weight	29 lbs.	29 lbs.

Options: 73 different vinyl colors - see upholstry catalog

Foot Ring as an Accessory: Compatible on all 5 leg stools

Part #	Description	Shipping Weight
7901243000	Foot Ring for Leg Joint Comfort	6 lbs.

Exam Stools

Construction Specifications

Construction Specifications

Standard Dimensions	**Seats:** 15" diameter **Polyfoam padding:** 3" thick Height Range: 18" - 33"
Materials	**Bases:** Aluminum or black composite **Seats:** 73 colors of upholstered vinyl covering polyfoam padding. Clifton/Passaic Stool: 304 stainless steel
Gauge	Clifton Stool Legs: 18GA; Clifton Stool Seat: 14 GA Passaic Stool Legs : 18 GA
Welding	Clifton/Passaic Stool: All welding by heliarc method and exposed welds are ground smooth
Finish	Clifton/Passaic Stool: Exposed surfaces are free from pit marks, weld seams, scale and are polished with #4 polish to a satin finish
Casters	2" hard rubber casters or 2" twin wheel plastic casters
Notes	• MR conditional stool available. See MR conditional catalog • For all vinyl colors, please see our upholstry catalog

Shipping Information

All shipping weights are estimates and may be changed without prior notice. Specifications may be improved and dimensions changed without prior notice. Please contact customer service for estimated shipping costs at info@blickman.com.

OUR PROMISE

For over 100 years, Blickman has been known throughout the healthcare industry for exceptional product quality. We pride ourselves on providing high-end and personalized service to ensure 100% customer satisfied. If you are not completely satisfied for any reason, we will make it right. All of our equipment is backed by our Limited Lifetime Warranty, so you can be certain that you have made the very best choice for your healthcare facility.

Call Blickman:
Toll Free: (800) 247-5070
Local: (973) 330-0557

www.blickman.com
info@blickman.com
500 U.S. Highway 46 East, Clifton, NJ 07011

BLICKMAN

Foot Stools

Safe and sturdy to step up or down

Includes:

- 8" High Foot Stools
- 9" High Foot Stools
- Two Step Foot Stools
- EZ Stacking Stools + Dolly

OUR MISSION

Customer Focus

Exceed customer expectations through a commitment to continuous improvement of our products and services.

Quality Products

Offer the marketplace a broad range of high quality, cost effective, and durable products of superior craftsmanship.

Organizational Excellence

Strive for excellence in all we do by fostering a participative, team based environment, which nurtures the active involvement of all members of the organization.

Marketplace Recognition

Earn the respect, admiration, and loyalty of our people, customers, and suppliers by treating them with dignity and respect, embracing diversity, and developing and maintaining long term partnerships.

Collaborative Workplace

Encourage all employees to work safely and efficiently, contribute innovative ideas, and personally benefit from the ongoing success of the company.

BLICKMAN

THE BLICKMAN **DIFFERENCE**

- Whether chrome or stainless steel, our foot stools are high quality, durable, and safe.
- Every foot stool includes a non-slip rubber tread for secure footing and non-slip rubber tips on the stools' feet to secure floor placement.
- For heavy loads, some models include H-brace reinforcement.
- For additional user stability, some models include handrails or allow for the addition of a handrail.
- MR conditional options are also available.

Key Product Features



Foot Stools

One Step

8” HIGH FOOT STOOLS

Description: Our MR conditional approved Kent foot stools include one step 8” off the ground. They are industry standard, fully welded, stainless steel construction with non-slip rubber treads and feet tips. 18” and 30” width sizes are available. Depth is 12”. Include a 41” tall handrail for additional support.

8” stools have the same dimensions:
Width: 18” or 30” x Height: 8” x Depth: 12”

18” Wide
Kent Stool

30” Wide
Kent Stool

Name	18”W	30”W
	With Handrail	
Model #	7757MR-HR	7761MR-HR
Item #	1017757100	1017761100
Shipping Weight	20 lbs.*	30 lbs.*
	Without Handrail	
Model #	7757MR	7761MR
Item #	1017757000	1017761000
Shipping Weight	11 lbs.	20 lbs.

*Shipping weight with an asterisk is the combined shipping weight of separate parts

Foot Stools

One Step

9” HIGH FOOT STOOLS

Description: Our 9” high foot stools come in either chrome or stainless steel and consist of one step 9” off the ground with non-slip rubber treads and feet tips. A 35 3/4” tall handrail for additional support is available for the chrome stool.

All 9” stools have the same dimensions:
Width: 14 1/4” x Height: 9” x Depth: 11 3/8”

Stainless Steel Stool

Chrome Stool

Name	Stainless Steel Stool	Chrome Stool
	With Handrail	
Model #	1261	1251
Item #	1011261000	1011251000
Shipping Weight	12 lbs.*	11 lbs.*
	Without Handrail	
Model #	1260SS	1250
Item #	1011260000	1021251640
Shipping Weight	8 lbs.	7 lbs.

*Shipping weight with an asterisk is the combined shipping weight of separate parts

Foot Stools

Two Step

TWO STEP FOOT STOOLS

Description: Our MR conditional approved two step foot stools are industry standard, fully welded, stainless steel construction with H-braces for additional reinforcement, non-slip rubber treads for secure footing, and feet tips for firm floor placement.

Two Step Foot Stool
with Side Handrails

Step Surface Areas	Heights of Steps
Top Step: 36" x 12"	Top Step: 15 3/4"
Bottom Step: 36" x 24"	Bottom Step: 8"

Name	2-Step Foot Stool
	With Handrails (41" high)
Model #	7764MR-HR
Item #	1012041096
Shipping Weight	65 lbs.

The Donnelly
with Handrail

Step Surface Areas	Heights of Steps
Top Step: 24" x 8"	Top Step: 15 3/4"
Bottom Step: 24" x 16"	Bottom Step: 8"

Name	The Donnelly
	With Handrails (41" high)
Model #	7763MR-HR
Item #	1017763100
Shipping Weight	40 lbs.*
	Without Handrail
Model #	7763MR
Item #	1017763000
Shipping Weight	27 lbs.

*Shipping weight with an asterisk is the combined shipping weight of separate parts

Foot Stools

EZ Stacking

OUR EZ Stacking Stool allows you to:

- ✓ Create wider platforms by locking side-to-side
- ✓ Create higher platforms by stacking top-to-bottom
- ✓ Store efficiently and transport easily with our corresponding dolly

EZ STACKING STOOLS

Description: Our EZ stacking stools and dolly are made with our durable stainless steel. The stools are covered with a non-slip rubber tread and feet tips.

EZ Stool Dimensions:
18 7/8" x 6 1/4" x 13 7/8"

Dolly Dimensions:
21 1/2" x 39" x 16 1/2"

Name	EZ Stacking Stool	Dolly
Model #	8862SS	8862SS-D
Item #	1018862000	1018862300
Ship Weight	14 lbs.	20 lbs.

Foot Stools Construction Specifications

Construction Specifications

Standard Dimensions	1 step: 6 1/4" - 9" high 2 step: Bottom step: 8" high, Top step: 15 3/4" high
Materials	Chrome 304 stainless steel Black non-slip rubber
Gauge	EZ Stacking Stools: 16GA platform, 14GA legs All Stainless Steel Stools: 16GA (Exception: 7757MR-HR and 7761MR-HR have 18GA handrails)
Welding	All welding by heliarc method and exposed welds are ground smooth
Finish	Exposed surfaces are free from pit marks, weld seams, scale and are polished with #4 polish to a satin finish
Casters	Dolly: 3" swivel casters with no brakes
Notes	• MR conditional foot stools are available where indicated

Shipping Information

All shipping weights are estimates and may be changed without prior notice. Specifications may be improved and dimensions changed without prior notice. Please contact customer service for estimated shipping costs at info@blickman.com.

Note for: *1251 Stool*	Parts shipped separately to avoid damage and lower costs. Shipping weight with asterisk is the combined shipping weight of separate parts. Some assembly required.

BLICKMAN

OUR PROMISE

For over 100 years, Blickman has been known throughout the healthcare industry for exceptional product quality. We pride ourselves on providing high-end and personalized service to ensure 100% customer satisfied. If you are not completely satisfied for any reason, we will make it right. All of our equipment is backed by our Limited Lifetime Warranty, so you can be certain that you have made the very best choice for your healthcare facility.

Call Blickman:
Toll Free: (800) 247-5070
Local: (973) 330-0557

www.blickman.com
info@blickman.com
500 U.S. Highway 46 East, Clifton, NJ 07011

BLICKMAN

Gowning Benches

Comfortable, practical, sterile seating to apply PPE

Includes:

- Mounted Gowning Bench
- Freestanding Gowning Bench
- Knockdown Gowning Bench

OUR MISSION

Customer Focus

Exceed customer expectations through a commitment to continuous improvement of our products and services.

Quality Products

Offer the marketplace a broad range of high quality, cost effective, and durable products of superior craftsmanship.

Organizational Excellence

Strive for excellence in all we do by fostering a participative, team based environment, which nurtures the active involvement of all members of the organization.

Marketplace Recognition

Earn the respect, admiration, and loyalty of our people, customers, and suppliers by treating them with dignity and respect, embracing diversity, and developing and maintaining long term partnerships.

Collaborative Workplace

Encourage all employees to work safely and efficiently, contribute innovative ideas, and personally benefit from the ongoing success of the company.

BLICKMAN

THE BLICKMAN **DIFFERENCE**

- Our gowning benches are completely made out of all 304 stainless steel sealed for a sterile environment and easy to clean surface areas.
- All our gowning bench models rest at an ergonomic height providing a comfortable and practical seat for applying personal protective equipment (PPE).
- The rounded edges on all our gowning benches allow for comfortable seating and ensures resistance to PPE snagging.
- All models include floor mounting holes in the feet to optionally mount the bench to the floor to secure its placement.

Key Product Features



Gowning Benches

All Models

Description: Our gowning benches are made out of a heavy-duty stainless steel that provides a comfortable and practical seat for applying personal protective equipment (PPE). The solid top allows for sterilization and floor mounting options on all models for secure placement. Rounded edges for seating comfort and insuring resistance to thin fabric snagging.

All gowning benches have the same dimensions:
Width: 48" x Height: 18" x Depth: 16"

Mounted Gowning Bench	
Model #	4200SS
Item #	1074200000
Shipping Weight	112 lbs.

Freestanding Gowning Bench	
Model #	4100SS
Item #	1074100000
Shipping Weight	102 lbs.

Knockdown Gowning Bench	
Model #	4000SS
Item #	1074000000
Shipping Weight	65 lbs.

Gowning Benches

Construction Specifications

Construction Specifications

Universal Dimensions	48”W x 18”H x 16”D
Materials	304 stainless steel
Gauge	Top: 14GA Bottom & Legs: 16 GA
Welding	All welding by heliarc method and exposed welds are ground smooth
Finish	Exposed surfaces are free from pit marks, weld seams, scale and are polished with #4 polish to a satin finish
Casters	N/A
Notes	• 48” x 16” bench sits 18” off the ground • Two 4” diameter legs with 7” diameter feet with mounting holes • Bottom is completely closed off for easy cleaning and upkeep

Shipping Information

All shipping weights are estimates and may be changed without prior notice. Specifications may be improved and dimensions changed without prior notice. Please contact customer service for estimated shipping costs at info@blickman.com.

Custom Designs Available Upon Request
Please email us at info@blickman.com

OUR PROMISE

For over 100 years, Blickman has been known throughout the healthcare industry for exceptional product quality. We pride ourselves on providing high-end and personalized service to ensure 100% customer satisfied. If you are not completely satisfied for any reason, we will make it right. All of our equipment is backed by our Limited Lifetime Warranty, so you can be certain that you have made the very best choice for your healthcare facility.

Call Blickman:
Toll Free: (800) 247-5070
Local: (973) 330-0557

www.blickman.com
info@blickman.com
500 U.S. Highway 46 East, Clifton, NJ 07011

BLICKMAN

Hampers

For elimination of dirty linens

Includes:

- Round Hampers
- Square Hampers
- Space Saver Hamper
- Hamper Bags

OUR MISSION

Customer Focus

Exceed customer expectations through a commitment to continuous improvement of our products and services.

Quality Products

Offer the marketplace a broad range of high quality, cost effective, and durable products of superior craftsmanship.

Organizational Excellence

Strive for excellence in all we do by fostering a participative, team based environment, which nurtures the active involvement of all members of the organization.

Marketplace Recognition

Earn the respect, admiration, and loyalty of our people, customers, and suppliers by treating them with dignity and respect, embracing diversity, and developing and maintaining long term partnerships.

Collaborative Workplace

Encourage all employees to work safely and efficiently, contribute innovative ideas, and personally benefit from the ongoing success of the company.

BLICKMAN

THE BLICKMAN **DIFFERENCE**

- Our hampers facilitate easy and safe disposal of contaminated linens. They all move easily over floors on 2" or 3" casters. Our hampers have proven to be stable when empty or full due to their wide bases and added counterweights on covered models. A bottom brace holds and protects the hamper bag from contact with the floor.
- Our hampers come in either chrome or stainless steel and we offer different shapes and sizes to fit your needs and floor plans. Additionally, we offer covered models to control airborne pathogens. All covered hampers are foot-operated to help prevent cross contamination.
- For MR conditional environments, we offer two MR conditional models: one covered and one uncovered, for your choosing.
- We offer two optional hamper bags, nylon and water soluble, that fit our round hampers.

Key Product Features

Pneumatic lift

Covered and uncovered options

Chrome or stainless steel

Foot operated (i.e. hands free operation)

All move easily over floors on 2" or 3" hard rubber casters

Hampers

Round

ROUND HAMPERS

Description: We offer covered and uncovered round hampers in both stainless steel and chrome. They are 35" tall and roll on 2" hard rubber swivel casters. They come in two sizes 18" diameter and 25" diameter. The covered models operate via a spring-loaded lift mechanism that opens and closes the stainless steel lid. The pneumatic top allows for pin drop quiet operation.



Name	Uncovered		Covered	
Lid	**Chrome**	**Stainless Steel**	**Chrome**	**Stainless Steel**
Bag Size		**18"**		
Model #	2018	7774SS	2118	7774SS-LF
Item #	0962018000	0927774000	096211800P	092777420P
Shipping Weight	11 lbs.	11 lbs.	21 lbs.	25 lbs.
Bag Size		**25"**		
Model #	2025	8773SS	N/A	8773SS-LF
Item #	0962025000	0928773000	N/A	092877320P
Shipping Weight	12 lbs.	13 lbs.	N/A	35 lbs.

Hamper Bags: 18" and 25" white nylon hamper bags and water soluble hamper bags

MR options available, see MR section for more details.

Hampers

Square

FOLDING ADJUSTABLE HAMPER

***Description*:** Our folding chrome hamper adjusts to accommodate three hamper bag sizes with a bottom frame to support hamper bags.Travels on 2" hard rubber swivel casters.

Dimensions:

- **18" bag size:** 19" x 36 1/2" x 18"
- **22" bag size:** 19" x 40 1/2" x 22"
- **25" bag size:** 19" x 42 1/4" x 25"

Name	Folding Adjustable Hamper
Model #	2230
Item #	0962230000
Shipping Weight	18 lbs.

SECURE CARE HAMPER

***Description*:** Our secure care chrome hamper supports 36 - 42 gallon multipurpose bags. Its' polycoated steel lid opens using foot operated lift mechanism. Includes hamper storage pouch. Travels on 3" hard rubber swivels casters.

Dimensions:

- 18 5/8" x 37 3/4" x 19 1/2"

Name	Secure Care Hamper
Model #	2010
Item #	0962010000
Shipping Weight	26 lbs.

Hampers

Triangular

SPACE SAVER HAMPER

Description: Our space saver hamper offers hands free loading and unloading with a convenient non-slip foot pedal. Sturdy all stainless steel construction wtih bumper guards on lid and legs to protect equipment and walls. The solid bottom shelf provides extra security for heavy loads and a spring-loaded lift mechanism provides a pin-drop pneumatic top for quiet operation. Travels on 3" hard rubber swivel casters.

Name	Space Saver Hamper
Model #	2301SS
Item #	096230100P
Shipping Weight	24 lbs.

Hampers

Accessories

HAMPER BAGS

Disposable Water Soluble Plastic Hamper Bag

Reusable Nylon Hamper Bag

Secure Care Hamper Pouch

Part #	Description	Shipping Weight
98390000WS	100 Plastic Water Soluble Hamper Bags	9 lbs.
9839777201	Bag, 18" Diameter Ring Hamper Nylon White	1 lb.
9839777302	Bag, 25" Diameter Ring Hamper Nylon White	1 lb.
0962012000	Secure Care Hamper Pouch for Labels	1 lb.

Hampers

Construction Specifications

Construction Specifications

Universal Dimensions	**Hamper Bag Sizes:** 18", 22", 25", 26"
Materials	304 stainless steel Chrome
Gauge	**Stainless Steel:** 1" diameter, 18GA tubing **Chrome:** 1" diameter tubing
Welding	All welding by heliarc method and exposed welds are ground smooth
Finish	Exposed surfaces are free from pit marks, weld seams, scale and are polished with #4 polish to a satin finish
Casters	2" & 3" hard rubber swivel casters (some with locks)
Notes	• MR conditional hampers available where indicated

Shipping Information

All shipping weights are estimates and may be changed without prior notice. Specifications may be improved and dimensions changed without prior notice. Please contact customer service for estimated shipping costs at info@blickman.com.

BLICKMAN

OUR PROMISE

For over 100 years, Blickman has been known throughout the healthcare industry for exceptional product quality. We pride ourselves on providing high-end and personalized service to ensure 100% customer satisfied. If you are not completely satisfied for any reason, we will make it right. All of our equipment is backed by our Limited Lifetime Warranty, so you can be certain that you have made the very best choice for your healthcare facility.

Call Blickman:
Toll Free: (800) 247-5070
Local: (973) 330-0557

www.blickman.com
info@blickman.com
500 U.S. Highway 46 East, Clifton, NJ 07011

BLICKMAN

IV Stands

Optimal continuous fluid delivery

Includes:

- IV Stands
- IV Stand Accessories
- IV Irrigation Safety Systems

OUR MISSION

Customer Focus

Exceed customer expectations through a commitment to continuous improvement of our products and services.

Quality Products

Offer the marketplace a broad range of high quality, cost effective, and durable products of superior craftsmanship.

Organizational Excellence

Strive for excellence in all we do by fostering a participative, team based environment, which nurtures the active involvement of all members of the organization.

Marketplace Recognition

Earn the respect, admiration, and loyalty of our people, customers, and suppliers by treating them with dignity and respect, embracing diversity, and developing and maintaining long term partnerships.

Collaborative Workplace

Encourage all employees to work safely and efficiently, contribute innovative ideas, and personally benefit from the ongoing success of the company.

BLICKMAN

THE BLICKMAN **DIFFERENCE**

IV Stands

- Our IV poles are optimal for maintaining continuous fluid delivery for every patient, available in a wide range of adjustable heights with a variety of easy locking options that can be operated with one hand.
- Our IV poles are all available in high quality chrome and stainless steel, and set on 4, 5, or 6 leg bases with casters, no projections, and great balance/tip resistance. Some bases are gravity weighted to help compensate for heavier loads. All bases have the ability to spin 360° in tight spaces.
- Most of our models have 2-, 4-, 6- and 8-(rake) hook adapters available. All come with colored secure grip tips.

Key Product Features

*See page 9 for more details on all optional features



IV Stands

4 Leg

4 LEG CHROME IV STANDS

Description: We offer two 4-leg chrome IV stand models, one with a standard base, and one with a heavyweight base. Both base types include Wall Saver™ tips to protect against wall scuff marks. They both move on 2" plastic twin wheel hooded swivel casters and they both come standard with two hooks. A four hook removable adapter is available for model 1305.



Height adjustment:
47 1/2" - 85 1/2"
Lock:
Twist
Base:
22" diameter
Apoxy coated
chrome
Casters
2" plastic twin wheel
hooded swivel
casters



Height adjustment
51 1/2" - 93"
Lock:
Tru-loc™
Base:
22" diameter
Chrome plated
heavy bar steel
Casters
2" plastic twin wheel
hooded swivel
casters

Name	Standard Base	Heavyweight Base
# of Hooks	**2 Welded Hooks**	**2 Removable Hooks**
Model #	1305	1310
Item #	0561305000	0561310000
Shipping Weight	13 lbs.	14 lbs.

IV Stands

4 Leg

4 LEG STAINLESS STEEL IV STANDS

Description: We offer two types of 4-leg stainless steel IV stands, one with a standard base, and one with a heavyweight base. They come standard with either 2 or 4 removable hooks. Contact customer service for 6- or 8-(rake) hooks.



Name	Standard Base
# of Hooks	**2 Hooks**
Model #	1410SS
Item #	0571410000
Shipping Weight	13 lbs.
# of Hooks	**4 Hooks**
Model #	1410SS-4
Item #	0571410400
Shipping Weight	14 lbs.

Height Adjustment: 51 3/4" - 94"
Mechanism: Tru-Loc™
Base Material: Stainless steel with Wall Savers™, 22" diameter
Casters: 2" hard rubber swivel casters



Name	Heavyweight Base	
Lock Type	**Twist Lock**	**Thumb Control**
# of Hooks	**2 Hooks**	
Model #	8890SS	8889SS
Item #	0528890000	0518889000
Shipping Weight	24 lbs.*	24 lbs.*
# of Hooks	**4 Hooks**	
Model #	8890SS-4	8889SS-4
Item #	0528890400	0518889400
Shipping Weight	24 lbs.*	24 lbs.*

Height Adjustment: 66" - 100"
Mechanism: Twist Lock, Thumb Control, Foot Operated
Base Material: Heavyweight stainless steel flat bar, 22" diameter
Casters: 2" roller blade swivel casters

*Shipping weight with an asterisk is the combined shipping weight of separate parts

IV Stands

5 Leg

5 LEG IV STANDS

Description: Our 5-leg IV stands come in either chrome or stainless steel poles and stand on a 24" diameter, polished die cast aluminum base with Wall Saver™ caps. They come standard with either two or four removable hooks. Contact customer service for 6- or 8-(rake) hooks.



Name	Chrome Pole	
Pole	**Standard (1")**	**Heavy Duty (1 1/4")**
# of Hooks		**2 Hooks**
Caster Heights	2 1/2" Plastic	3" Rubber
Height Adjustments	52 1/2" - 93 1/2"	56" - 100"
Model #	1315	1350-2
Item #	0561315000	0561350200
Shipping Weight	16 lbs.*	17 lbs.*
# of Hooks		**4 Hooks**
Caster Heights	2 1/2" Plastic	3" Rubber
Height Adjustments	52 1/2" - 93 1/2"	56" - 100"
Model #	1315-4	1350 -4
Item #	0561315400	0561350400
Shipping Weight	16 lbs.*	17 lbs.*

Height Adjustment Mechanism: Tru-Loc™
Base Material: 5 Leg, Polished die cast aluminum, 24" diameter
Casters: 3" hard rubber OR 2 1/2" twin wheel swivel casters

Name	Stainless Steel Pole		
Lock Type	**Tru-Loc™**	**Twist Lock**	**Thumb Control**
# of Hooks		**2 Hooks**	
Caster Heights	2" Rubber	3" Rubber	3" Rubber
Height Adjustments	52" - 94"	74" - 110"	67" - 98"
Model #	1415SS	7792SS	7794SS
Item #	0531415000	0537792000	0517794000
Shipping Weight	16 lbs.*	15 lbs.*	16 lbs.*
# of Hooks		**4 Hooks**	
Caster Heights	2" Rubber	3" Rubber	3" Rubber
Height Adjustments	52" - 94"	74" - 110"	67" - 98"
Model #	1415SS-4	7792SS-4	7794SS-4
Item #	0531415400	0537792400	0517794400
Shipping Weight	16 lbs.*	16 lbs.*	17 lbs.*

Height Adjustment Mechanism: Tru-Loc™, Twist Lock, Thumb Control
Base Material: 5 Leg, Polished die cast aluminum, 24" diameter
Casters: 2" or 3" hard rubber swivel casters

*Shipping weight with an asterisk is the combined shipping weight of separate parts

MR option available, see MR section for more details

IV Stands

5 Leg

5 LEG WASHABLE IV STAND



Description: Our Hackensack 5-leg IV stand is cart washable as it was built specifically to withstand high temperatures and cleaning fluids with weep holes in the pole and in the base for fluid drainage. This model comes with a stainless steel pole with a twist lock height adjustment mechanism. Choose from 2-, 4-, and 8-(rake) removable hooks.

Features Include:

- ✓ 22 7/8" diameter, 5 leg black composite base
- ✓ 2 1/2" twin wheel hooded swivel casters
- ✓ 1" outside diameter base pole, and 3/4" outside diameter extension pole
- ✓ Height extends from 74" to 110" off the ground

Name	**Washable IV Stand**
Lock Type	**Twist Lock**
# of Hooks	**2 Hooks**
Model #	7795SS-2
Item #	0539A02302
Shipping Weight	16 lbs.*
# of Hooks	**4 Hooks**
Model #	7795SS-4
Item #	0539A02304
Shipping Weight	16 lbs.*
# of Hooks	**8 Hooks**
Model #	7795SS-RH
Item #	0539A023RH
Shipping Weight	16 lbs.*

*Shipping weight with an asterisk is the combined shipping weight of separate parts

IV Stands

6 Leg

6 LEG IV STANDS

Description: Our 6-leg IV stands are designed for hospital applications requiring heavier loads by using low center of gravity bases. They come in either a chrome or a stainless steel pole with a Tru-Loc™ height adjustment mechanism that allows the pole to reach a minimum of 52" high off the ground and a maximum of 90" off the ground. Our 6 leg IV stands come standard with 4-, 6-, and 8-(rake) removable hooks.

Features Include:

- ✓ 23 3/8" diameter base with low center of gravity for improved stability
- ✓ Heavy duty 3" roller blade swivel casters for easy maneuverability
- ✓ Steel powder coated finished base for durability (many colors available)
- ✓ Accommodates up to 4 infusion pumps and up to 8 IV solution bags while preventing tubing line entanglement

Name	Powder Coated Base Chrome Pole	Powder Coated Base SS Pole	Stainless Steel Base SS Pole
# of Hooks		**4 Hooks**	
Model #	1370-4	1370SS-4	1371SS-4
Item #	0561370400	0541370400	0541371400
Shipping Weight	29 lbs.*	29 lbs.*	26 lbs.*
# of Hooks		**6 Hooks**	
Model #	1370-6	1370SS-6	1371SS-6
Item #	0561370600	0541370600	0541371600
Shipping Weight	29 lbs.*	29 lbs.*	26 lbs.*
# of Hooks		**8 (rake) Hooks**	
Model #	1370-RH	1370SS-RH	1371SS-RH
Item #	0561370RH1	05413700RH	05413710RH
Shipping Weight	29 lbs.*	29 lbs.*	26 lbs.*

Custom Powder Coated Colors Available Upon Request

Please email us at info@blickman.com

*Shipping weight with an asterisk is the combined shipping weight of separate parts

IV Stands

Options

IV Hook Configurations

Part #	Description	Shipping Weight
780063700L	2 hooks	2 lbs.
780063800L	4 hooks	2 lbs.
780066900L	6 hooks	2 lbs.
7802808750	8 (rake) hooks	6 lbs.

Lock Options

Thumb Lock | **Tru-Lock™** | **Twist Lock**

Base Options

4 Leg Chrome Bases


Standard

Heavyweight

4 Leg Stainless Steel Bases

Standard

Heavyweight

5 Leg Bases

Standard

Washable

6 Leg Bases

Powder Coated

Stainless Steel

IV Stands

Accessories

IV POLE ATTACHMENTS

Wire Basket



Guidance Handle

Power Strip

Accessory Clamp

Drainage Bag Hook

Pump Support Tray

Multi-pump Support

Tank holder

Part #	Description	Shipping Weight
3501389001	Wire Basket	9 lbs.
3501381000	Guidance Handle (MR Option Available)	4 lbs.
9101107600	Power Strip	4 lbs.
7801380000	Accessory Clamp	4 lbs.
7801382000	Drainage Bag Hook	1 lbs.
7801384000	Pump Support Tray	2 lbs.
7801385000	Multi-pump Support	2 lbs.
7801386000	Tank Holder	5 lbs.

MR options available where indicated, see MR section for more details.

MR

IV Stands

Construction Specifications

Construction Specifications

Universal Dimensions	Height Range: 47" - 110" Base Diameter Range: 22" - 24"
Materials	304 stainless steel Chrome
Gauge	**Stainless Steel IV Stands:** Base Pole: 1" Diameter, 16GA; Extension Pole: ¾" Diameter, 18GA **Exception: 1370/1371 series** Base Pole: 1 ¼" Diameter, 16 GA; Extension Pole: 1" Diameter, 18GA
Welding	All welding by heliarc method and exposed welds are ground smooth
Finish	Exposed surfaces are free from pit marks, weld seams, scale and are polished with #4 polish to a satin finish
Casters	See page 9
Notes	• MR conditional IV stand option available where indicated

Shipping Information

All shipping weights are estimates and may be changed without prior notice. Specifications may be improved and dimensions changed without prior notice. Please contact customer service for estimated shipping costs at info@blickman.com.

Note for: *IV Stands*	Parts shipped separately to avoid damage and lower costs. Shipping weight with an asterisk is the combined shipping weight of separate parts. Some assembly required.

THE BLICKMAN **DIFFERENCE**

IV Irrigation Safety Systems

- Our IV Irrigation Safety Systems (IVTs) offer superior safety, efficiency, and financial value for fluid intensive IV irrigation procedures, such as arthroscopic, hysteroscopic, endoscopic, TURP, etc.
- They maintain continuous fluid delivery by offering infinitely adjustable heights for up to eight 3 liter or 5 liter IV bags on four independent channels.
- Their easy, one handed operation allows nurses to attach IV bags at comfortable heights, starting at 5 ft., and then raise bags up to 8 ft. (or to 9 ft. with custom extender) simply by pushing down on "squeeze/release" handles, an ergonomic solution that meets OSHA standards and greatly reduces the threat of back injuries.

Key Product Features



WHY CHOOSE OUR IVT?

Safe:

- This ergonomic solution meets OSHA standards and greatly reduces the threat of back injuries with its one-handed operation which allows nurses to attach IV bags at comfortable heights, simply by pushing down on “squeeze/release” handles, an
- Hard anodized aluminum construction with stain resistant finishes makes it so that no surfaces can chip, flake, or rust to introduce particle matter into a sterile or surgical environment.
- The lowest positions are cushioned by shock absorbers, thus sparing the common banging known to occur with the standard IV poles, which results in tearing of bag tabs and spilling remaining fluids onto the O.R. floor.
- The steady, five-legged bases resist potential tipping hazards, eliminating the need for “sand bagging”.

Efficient:

- There are no electrical aspects that require overnight charging, so they are always ready, whenever you are ready.
- The ability to stagger heights of up to eight 3 liter or 5 liter bags ensures continuous flow of liquids, as it allows you to change an IV bag, while the other bags are still irrigating.
- Easy to clean and maintain
- Compact footprint frees up valuable space on the O.R. floor.

Affordable:

- Our IV Irrigation systems are value leaders among a few comparable models, saving you up to ***$50/procedure*** on IV tubes vs. those required with far more expensive, pump driven systems.

Irrigation Systems

IVTs

Description: We offer two types of IVTs, one with 2 hooks, which holds up to 4 IV bags and one with 4 hooks, which holds up to 8 IV bags. Hooks can raise and lower from 67" to 81". They travel on black plastic twin wheel hooded swivel casters. Both IVTs come with 26 1/2" diameter inverted, 5 leg base.

Our IVT stands have the same dimensions:
Width: 12 3/4" x Height: 89" x Depth: 12 3/4"
Note: these dimensions do not include the base

Name	IVT 2 Channels	IVT 4 Channels
Item #	IVT-2	IVT-4
Model #	0541110200	0541110100
Shipping Weight	85 lbs.*	85 lbs.*

For Custom Extender
Please email us at info@blickman.com

*Shipping weight with an asterisk is the combined shipping weight of separate parts

Irrigation Systems

Construction Specifications

Construction Specifications

Universal Dimensions	Tower: Width: 12 3/4" x Height: 89" x Depth: 12 3/4" Base Diameter: 26 1/2" Height Range of Hooks: 67" - 81"
Materials	Hard anodized aluminum
Gauge	N/A
Welding	N/A
Finish	Stain resistant finishes
Casters	2" black plastic, twin wheel, hooded swivel casters
Notes	

Shipping Information

All shipping weights are estimates and may be changed without prior notice. Specifications may be improved and dimensions changed without prior notice. Please contact customer service for estimated shipping costs at info@blickman.com.

Note for: *IV Stands*	Parts shipped separately to avoid damage and lower costs. Some assembly required.

For Custom Extender
Please email us at info@blickman.com

OUR PROMISE

For over 100 years, Blickman has been known throughout the healthcare industry for exceptional product quality. We pride ourselves on providing high-end and personalized service to ensure 100% customer satisfied. If you are not completely satisfied for any reason, we will make it right. All of our equipment is backed by our Limited Lifetime Warranty, so you can be certain that you have made the very best choice for your healthcare facility.

Call Blickman:
Toll Free: (800) 247-5070
Local: (973) 330-0557

www.blickman.com
info@blickman.com
500 U.S. Highway 46 East, Clifton, NJ 07011

BLICKMAN

Mayo Stands

Maximum utility in minimal space

Includes:

- Chrome Mayo stands
- Stainless steel Mayo stands

OUR MISSION

Customer Focus

Exceed customer expectations through a commitment to continuous improvement of our products and services.

Quality Products

Offer the marketplace a broad range of high quality, cost effective, and durable products of superior craftsmanship.

Organizational Excellence

Strive for excellence in all we do by fostering a participative, team based environment, which nurtures the active involvement of all members of the organization.

Marketplace Recognition

Earn the respect, admiration, and loyalty of our people, customers, and suppliers by treating them with dignity and respect, embracing diversity, and developing and maintaining long term partnerships.

Collaborative Workplace

Encourage all employees to work safely and efficiently, contribute innovative ideas, and personally benefit from the ongoing success of the company.

BLICKMAN

THE BLICKMAN **DIFFERENCE**

- Our Mayo stands have evolved to meet the needs of the marketplace for maximum utility in an increasingly crowded surgical environment.
- We have an array of options with varying material, bases, shapes, and adjustment mechanisms to suit your needs.
- All of our Mayo stands are mobile and use 2" roller blade, hard rubber, or twin wheel plastic hooded casters.

Key Product Features

A variety of height adjustment mechanisms to suit your needs

Standard stainless steel tray ($12\ 5/8$" - $19\ 1/8$")

Single or double side post or single center post

A variety of base designs to suit differing needs

Casters for mobility

2" Rollerblade Casters

2" Hard Rubber Casters

2" Twin Wheel Hooded Casters

Mayo Stands

Chrome

CHROME MAYO STANDS

Description: Each of our chrome Mayo stands contain a 12 5/8" x 19 1/8" stainless steel tray and are height adjustable using the Tru-Loc™ friction knob. We offer different base and pole set ups to meet your varying needs.

Middle Pole

Base: Five leg cast aluminum base with wall savers™ and 2" twin wheel hooded casters

Double Pole

Base: Chrome loop base with two 2" twin wheel hooded back casters

Single Pole

Base: Two pronged chrome base with single hard rubber back casters

Name	Middle Pole	Double Pole	Single Pole
Height Adjustment	29 1/2" - 49"	34 1/2" - 54"	34 1/2" - 54"
Model #	1501	1510	1515
Item #	0661501000	0661510000	0661515000
Shipping Weight	14 lbs.	18 lbs.	12 lbs.

Mayo Stands Stainless Steel

NEWARK MAYO STANDS

Description: Each of our stainless steel Mayo stands contain a 12 5/8" x 19 1/8" stainless steel tray and are height adjustable using the Tru-Loc™ friction knob. We offer different base set ups to meet your varying needs.

Lightweight

Base: Two pronged stainless steel base with two hard rubber back casters

Standard

Base: Two pronged stainless steel base with two roller blade back casters

Four Caster

Base: Two pronged stainless steel base with four roller blade casters

Name	Lightweight	MR	Standard	MR	Four Caster
Height Adjustment	37 1/4" - 64"		39 1/2" - 62"		39 1/2" - 62"
Model #	1520SS		8841SS	8841MR	8848SS
Item #	0671520000		0638841000	0638841200	0648848000
Shipping Weight	26 lbs.		36 lbs.	36 lbs.	39 lbs.

Mayo Stands Stainless Steel

BENJAMIN MAYO STAND

Description: Our Benjamin Mayo stand design is made for ease and durability. Our state of the art double post design minimizes lateral movement and increases overall stability. We offer this design in three different tray sizes.

Via a foot operated mechanism, you can adjust the height from 39 1/2" to 62" high off the ground. A guard over the foot prevents accidental release.

Name	Benjamin Mayo Stands	
Tray Size	**12 5/8" x 19 1/8" (Standard)**	
Model #	8867SS	
Item #	0668867000	
Shipping Weight	40 lbs.	
Tray Size	**16" x 21"**	
Model #	8869SS	
Item #	0668869000	
Shipping Weight	41 lbs.	
Tray Size	**20" x 25"**	
Model #	8871SS	
Item #	0668871000	
Shipping Weight	43 lbs.	

Mayo Stands Construction Specifications

Construction Specifications

Universal Dimensions	**Standard Tray Size:** Width: 12 5/8" x Depth: 19 1/8"
Materials	304 stainless steel Chrome
Gauge	All contain stainless steel trays: 20GA **Benjamin Mayo Stands:** ¾" diameter, 18GA tubes, 1/8" base **Newark Mayo Stands:** 1520SS: 1 ¼" diameter, 18GA tube, weighted base 8841SS/8848SS: 1" diameter, 16GA tube, 3/8" base
Welding	All welding by heliarc method and exposed welds are ground smooth
Finish	Exposed surfaces are free from pit marks, weld seams, scale and are polished with #4 polish to a satin finish
Casters	2" plastic hooded twin wheel, hard rubber, or roller blade casters
Notes	• MR conditional Mayo stands available where indicated

Shipping Information

All shipping weights are estimates and may be changed without prior notice. Specifications may be improved and dimensions changed without prior notice. Please contact customer service for estimated shipping costs at info@blickman.com.

OUR PROMISE

For over 100 years, Blickman has been known throughout the healthcare industry for exceptional product quality. We pride ourselves on providing high-end and personalized service to ensure 100% customer satisfied. If you are not completely satisfied for any reason, we will make it right. All of our equipment is backed by our Limited Lifetime Warranty, so you can be certain that you have made the very best choice for your healthcare facility.

Call Blickman:
Toll Free: (800) 247-5070
Local: (973) 330-0557

www.blickman.com
info@blickman.com
500 U.S. Highway 46 East, Clifton, NJ 07011

BLICKMAN

MR Conditional Room

Broadest line of MR equipment

Includes:

- Exam Stools
- Hampers
- Foot Stools
- Stands
- Tables

OUR MISSION

Customer Focus

Exceed customer expectations through a commitment to continuous improvement of our products and services.

Quality Products

Offer the marketplace a broad range of high quality, cost effective, and durable products of superior craftsmanship.

Organizational Excellence

Strive for excellence in all we do by fostering a participative, team based environment, which nurtures the active involvement of all members of the organization.

Marketplace Recognition

Earn the respect, admiration, and loyalty of our people, customers, and suppliers by treating them with dignity and respect, embracing diversity, and developing and maintaining long term partnerships.

Collaborative Workplace

Encourage all employees to work safely and efficiently, contribute innovative ideas, and personally benefit from the ongoing success of the company.

BLICKMAN

THE BLICKMAN **DIFFERENCE**

How we make our products "MR Conditional"

We manufacture products primarily from type 304 stainless steel, which is regarded as non-magnetic in its original, annealed condition. Forming the metal tends to bring out the magnetizing properties, so we demagnetize the metal via solution annealing and a Nitrogen quenching process. We also make certain to employ, where appropriate, non-metal parts and components such as fasteners, hinges, and casters.

Broadest Line of MR Equipment in the Healthcare Market

- Padded stools on rubber tips or on casters
- Single platform or double platform foot stools with or without handrails
- Rolling hampers, with or without plastic lids
- Rolling IV stands, mayo stands, solution stands, and kickbuckets
- Instrument tables and utility tables in a variety of sizes with or without shelves/casters

Fully compliant with the New ASTM Standards

- All Blickman products are labeled MR conditional or *NOT* MR conditional.
- All Blickman MR Equipment is suitable for use throughout the entire MR suit, including anywhere within the vicinity of 3.0 Tesla scanners.

Backed by our Limited Lifetime Warranty

Since the late 1990s, our products, legendary for high quality and supported by an industry-unique Limited Lifetime Warranty, have performed without incident. Our exceptional record of safety in the imaging industry is a direct result of our consistent adherence to guidelines set by the Center for Devices & Radiological Health (CDHR) - Magnetic Resonance Group, part of the U.S. Food and Drug Administration (FDA).

For details, please visit:

https://www.blickman.com/limited-lifetime-warranty

MR Conditional
Exam Stools

EXAM STOOL

Description: Our MR conditional exam stool is industry standard, fully welded, stainless steel construction. Sit comfortably on 15" diameter, 3" thick padded seats. Choose between stationary feet tips or casters for mobility. Height is 21" on feet tips and 23" on MR casters.

Name	MR Conditional Stool	MR Conditional Stool with Casters
Item #	7445MR	7445MR-C
Model #	1027445000	1027445001
Shipping Weight	14 lbs.	16 lbs.

MR Conditional
Hamper

HAMPER

Description: Our MR conditional round stainless steel hamper travels easily on 2" MR casters and is compatible with our 18" nylon hamper bags and our water soluble hamper bags.

Name	MR Conditional Hamper
Model #	7772MR
Item #	0927772400
Shipping Weight	20 lbs.

MR Conditional
Foot Stools

KENT FOOT STOOLS

Our MR conditiona Kent foot stools include one step 8" off the ground. They are industry standard, fully welded, stainless steel construction with non-slip rubber treads and feet tips. 18" and 30" width sizes are available. Include a 41" tall handrail for additional support.

Name	MR Conditional 18" Kent Stool	MR Conditional 30" Kent Stool
	With Handrail (41" high)	
Dimensions (WxHxD)	18" x 41" x 12"	30" x 41" x 12"
Model #	7757MR-HR	7761MR-HR
Item #	1017757100	1017761100
Shipping Weight	20 lbs.*	30 lbs.*
	Without Handrail	
Dimensions (WxHxD)	18" x 8" x 12"	30" x 8" x 12"
Model #	7757MR	7761MR
Item #	1017757000	1017761000
Shipping Weight	11 lbs.	20 lbs.

*Shipping weight with an asterisk is the combined shipping weight of separate parts

MR Conditional
Two Step

TWO STEP FOOT STOOLS

Description: Our MR conditional two step foot stools are industry standard, fully welded, stainless steel construction with H-braces for additional reinforcement, non-slip rubber treads for secure footing, and feet tips for firm floor placement.

Step Surface Areas
Top Step: 36" x 12"
Bottom Step: 36" x 24"

Heights of Steps
Top Step: 15 3/4"
Bottom Step: 8"

Name	Two Step Foot Stool
	With Handrails (41" high)
Model #	7764MR-HR
Item #	1012041096
Shipping Weight	65 lbs.

Two Step Foot Stool
with Side Handrails

Step Surface Areas
Top Step: 24" x 8"
Bottom Step: 24" x 16"

Heights of Steps
Top Step: 15 3/4"
Bottom Step: 8"

Name	The Donnelly
	With Handrails (41" high)
Model #	7763MR-HR
Item #	1017763100
Shipping Weight	40 lbs.*
	Without Handrail
Model #	7763MR
Item #	1017763000
Shipping Weight	27 lbs.

The Donnelly
with Handrail

*Shipping weight with an asterisk is the combined shipping weight of separate parts

MR Conditional

Stands

NEWARK MAYO STAND

Description: Our stainless steel MR conditional Mayo stand has a 12 5/8" x 19 1/8" stainless steel tray and travels easily on 2" MR casters. It is height adjustable from 39 1/2" to 62" using the Tru-Loc™ friction knob.

Name	MR Conditional Newark Mayo Stand
Model #	8841MR
Item #	0638841200
Shipping Weight	36 lbs.

IV STAND

Description: Our 5 leg MR conditional IV stand consists of a stainless steel pole on a 24" diameter, polished diecast aluminum base with Wall Saver™ caps and 2" MR casters. It is height adjustable from 74" to 110" via a twist lock adjustment mechanism Choose from either 2- or 4-hooks or contact customer service for 6 or 8 (rake) hooks.

Name	MR Conditional IV Stands
# of Hooks	**2 Hooks**
Model #	7792MR-C
Item #	0537792002
Shipping Weight	16 lbs.
# of Hooks	**4 Hooks**
Model #	0537792004
Item #	7792MR-4C
Shipping Weight	17 lbs.

MR Push Handle for MR IV Stands



Name	Model #	Item #	Ship Weight
Push Handle	1381MR	3537426350	5 lbs.

MR Conditional

Stands

SOLUTION STANDS

Description: We offer two types of stainless steel MR conditional solution stands: a single basin model and a double basin model. Our solution stands are 33" tall offering compatibility with surgical table heights and reduced back stress. Choose between a lower shelf or an H-brace for added storage and support.

Single Basin

Dimensions:
Width: 15" x Height: 33" x Depth: 15"

Double Basin

Dimensions:
Width: 29" x Height: 33" x Depth: 15"

Name	MR Conditional Single Basin SS	MR Conditional Double Basin SS
Supporting Frame	**Shelf**	
Model #	7807MR	7808MR
Item #	0717807066	0727808066
Shipping Weight	20 lbs.	33 lbs.
Supporting Frame	**H-Brace**	
Model #	7807MR-HB	7808MR-HB
Item #	0717807166	0727808166
Shipping Weight	19 lbs.	24 lbs.

Note: SS denotes solution stand

KICKBUCKET

Description: Our stainless steel MR conditional kickbucket consists of a continuous encircling rubber bumper, which helps prevent tipping, wall scuff marks, and noise. A stainless steel cross brace provides excellent protection and a secure hold of a heavy gauge 13 qt. pail, and 2" MR casters for mobility.

Name	Model #	Item #	Ship Weight
MR Conditional Lenox Kickbucket with Pail	7766MR	0817766066	15 lbs.

MR Conditional

Tables

NESTED TABLES

Description: Our MR conditional nested instrument tables are space saving alternatives with a unique design that requires a mere 8 square feet of floor space, but yields 31 square feet of usable work space. All nested tables travel on 2" MR casters.

Name	Dimensions (WxHxD)	Model #	Item #	Ship Weight
Complete Set of 6	8 Sq. Ft. of Floor Space 31 Sq. Ft. of Work Space	7821MR	0197821000	255 lbs.
	ORDER SEPARATELY			
Largest	48" x 42" x 24"	7822MR	0197822100	56 lbs.
Second	44" x 40" x 22"	7823MR	0197823100	52 lbs.
Third	40" x 38" x 20"	7824MR	0197824100	51 lbs.
Fourth	36" x 36" x 18"	7825MR	0197825100	37 lbs.
Fifth	32" x 34" x 16"	7826MR	0197826100	34 lbs.
Smallest	28" x 32" x 14"	7827MR	0197827100	32 lbs.

MR Conditional
Tables

INSTRUMENT TABLES

Description: Our MR conditional instrument tables offer complete 18 gauge, 304 stainless steel construction. A sanitary closed top helps prevent bacterial build up. Sealed reinforcing channels provide increased rigidity. All tables are at an ergonomic height of 34" tall with 1-1/4" diameter legs that are fully welded for strength and stability. Each MR conditional instrument table travels on 2" MR casters.

Surface Area	MR Conditional Sawyer Table	MR Conditional Howard Table
	20" x 16"	
Model #	7840MR	7830MR
Item #	0197840100	0187830100
Shipping Weight	28 lbs.	32 lbs.
	36" x 24"	
Model #	7843MR	7833MR
Item #	0197843100	0187833100
Shipping Weight	48 lbs.	56 lbs.
	48" x 24"	
Model #	7845MR	7835MR
Item #	0197845100	0187835100
Shipping Weight	56 lbs.	69 lbs.
	60" x 24"	
Model #	7846MR	7836MR
Item #	0197846100	0187836100
Shipping Weight	189 lbs.	200 lbs.

Custom Dimensions Available Upon Request
Please email us at info@blickman.com

MR Conditional
Exam Stools

UTILITY CARTS

Description: Our MR conditional utility carts are made out of industry standard, fully welded, stainless steel construction. They feature two to three easy-access storage shelves and two ergonomic push handles. Optional IV pole attachments availble for every model.

Name	Medium Duty End Rails Utility Cart	Medium Duty Side Rails Utility Cart	Heavy Duty Utility Cart
		MR Conditional Standard Models	
Item #	7536SS-MR	7535SS-MR	7537SS-MR
Model #	2497536000	2497535000	2497537000
Shipping Weight	40 lbs.	47 lbs.	43 lbs.
		MR Conditional Models with IV Attachments	
Item #	7536SS-IV-MR	7535SS-IV-MR	7537SS-IV-MR
Model #	2497536001	2497535001	2497537001
Shipping Weight	45 lbs.	52 lbs.	48 lbs.

MR Conditional
Specifications

Construction Specifications

All products in this Blickman MR Conditional Room brochure meet the revised “MR Conditional” definition as stated in ASTM standard F2503.

The configuration and design safety of the components of these Blickman products in the MR environment were verified in accordance with ASTM standard F2052-06: “Measurement of Magnetically-induced Displacement Force in the MR Environment.”

The “paramagnetic” material property constraints of these Blickman products were determined through testing conducted by an independent lab in accordance with ASTM standard A773/A773M-01, employing a computer automated, soft magnetic, hysteresis graph system.

A low-μ permeability indicator gage, in compliance with ASTM standard A342/A342M, is used for final factory acceptance of these Blickman products.

Identification of these Blickman products conforms to the ASTM standard F2503-05: “Marking Medical Devices and Other Items for Safety in the MR Environment.”

Shipping Information

All shipping weights are estimates and may be changed without prior notice. Specifications may be improved and dimensions changed without prior notice. Please contact customer service for estimated shipping costs at info@blickman.com.

OUR PROMISE

For over 100 years, Blickman has been known throughout the healthcare industry for exceptional product quality. We pride ourselves on providing high-end and personalized service to ensure 100% customer satisfied. If you are not completely satisfied for any reason, we will make it right. All of our equipment is backed by our Limited Lifetime Warranty, so you can be certain that you have made the very best choice for your healthcare facility.

Call Blickman:
Toll Free: (800) 247-5070
Local: (973) 330-0557

www.blickman.com
info@blickman.com
500 U.S. Highway 46 East, Clifton, NJ 07011

BLICKMAN

Personal Protective Equipment

For the safety of our healthcare workers

Includes:

- Full Body Protection
- Facial Protection
- Additional Protection
- Protection Accessories

OUR MISSION

Customer Focus

Exceed customer expectations through a commitment to continuous improvement of our products and services.

Quality Products

Offer the marketplace a broad range of high quality, cost effective, and durable products of superior craftsmanship.

Organizational Excellence

Strive for excellence in all we do by fostering a participative, team based environment, which nurtures the active involvement of all members of the organization.

Marketplace Recognition

Earn the respect, admiration, and loyalty of our people, customers, and suppliers by treating them with dignity and respect, embracing diversity, and developing and maintaining long term partnerships.

Collaborative Workplace

Encourage all employees to work safely and efficiently, contribute innovative ideas, and personally benefit from the ongoing success of the company.

BLICKMAN

THE BLICKMAN **DIFFERENCE**

- Our personal protective equipment (PPE) protects against airborne, bloodborne, and other types of pathogens and various hazards to ensure the safety of healthcare workers who may be exposed to infectious materials.
- We offer full body coverage from head to toe with bouffant covers, face protectants, gowns, gloves, and shoe covers.
- We offer accessories to aid in personal protection such as no-touch thermometers, water-soluble hamper bags, and disinfectant wipes.
- All Blickman PPE is intended for use in the medical industry and follows FDA and CDC guidelines meeting the specific performance standards for protection in the industry.

Key Products

Safety starts with protecting our healthcare workers.

The healthcare industry is one of the most hazardous work environments.

Employees in this industry are constantly exposed to contact, droplet, and airborne hazards. For the safety of our healthcare workers, CDC Guidelines require the use of Personal Protective Equipment (PPE).

Different areas require different levels of protection.

The FDA recognizes standards set forth by the American National Standards Institute (ANSI) and the Association of the Advancement of Medical Instrumentation (AAMI).

ANSI/AAMI PB70:2012 describes the liquid barrier performance and classification of protective apparel and drapes intended for use in health care facilities.

The ANSI/AAMI specify test methods and performance results that yielded four levels of protection. Level 1 being the lowest level of protection, and Level 4 being the highest.

Examples of healthcare settings where different levels of protection are required:

Patient care areas with light to moderate fluid risk are recommended to use AAMI Level 1 or 2 gowns.

Emergency Departments fluid risk is moderate to high and therefore AAMI Levels 2 to 3 gowns are recommended.

Endo/GI Labs have high fluid risks. Therefore, it is recommended to wear AAMI level 4 gowns.

To learn more about PPE Guidelines please visit: **https://www.cdc.gov** or **https://www.fda.gov**

AAMI GOWN LEVELS

ANSI/AAMI PB70 Barrier Performance	Material	Test Method	Liquid Challenge	Requirement	Anticipated Fluid Exposure	Application
AAMI Level 1 "fluid resistant"	Often single or double layer fabric (PP + PE)	Water penetration AATCC 42	**AATCC 42 -** Measures resistance to liquid penetration of water	Water impact < 4.5 g	**Minimal** fluid levels	Basic Care
AAMI Level 2 "fluid resistant"	Often three layer fabric (SMS)	Water penetration AATCC 42 Hydrostatic pressure AATCC 127	**AATCC 42 -** Measures resistance to liquid penetration of water **AATCC 127 -** Measures resistance to liquid penetration of water under constant and increasing hydrostatic pressure	Spray impact < 1.0 g Hydrostatic Pressure > 20 cm	**Low** fluid levels	Blood Draw Suturing ICU Pathology Labs
AAMI Level 3 "fluid resistant"	Often four layer fabric (SMMS)	Water penetration AATCC 42 Hydrostatic pressure AATCC 127	**AATCC 42 -** Measures resistance to liquid penetration of water **AATCC 127 -** Measures resistance to liquid penetration of water under constant and increasing hydrostatic pressure	Spray impact < 1.0 g Hydrostatic pressure > 50 cm	**Moderate** fluid levels	Arterial Blood Draw Trauma & ER IV Insertion
AAMI Level 4 "fluid impermeable"	Often five layer fabric (SSMMS)	Synthetic blood penetration ASTM F1671 Viral penetration ASTM F1671	**ASTM F1671 -** Measures the resistance to penetration by bloodborne pathogens using surrogate blood **ASTM F1671 -** Measures the resistance to viral penetration using Bacteriophage Phi-X174	Passed: no penetration at 2 psi (13.8kPa)	**High** fluid levels	Bloodborne Infectious Diseases Pathogen Resistance

Table1: Summary of tests and classifications recognized by the FDA and described by ANSI/AAMI PB70:2012.

GOWN MATERIALS

Listed in order of increased protection

POLYETHYLENE FABRIC

Polyethylene (PE):
Single layer of plastic film.
Thin, fluid resistant material, much like plastic. Minimal breathability, but very durable.

Chlorinated PE:
Chlorinated plastic film.
Provides excellent protection at an affordable cost.

POLYPROPYLENE FABRIC

Spunbond Polypropylene (PP):
Single layer of 100% polypropylene nonwoven fabric.
Soft cloth-like fabric meant for minimal fluid exposures, that is affordable, comfortable, and breathable.

Coated Polypropylene (PP+PE):
Two layered fabric: soft spunbond polypropylene coated with a layer of polyethylene (plastic) film.
Lightweight material with increased fluid resistance (often used for AAMI Level 1 gowns).

SFS Fabric:
Three layered fabric: Spunbond PP + Polyester Film + Spunbond PP.

> Spunbond PP Advantages: High tensive stretch, flexibility, abrasion resistance, and breathability.
> Polyester Film Advantages: Fluid resistant, lightweight, and durable.

Optimal combination of protection and comfort (soft, lightweight, strong, fluid resistant, breathable) meant for extended use under low to moderate fluid exposure conditions (often used for AAMI Level 2 and 3 gowns).

SMS Fabric:
Three layered, 100% polypropylene fabric: Spunbond PP + Meltblown PP + Spunbond PP.

> Spunbond Advantages: High tensive stretch, flexibility, and abrasion resistance.
> Meltblown Advantages: Ultrafine pore structure and effective absorption.

Optimal combination of protection and comfort (soft, strong, fluid resistant, antistatic, breathable) meant for extended use under low to moderate fluid exposure conditions (often used for AAMI Level 2 and 3 gowns).

Polycoated SMS Fabric:
Four layered fabric: SMS fabric coated with a layer of polyethylene (plastic) film. Provides maximum protection from potential hazards associated with handling Chemotherapy agents. This material is used for Chemotherapy gowns and is tested against specific Chemotherapy drugs (see Chemotherapy gowns for more details).

SMMS Fabric:
Four layered, 100% PP fabric: Spunbond PP + Meltblown PP x 2 + Spunbond PP.
Similar to SMS fabric with an added layer of fluid resistance. Ideal for extended use under moderate to high fluid exposure conditions (often used for AAMI Level 3 and 4 gowns).

Spun-Melt (SSMMS) Fabric:
Five layered, 100% Polypropylene fabric: Spunbond PP x 2 + Meltblown PP x 2 + Spunbond PP.
This is a strong multilayer fabric with excellent filtration that is ideal for higher levels of fluid exposure (often used for AAMI Level 4 gowns).

COMMON MATERIALS USED

Listed in order of increased protection

Chlorinated PE:
Chlorinated plastic film. Provides excellent protection at an affordable cost.

Polyethylene (PE):
Single layer of plastic film. Thin, fluid resistant material, much like plastic. Minimal breathability, but very durable.

Spunbond Polypropylene (PP):
Single layer of 100% polypropylene nonwoven fabric. Soft cloth-like fabric meant for minimal fluid exposures.

Coated Polypropylene (PP+PE):
Two layered fabric: soft spunbond polypropylene coated with a layer of polyethylene (plastic) film.

SMS Fabric
Three layered, 100% polypropylene fabric: Spunbond PP + Meltblown PP + Spunbond PP. Increased protection and comfort.

GOWN CRITICAL ZONES





Surgical Gown

Areas A and B on surgical gowns are considered critical zones.

The entire front of the gown (areas A, B, and C) from top of the shoulders to knees and from the wrist cuff to above the elbow is required to have a barrier performance of at least Level 1. The back of the surgical gown (area D) may be unprotected.

Isolation Gown

All areas of the isolation gown are considered critical zones.

The entire gown (front and back: areas A, B, and C), including seams but excluding cuff, hems, and bindings, is required to have a performance of at least Level 1.

GOWN STERILITY

Our gowns are intended for use in medical environments. Following FDA and CDC guidelines, all Blickman gowns are sold as sterile equipment. We ship our gowns in individual packaging to ensure sterility until end users open for single use.

Common PPE Misconceptions

Protection Level Misunderstanding

A common misunderstanding among many end users is that they are protected from blood, body fluids, and other potential infectious materials, when they wear any type of fluid resistant garment or surgical or isolation gown.

ANSI/AAMI PB70 Level 1, 2, and 3 surgical/isolation gown testing requirements only use water as a challenge. The surface tension of water is much higher than that of blood; blood can penetrate through fabrics more readily than water.

Only Level 4 gowns are tested for viral penetration resistance, and therefore only Level 4 garments are considered impermeable to viral penetration using ASTM F1671.

Gown Naming Misunderstanding

Regardless of how the product is named (i.e. isolation gown, surgical gown, protection gown), when choosing gowns, look for desired AAMI level. Product names are not standardized.

ISOLATION GOWNS

Description: We offer disposable and reusable latex-free isolation gowns. They come in multiple styles and sizes, and a variety of materials and colors. We offer disposable isolation gowns in all AAMI levels and reusable isolation gowns in AAMI levels 1 and 2.

Styles

All isolation gowns are available in various wrist, neck, and back style options.

Wrist Style Options

- Elastic
- Hybrid elastic wrist & thumb-lock
- Thumb-hook
- Knit cuff

Neck Style Options

- Over-the-head
- Tape tab
- Tie-neck
- Hook & Loop

Back Style Options

- Full Back
- Open Back
- Overlapping Back

Color Options

Blue White Yellow Green

Red Pink

Note: Pink and red are for large quantity orders only.

ISOLATION GOWN STYLES

Back Styles

Open Back

Overlapping Back

Full Back

Neck Styles

Over the head

Tie

Tape Tab

Wrist Styles

Elastic

Thumb Hook

Knit Cuff

PPE

Full Body Protection

ISOLATION GOWNS

Description: We offer disposable and reusable latex-free isolation gowns. Pick your size and AAMI Level below. When ordering, specify your style requirements.

DISPOSABLE

AAMI Level 1

- **QTY:** 100 Gowns
- **Weight**: 30gsm
- **Material:** Chlorinated PE, SFS, or SMS

AAMI Level 1

Size	Chlorinated PE	SFS	SMS
R	2703000000	2703410000	2703010000
L	270300000L	270341000L	270301000L
XL	27030000XL	27034100XL	27030100XL
XXL	2703000XXL	2703410XXL	2703010XXL

AAMI Level 2

- **QTY:** 50 Gowns
- **Weight**: 35gsm
- **Material:** PP+PE, SFS, or SMS

AAMI Level 2

Size	PP+PE	SFS	SMS
R	2703001000	2703411000	2703011000
L	270300100L	270341100L	270301100L
XL	27030010XL	27034110XL	27030110XL
XXL	2703001XXL	2703411XXL	2703011XXL

AAMI Level 3

- **QTY:** 50 Gowns
- **Weight**: 45gsm
- **Material:** PP+PE, SFS, SMS, or SMMS

AAMI Level 3

Size	PP+PE	SFS	SMS	SMMS
R	2703002000	2703412000	2703012000	2703422000
L	270300200L	270341200L	270301200L	270342200L
XL	27030020XL	27034120XL	27030120XL	27034220XL
XXL	2703002XXL	2703412XXL	2703012XXL	2703422XXL

AAMI Level 4

- **QTY:** 50 Gowns
- **Weight**: 55gsm
- **Material:** SSMMS

AAMI Level 4

Size	SSMMS
R	2703003000
L	270300300L
XL	27030030XL
XXL	2703003XXL

REUSABLE

AAMI Level 1 & 2

- **QTY:** 50 Gowns
- **Material:** 100% Polyester Fluid-Resistant Material

	AAMI Level 1	AAMI Level 2
Size	100% Polyester Fluid Resistant Material	
R	2703R00000	2703R01000
L	2703R0000L	2703R0100L
XL	2703R000XL	2703R010XL
XXL	2703R00XXL	2703R01XXL

SURGICAL GOWNS

Description: We offer disposable and reusable latex-free surgical gowns designed to be worn by healthcare personnel during surgical procedures. Each gown features a long hook & loop neck closure for an easily adjustable, gap-free custom fit. Cuffs are long and tight polyester knit for a better fit and retention. We offer disposable isolation gowns in all AAMI levels and reusable isolation gowns in AAMI levels 1 and 2.

QTY: 50 Gowns
Color: Blue or green
Weight:
(Disposable gowns)
AAMI Level 1: 30gsm
AAMI Level 2: 35gsm
AAMI Level 3: 45gsm
AAMI Level 4: 55gsm
Material:
(Disposable gowns)
SMS, SMMS, or SSMMS

Blue Green

DISPOSABLE

	AAMI Level 1	AAMI Level 2
Size	**SMS**	**SMS**
R	2703200000	2703201000
L	270320000L	270320100L
XL	27032000XL	27032010XL
XXL	2703200XXL	2703201XXL

	AAMI Level 3	
Size	**SMS**	**SMMS**
R	2703202000	2703242000
L	270320200L	270324200L
XL	27032020XL	27032420XL
XXL	2703202XXL	2703242XXL

	AAMI Level 4
Size	**SSMMS**
R	2703203000
L	270320300L
XL	27032030XL
XXL	2703203XXL

REUSABLE

	AAMI Level 1	AAMI Level 2
Size	**99% Polyester with 1% Carbon Material**	
R	27032R0000	27032R1000
L	27032R000L	27032R100L
XL	27032R00XL	27032R10XL
XXL	27032R0XXL	27032R1XXL

PPE

Full Body Protection

PROTECTION GOWNS

Description: We offer disposable and reusable protection gowns. White disposable hooded coveralls suitable for hospital settings requiring full body coverage. They are one piece zip up for easy donning and doffing. Freedom of movement with an elastic waist for better positioned fit. AAMI Levels 1 and 2 available.

DISPOSABLE

AAMI Level 1

Size	PP+PE
R	2703100000
L	270310000L
XL	27031000XL
XXL	2703100XXL

AAMI Level 2

Size	PP+PE	SFS
R	2703101000	2703141000
L	270310100L	270314100L
XL	27031010XL	27031410XL
XXL	2703101XXL	2703141XXL

REUSABLE

	AAMI Level 1	AAMI Level 2
Size	Synthetic Fiber Material Coated with Antimicrobial Polyurethane	
R	27031R0000	27031R1000
L	27031R000L	27031R100L
XL	27031R00XL	27031R10XL
XXL	27031R0XXL	27031R1XXL

QTY:
AAMI Level 1: 25 gowns
AAMI Level 2: 50 gowns
Weight:
AAMI Level 1: 60gsm
AAMI Level 2: 70gsm
Material: PP+PE or SFS Fabric

CHEMOTHERAPY GOWNS

Description: Our chemotherapy gowns are blue polyethylene coated SMS gowns suitable for healthcare personnel working in oncology units. They are disposable and latex free. They cover the full back and feature knit cuffs, neck ties, and waist ties. We offer four levels of protection.

QTY: 50 gowns
Weight: 48gsm
Material: PE coated SMS

All of our chemotherapy gowns pass the ASTM F739-12, which is the standard test method for permeation of liquids and gases through protective clothing materials under conditions of continuous contact.

Our chemotherapy gowns protect against the chemotherapy drugs listed below.

*The gowns that protect against 11 drugs do not include protection against Methotrexate.

- Carmustine
- Cisplatin
- Cyclophosphamide
- Dacarbazine
- Doxorubicin Hydrochloride
- Etoposide
- Fluorouracil
- **Methotrexate***
- Mitomycin C
- Paclitaxel
- Thiotepa
- Vincristine Sulfate

Neck Tie

Waist Tie

Knit Cuff

Chemotherapy Gown that Protects Against 11 Drugs

Size	Passes ASTM F739-12	Passes ASTM F739-12 & USP <800> Guidelines
R	2703C00000	2703C40000
L	2703C0000L	2703C4000L
XL	2703C000XL	2703C400XL
XXL	2703C00XXL	2703C40XXL

Chemotherapy Gowns that Protect Against 12 Drugs

Size	Passes ASTM F739-12	Passes ASTM F739-12 & USP <800> Guidelines
R	2703C10000	2703C20000
L	2703C1000L	2703C2000L
XL	2703C100XL	2703C200XL
XXL	2703C10XXL	2703C20XXL

3 PLY DISPOSABLE MASKS

Block and Filtrate Large Particle Microorganisms

FDA APPROVED

CE Approved

Loose Fitting

50
Masks per Box

Part #	Description
2704000000	Non-Medical Mask
2704100000	Medical Mask
2704200000	LEVEL 1 Surgical Mask
2704600000	LEVEL 2 Surgical Mask
2704800000	LEVEL 3 Surgical Mask

Our three ply masks are designed to help block and filtrate transmission of large particle microorganisms and bodily fluids. They may also reduce the likelihood of hand-to-face contact.

3 Layers: Material and Functionality

OUTER LAYER:
Hydrophobic non-woven layer designed to repel water, blood, and other bodily fluids.

MIDDLE LAYER:
Meltblown layer designed to filter certain pathogens.

INNER LAYER:
Soft, absorbent non-woven layer designed to absorb moisture and sweat from exhalation.

5 Levels of Protection:

Level	Non-Medical YY/T 0969-2013	Medical GB/T 32610-2016	Surgical ASTM LEVEL 1	Surgical ASTM LEVEL 2	Surgical ASTM LEVEL 3
Fluid Resistance Efficiency	N/A	N/A	80mmHg Low Fluid Resistance	120mmHg Medium Fluid Resistance	160mmHg High Fluid Resistance
Bacterial Filtration Efficiency	BFE ≥ 90%	BFE ≥ 95%	BFE ≥ 95%	BFE ≥ 98%	BFE ≥ 98%
Particulate Filtration Efficiency	N/A	N/A	PFE ≥ 98% @ 0.1 micron	PFE ≥ 98% @ 0.1 micron	PFE ≥ 98% @ 0.1 micron
Breathability	N/A	N/A	< 4.0 mm H^2O/cm^2	< 5.0 mm H^2O/cm^2	< 5.0 mm H^2O/cm^2
Flame Spread	N/A	N/A	Class 1	Class 1	Class 1
Headstrap	Earloops	Earloops	Earloops	Earloops	Head Ties

N95 DISPOSABLE MASKS

Block and Filtrate Small Airborne Particles

All Blickman N95 masks are FDA cleared for use as surgical use respiratory.

20
Masks per Box

FDA APPROVED

CE Approved

N95FMX
Soft Style

9500-N95/910-N95
Hard Style

Comfortable Urethane Nose foam

Description: Our N95 disposable masks are designed to block and filtrate small airborne particles and are fluid resistant. The filtration material of the mask is an electrostatic non-woven polypropylene fiber. To prevent particles from entering around the edges, our N95 masks tightly fit around the face with adjustable nose pieces and securely welded head straps.

Part #	Description	Size
2704300000	NIOSH N95 Respirator (N9500-N95); FDA Cleared	Medium/Large
2704301000	NIOSH N95 Respirator (N9500-N95S); FDA Cleared	Small
2704302000	NIOSH N95 Respirator (910-N95); FDA Cleared	Medium/Large
2704303000	NIOSH N95 Respirator (910-N95S); FDA Cleared	Small
2704304000	NIOSH N95 Flat Fold Respirator (910-N95FMX); FDA Cleared	Medium/Large

N95
N = Not Resistant to Oil
95 = 95% Filtering Efficiency of 0.3 micron test particles

*Should not be shared or reused. Not designed to properly fit children or people with facial hair.

*The N95 respirator can make it more difficult for the wearer to breathe. People with chronic respiratory, cardiac, or other medical conditions that make it difficult to breathe should check with their health care provider before using an N95 respirator.

Visit the CDC website for more information and user instructions.

PPE

Full Face Protection

Description: For full face protection, utilize our face shield or safety goggles to cover eyes and other areas of the face. Both fit snugly against face and are adjustable for secure placement for any size.

Face Shield

- Clear plastic face shield
- Completely covers sides and length of face
- Anti-fog

Safety Goggles

- Flexible frame contours face without too much pressure
- Accommodates prescription glasses
- Fog and scratch resistant

Part #	Description	QTY/Package
2704700000	Clear Plastic Face Shield with Adjustable Band	1 Face Shield
2702000000	Clear Plastic Safety Goggles with Adjustable Strap	1 Goggle

Bouffant Cover: We offer bouffant covers in either PP material for no fluid exposure or SMS Material for moderate fluid exposure. They come in three standard sizes: R (21"), L (24"), and XL (28"); QTY/Package: 100 covers. Available in blue and red.

Bouffant Covers

	PP	SMS
R	2708100000	2708101000
L	270810000L	270810100L
XL	27081000XL	27081010XL

PPE

Shoe Protection

Description: We offer shoe protection for all types of environments. Choose our shoe covers for no fluid exposure to minimal fluid exposure or our full coverage boots for moderate to heavy fluid exposure.

Shoe Cover: We offer Chlorinated PE, PE, and PP shoe covers for no fluid exposure environments and SMS shoe covers for minimal fluid exposure environments. Our shoe covers come in five standard sizes: Small, Medium, Large, Extra Large, Extra Extra Large. QTY/Box: 100 shoe covers.

Shoe Covers

	No Fluid Exposure	Minimal Fluid Exposure
S	270800000S	270800100S
M	270800000M	270800100M
L	270800000L	270800100L
XL	27080000XL	27080010XL
XXL	2708000XXL	2708001XXL

Full Coverage Boot: We offer PP+ PE full coverage boots for moderate fluid exposure environments and PE coated SMS full coverage boots for heavy fluid exposure environemnts. They come in two standard sizes: Regular/Large and Extra Large. Choose between hook and loop closure or elastic ankle. QTY/Box: 100 boot covers.

Full Coverage Boot

	Moderate Fluid Exposure	Heavy Fluid Exposure
R/L	270870000L	270870100L
XL	27087000XL	27087010XL

PPE

Hand Protection

Description: We offer four different types of medical exam gloves that range from extra small to extra large. Choose between nitrile, polyurethane, vinyl and latex gloves. Quantity per box includes 100 gloves. All gloves are available in blue, white, purple, pink, black and red. All gloves are powder free. All non-latex gloves are latex-free. Contact us about chemo gloves.

Nitrile Gloves	
XS	27084000XS
S	270840000S
M	270840000M
L	270840000L
XL	27084000XL

Polyurethane Gloves	
XS	27085000XS
S	270850000S
M	270850000M
L	270850000L
XL	27085000XL

Vinyl Gloves	
XS	27086000XS
S	270860000S
M	270860000M
L	270860000L
XL	27086000XL

Latex Gloves	
XS	27082000XS
S	270820000S
M	270820000M
L	270820000L
XL	27082000XL

PPE

Accessories

Description: We offer some additional accessories to help protect medical professionals, including alcohol wipes to use on exposed equipment, no touch thermometers to limit contact with ill patients, and water soluble hamper bags to limit contact with contaminated linens.

Package of Civil Use Disinfectant Wipes, 75% Isopropyl alcohol

Package of Disinfectant Wipes

# of Wipes	Part #
10	2706000000
50	2706000001
80	2706000002
100	2706000003
200	2706000004

Part # 2706000005
Package of Medical Use Disinfectant Wipes, Quaternary Ammonium Wipes, quantity per package: 50 wipes.

Container of Civil Use Disinfectant Wipes, 75% Isopropyl alcohol.

Container of Disinfectant Wipes

# of Wipes	Part #
60	2706100000
100	2706100001

Part # 2705000000
Digital, no touch, Infrared thermometer.

Part # 98390000WS
Pack of 100 disposable, water soluble, plastic hamper bag.

*Representative product/packaging images, actual product could look slightly different

OUR PROMISE

For over 100 years, Blickman has been known throughout the healthcare industry for exceptional product quality. We pride ourselves on providing high-end and personalized service to ensure 100% customer satisfied. If you are not completely satisfied for any reason, we will make it right. All of our equipment is backed by our Limited Lifetime Warranty, so you can be certain that you have made the very best choice for your healthcare facility.

Call Blickman:
Toll Free: (800) 247-5070
Local: (973) 330-0557

www.blickman.com
info@blickman.com
500 U.S. Highway 46 East, Clifton, NJ 07011

BLICKMAN

Scrub Sinks

Hands free multi-station operation

Includes:

- Windsor Scrub Sinks
- Lodi Scrub Sinks
- Accessories

OUR MISSION

Customer Focus

Exceed customer expectations through a commitment to continuous improvement of our products and services.

Quality Products

Offer the marketplace a broad range of high quality, cost effective, and durable products of superior craftsmanship.

Organizational Excellence

Strive for excellence in all we do by fostering a participative, team based environment, which nurtures the active involvement of all members of the organization.

Marketplace Recognition

Earn the respect, admiration, and loyalty of our people, customers, and suppliers by treating them with dignity and respect, embracing diversity, and developing and maintaining long term partnerships.

Collaborative Workplace

Encourage all employees to work safely and efficiently, contribute innovative ideas, and personally benefit from the ongoing success of the company.

BLICKMAN

THE BLICKMAN **DIFFERENCE**

Scrub Sinks

- Our two scrub sink models, the Windsor and the Lodi, are each available with single, dual, and triple stations. A four-station unit is also available in the Windsor model.
- They have deep sink bowls with sound-deadened enclosed double walled panels that are angled in to divert water splashes along with spouts positioned toward the rear of the sink.
- All operation options are hands free. The Lodi scrub sinks have infrared water control and knee-action water and soap dispensers, and the Windsor scrub sinks come standard with knee-action control, but they are also available in foot, elbow, and infrared sensor controls.

Key Product Features



Inside Sink Bowl Dimensions (Single Station)

Width: 28” x Height: 20 1/4” x Depth: 18 1/2"

Scrub Sinks

Windsor

WINDSOR SCRUB SINKS

Description: Our Windsor scrub sinks are all wall mounted and utilize one undivided sink bowl. Choose from our four different hands free operations: knee, foot, elbow, or infrared.

Inside Sink Bowl Dimensions
Width: 21 3/4" x Height: 8" x Depth: 14 1/2"

Width
25"

Width
47"

Width
69"

Width
91"

Name	1 Station	2 Stations	3 Stations	4 Stations
		Knee Action		
Model #	7878SS-KA	7879SS-KA	7880SS-KA	7881SS-KA
Item #	1317878000	1317879000	1317880000	1317881000
Shipping Weight	65 lbs.	145 lbs.	190 lbs.	305 lbs.
		Foot Action		
Model #	7878SS-FO	7879SS-FO	7880SS-FO	7881SS-FO
Item #	1317878003	1317879003	1317880003	1317881003
Shipping Weight	65 lbs.	145 lbs.	190 lbs.	305 lbs.
		Elbow Action		
Model #	7878SS-EA	7879SS-EA	7880SS-EA	7881SS-EA
Item #	1317878004	1317879004	1317880004	1317881004
Shipping Weight	65 lbs.	145 lbs.	190 lbs.	305 lbs.
		Infrared		
Model #	7878SS-IF	7879SS-IF	7880SS-IF	7881SS-IF
Item #	1317878001	1317879001	1317880001	1317881001
Shipping Weight	65 lbs.	145 lbs.	190 lbs.	305 lbs.

Scrub Sinks

Lodi

LODI SCRUB SINKS

Description: Our Lodi scrub sinks come standard with both infrared water control and knee-action water and soap dispensers. All units are available in either pedestal or wall-mounted configurations.

Width
32″

Width
64″

Width
96″

Height
53″

Name	1 Station	2 Stations	3 Stations
		Pedestal	
Model #	9881SSP	9882SSP	9883SSP
Item #	1339881P00	1339882P00	1339883P00
Shipping Weight	275 lbs.	420 lbs.	600 lbs.

Height
39 1/4″

		Wall Mounted	
Model #	9881SSW	9882SSW	9883SSW
Item #	1339881W00	1339882W00	1339883W00
Shipping Weight	215 lbs.	360 lbs.	570 lbs.

Scrub Sinks

Accessories

LODI SCRUB SINK ACCESSORIES

- Factory Installed Options -

Digital Timer

Eyewash

- For Wall Mount Installation -

Chair Carrier
For Wall Mount Installation

# of Stations	One	Two	Three
Part #	4301224751	4301224752	4301224753
Shipping Weight	47 lbs.	119 lbs.	141 lbs.

Scrub Sinks

Construction Specifications

Construction Specifications

Standard Dimensions	**Lodi:** (W) 32", 64", 96" x (D) 27 1/4 x (H): 39 1/4", 53" Internal Sink (Single Station): 28" x 18 1/2" x 20 1/4" **Windsor:** (W) 25", 47", 69", 91 x (D) 18 1/2" x (H): 15 3/4" Internal Sink: 21 3/4" x 8" x 14 1/2"
Materials/ Gauge	304 stainless steel Lodi: Mix of 16GA and 14GA Windsor: 16 GA Double/Triple Station Lodi Scrub Sinks: Plastic Dividers
Welding	All welding by heliarc method and exposed welds are ground smooth
Finish	Exposed surfaces are free from pit marks, weld seams, scale and are polished with #4 polish to a satin finish
Electrical	Available in standard 100/120 VAC input or 220/240 VAC Units are FDA registered and conform to standards for Safety Medical Electrical Equipment UL 606011 (US) and CSA C22.2 #601.1M90 (Canada) Units are cord connected with a hospital grade cap
Casters	N/A

Shipping Information

All shipping weights are estimates and may be changed without prior notice. Specifications may be improved and dimensions changed without prior notice. Please contact customer service for estimated shipping costs at info@blickman.com.

OUR PROMISE

For over 100 years, Blickman has been known throughout the healthcare industry for exceptional product quality. We pride ourselves on providing high-end and personalized service to ensure 100% customer satisfied. If you are not completely satisfied for any reason, we will make it right. All of our equipment is backed by our Limited Lifetime Warranty, so you can be certain that you have made the very best choice for your healthcare facility.

Call Blickman:
Toll Free: (800) 247-5070
Local: (973) 330-0557

www.blickman.com
info@blickman.com
500 U.S. Highway 46 East, Clifton, NJ 07011

BLICKMAN

Solution Stands/ Receptacles

Roll, collect, dispose

Includes:

- Solution Stands
- Kickbucket
- Receptacle

OUR MISSION

Customer Focus

Exceed customer expectations through a commitment to continuous improvement of our products and services.

Quality Products

Offer the marketplace a broad range of high quality, cost effective, and durable products of superior craftsmanship.

Organizational Excellence

Strive for excellence in all we do by fostering a participative, team based environment, which nurtures the active involvement of all members of the organization.

Marketplace Recognition

Earn the respect, admiration, and loyalty of our people, customers, and suppliers by treating them with dignity and respect, embracing diversity, and developing and maintaining long term partnerships.

Collaborative Workplace

Encourage all employees to work safely and efficiently, contribute innovative ideas, and personally benefit from the ongoing success of the company.

BLICKMAN

THE BLICKMAN **DIFFERENCE**

- Our high quality, heavy-gauge, noise-reducing, solution stands and receptacles ensure your solutions and waste products are easily collected and disposed of in these easy-to-move, easy-to-clean product.
- Our solution stands and receptacles move effortlessly and quietly on 2" swivel casters, and are made out of our high-quality, easy-to-clean 304 stainless steel with MR conditional options available for both.
- Our solution stands are 33" high for compatibility with surgical table heights and are in the safe zone for reduced back stress, and our receptacles are low to the floor to pass under surgical tables and make it easy to drop waste into without reaching around the table.
- Our basins and pails are removable for both the solution stands and receptacles that are held in place by rubber bumpers that also help prevent noise from metal on metal contact.

Key Product Features

Solution Stands

Description: We offer two types of stainless steel solution stands: a single basin model and a double basin model. Our solution stands are 33" tall offering compatibility with surgical table heights and are in the safe zone for reduced back stress. Choose between a lower shelf or an H-brace for added storage and support. MR conditional models availalble.

Dimensions:
Width: 15" x Height: 33" x Depth: 15"

Dimensions:
Width: 29" x Height: 33" x Depth: 15"

Name	Single Basin Solution Stand			Double Basin Solution Stand	
	MR	MR	**Shelf**	MR	MR
Model #	7807SS	7807MR		7808SS	7808MR
Item #	0717807000	0717807066		0727808000	0727808066
Shipping Weight	20 lbs.	20 lbs.		33 lbs.	33 lbs.
			H-Brace		
Model #	7807SS-HB	7807MR-HB		7808SS-HB	7808MR-HB
Item #	0717807100	0717807166		0727808100	0727808166
Shipping Weight	19 lbs.	19 lbs.		24 lbs.	24 lbs.

Solution Basin Also Sold Separately

Name	Model #	Item #	Ship Weight
8.5 qt. Solution Basin Only	SB-1	9737370120	3 lbs.

Receptacles

Description: Description: Our stainless steel kickbucket consists of a continuous encircling rubber bumper, which helps prevent tipping, wall scuff marks, and noise, a stainless steel cross brace, which provides excellent protection and a secure hold of a heavy gauge 13 qt. pail, and roller blade casters for mobility.

Parts Also Sold Separately

#KB-1

#7766NP

Kickbucket

13 qt. Pail

Parts Also Sold Separately

#SB-1

#8766NP

Receptacle

8.5 qt. Solution Basin

KICKBUCKET

Name	Model #	Item #	Ship Weight
Lenox Kickbucket with Pail	7766SS	0817766000	12 lbs.
Lenox Kickbucket with Pail	7766MR	0817766066	12 lbs.
ORDER SEPARATELY			
Lenox Kickbucket Frame Only	7766NP	0817766001	9 lbs.
13 qt. Pail Only	KB-1	9701920000	4 lbs.

RECEPTACLE

Name	Model #	Item #	Ship Weight
Sponge Receptacle with Basin	8766SS	0828766000	11 lbs.
ORDER SEPARATELY			
Sponge Receptacle Frame Only	8766NP	0828766001	9 lbs.
8.5 qt. Solution Basin Only	SB-1	9737370120	3 lbs.

Solution Stands

Construction Specifications

Construction Specifications

Universal Dimensions	**Solution Stands:** 15”, 29” x 33” x 15” **Solution Basin:** 8.5 qts. **Pail**: 13 qts.
Materials	304 stainless steel
Gauge	Solution Stand Frame: 1” diameter tube, 16GA Solution Stand Shelf: 20GA Pail: 22GA; Basin: 14GA
Welding	All welding by heliarc method and exposed welds are ground smooth
Finish	Exposed surfaces are free from pit marks, weld seams, scale and are polished with #4 polish to a satin finish
Casters	2” swivel casters
Notes	• MR conditional options available where indicated

Shipping Information

All shipping weights are estimates and may be changed without prior notice. Specifications may be improved and dimensions changed without prior notice. Please contact customer service for estimated shipping costs at info@blickman.com.

BLICKMAN

OUR PROMISE

For over 100 years, Blickman has been known throughout the healthcare industry for exceptional product quality. We pride ourselves on providing high-end and personalized service to ensure 100% customer satisfied. If you are not completely satisfied for any reason, we will make it right. All of our equipment is backed by our Limited Lifetime Warranty, so you can be certain that you have made the very best choice for your healthcare facility.

Call Blickman:
Toll Free: (800) 247-5070
Local: (973) 330-0557

www.blickman.com
info@blickman.com
500 U.S. Highway 46 East, Clifton, NJ 07011

BLICKMAN

Surgical Utensils

Safe, sterile, stainless steel

Includes:

- Dressing Jars
- Emesis Basins
- Ointment Jars
- Bucket Pail
- Solution Basins
- Instrument Trays
- Catheter Tray
- Iodine Cups
- Medicine Cup
- Graduated Measuring Cups

OUR MISSION

Customer Focus

Exceed customer expectations through a commitment to continuous improvement of our products and services.

Quality Products

Offer the marketplace a broad range of high quality, cost effective, and durable products of superior craftsmanship.

Organizational Excellence

Strive for excellence in all we do by fostering a participative, team based environment, which nurtures the active involvement of all members of the organization.

Marketplace Recognition

Earn the respect, admiration, and loyalty of our people, customers, and suppliers by treating them with dignity and respect, embracing diversity, and developing and maintaining long term partnerships.

Collaborative Workplace

Encourage all employees to work safely and efficiently, contribute innovative ideas, and personally benefit from the ongoing success of the company.

BLICKMAN

THE BLICKMAN **DIFFERENCE**

- We offer a comprehensive range of surgical utensils to complement the high-end quality of our hospital equipment.
- We offer utensils that function to hold other surgical materials and liquids of various types.
- All utensils are stainless steel and welded smooth to ensure sterility for surgery.
- Our measuring utensils have units of measurement commonly used in the medical industry etched inside.

Key Product Features

Surgical Utensils

Description: Our surgical utensils are solid stainless steel and are great for sterile use in the OR.

Dressing Jars
 # DJ1-7

Emesis Basins
 # EB1-4

Ointment Jar
 # OJ-1

Model #	Item #	Capacity/Dimensions	Shipping Weight
		Dressing Jars	
DJ-1	9788000001	0.5 liters	1 lbs.
DJ-2	9788010002	1.0 liters	1 lbs.
DJ-3	9788020003	1.9 liters	2 lbs.
DJ-4	9788030004	2.8 liters	2 lbs.
DJ-5	9788040005	4.0 liters	2 lbs.
DJ-6	9788060006	5.7 liters	2 lbs.
DJ-7	9788080007	7.6 liters	3 lbs.
		Emesis Basins	
EB-1	9717090400	12 oz.	1 lbs.
EB-2	9720595450	16 oz.	1 lbs.
EB-3	9725511555	28 oz.	1 lbs.
EB-4	9730514065	56 oz.	1 lbs.
		Ointment Jar	
OJ-1	9787720001	8 oz.	1 lbs.

Bucket Pail
 # KB-1

Solution Basins
 # SB-1

Model #	Item #	Capacity/Dimensions	Shipping Weight
		Bucket Pail	
KB-1	9701920000	12.3 liters	4 lbs.
		Solution Basin	
SB-1	9737370120	8 liters	3 lbs.
1830	9701830000	6.5 liters	2 lbs.

Surgical Utensils

Description: Our surgical utensils are solid stainless steel and are great for sterile use in the OR.

Instrument Trays
 # IT1015-2520

Catheter Tray
 # CT1, 1T, 1C

Model #	Item #	Capacity/Dimensions	Shipping Weight
		Instrument Trays	
IT1015	9710015001	15″ W x 10″ D	3 lbs.
IT1621	9716002100	21″ W x 16″ D	4 lbs.
IT1525	3603915250	25″ W x 16″ D	5 lbs.
IT2025	3603920251	25″ W x 20″ D	6 lbs.
IT1219	9719126250	19″ W x 12 1/2″ D	4 lbs.
IT2520	9736392025	20″ W x 25″ D	6 lbs.
		Catheter Tray	
CT-1	9785030101	8 1/2″ W x 3″ D x 1 1/2″ H	1 lbs.
CT-1T	9782831000	8 1/2″ W x 3″ D x 1″ H	1 lbs.
CT-1C	9782832000	8 1/2″ W x 3″ D x 1 1/2″ H	1 lbs.

Iodine Cups
 # IC1-2

Medicine Cup
 # MC-1

Graduated Measuring Cups
 # GM1-3

Model #	Item #	Capacity/Dimensions	Shipping Weight
		Iodine Cups	
IC-1	9775500002	6 oz.	1 lbs.
IC-2	9710565001	14 oz.	1 lbs.
		Medicine Cup	
MC-1	9784920001	2 oz.	1 lbs.
		Graduated Measuring Cups	
GM-1	9795160001	16 oz.	1 lbs.
GM-2	9795320002	32 oz.	1 lbs.
GM-3	9795640003	64 oz.	1 lbs.

Surgical Utensils

Construction Specifications

Construction Specifications

Standard Dimensions	N/A
Material	304 stainless steel
Gauge	**20GA:** Graduated Measuring Cup, Instrument trays (exception 15”x10” Instrument Tray is 24GA) **22GA:** Dressing Jars, Emesis Basins, Ointment Jar, Bucket Pail, Solution Basin, Catheter Tray and Cover, Iodine Cups, Graduated Measuring Cups
Welding	All welding by heliarc method and exposed welds are ground smooth
Finish	Exposed surfaces are free from pit marks, weld seams, scale and are polished with #4 polish to a satin finish
Casters	N/A

Shipping Information

All shipping weights are estimates and may be changed without prior notice. Specifications may be improved and dimensions changed without prior notice. Please contact customer service for estimated shipping costs at info@blickman.com.

BLICKMAN

OUR PROMISE

For over 100 years, Blickman has been known throughout the healthcare industry for exceptional product quality. We pride ourselves on providing high-end and personalized service to ensure 100% customer satisfied. If you are not completely satisfied for any reason, we will make it right. All of our equipment is backed by our Limited Lifetime Warranty, so you can be certain that you have made the very best choice for your healthcare facility.

Call Blickman:
Toll Free: (800) 247-5070
Local: (973) 330-0557

www.blickman.com
info@blickman.com
500 U.S. Highway 46 East, Clifton, NJ 07011

BLICKMAN

Tables

Adaptable work and prep surfaces

Includes:

- Instrument Tables
- Utility Tables
- Work Tables

OUR MISSION

Customer Focus

Exceed customer expectations through a commitment to continuous improvement of our products and services.

Quality Products

Offer the marketplace a broad range of high quality, cost effective, and durable products of superior craftsmanship.

Organizational Excellence

Strive for excellence in all we do by fostering a participative, team based environment, which nurtures the active involvement of all members of the organization.

Marketplace Recognition

Earn the respect, admiration, and loyalty of our people, customers, and suppliers by treating them with dignity and respect, embracing diversity, and developing and maintaining long term partnerships.

Collaborative Workplace

Encourage all employees to work safely and efficiently, contribute innovative ideas, and personally benefit from the ongoing success of the company.

BLICKMAN

THE BLICKMAN **DIFFERENCE**

Adjustable Tables

- Our adjustable tables are instrument tables designed to straddle the OR table using either manual or motorized adjustable height mechanisms to accommodate changes in the table position during neuro, cardiac, and orthopedic surgery, as well as to accommodate varying heights of personnel during general surgery.
- You can customize the tabletop dimensions to fit your differing surface area needs and the leg clearance dimensions to fit your differing OR table dimensions.
- Both models are made out of stainless steel and include casters for mobility and both models. The motorized table moves along telescoping aluminum lifting columns.

Key Product Features



Tables

Adjustable Tables

THE LIBERTY TABLE

Description: Our Liberty table was designed to straddle the OR table with adjustable height mechanisms. It travels effortlessly on antistatic swivel casters with brakes and utilizes a motorized height adjustment mechanism. Use a foot pedal or hand remote to operate the motorized adjustment. Two standard surface areas available.

Customize the surface area dimensions to fit your needs.



Standard Features

Foot Pedal

Hand Remote

MOTORIZED ADJUSTMENT:
Use the motorized foot operated/hand operated height adjustment mechanism.

Name	Liberty Table
Dimensions	**41" W x 46" D (29" Leg Clearance)**
Model #	7902SS-M
Item #	0157902000
Shipping Weight	315 lbs.
Dimensions	**50 1/2" W x 24" D (38 3/8" Leg Clearance)**
Model #	7901SS-M
Item #	0157901000
Shipping Weight	290 lbs.

Custom Dimensions Available Upon Request
Please email us at info@blickman.com

Tables

Adjustable Tables

THE GEORGETOWN TABLE

Description: Our Georgetown table was designed to straddle the OR table with a manual hand crank adjustable height mechanism. Travels easily on 3" swivel casters with breaks. Two standard surface areas available. Select extended arm design for electrophysiology procedures.

Customize the surface area dimensions to fit your needs.



Height adjustable from 36" to 56" off the ground.

Travels easily on four 3" swivel casters, two with brakes.

MANUAL ADJUSTMENT:
Manually adjust the height of this table from either side with a detachable crank handle.

Standard Features

Hand Crank

62" CRT table
This Georgetown table with the extended arm was designed for optimizing electrophysiology procedures.

Name	Georgetown Table
Dimensions	**36" W x 20" D (28 5/8" Leg Clearance)**
Model #	7892SS-0
Item #	0157892000
Shipping Weight	135 lbs.
Dimensions	**48" W x 24" D (40 5/8" Leg Clearance)**
Model #	7895SS-0
Item #	0157895000
Shipping Weight	160 lbs.
Dimensions	**62" CRT Table (14" Overhang)**
Model #	7895SS-O CRT
Item #	0157895062
Shipping Weight	190 lbs.

Custom Dimensions Available Upon Request
Please email us at info@blickman.com

Tables

Adjustable Tables

HYDRAULIC INSTRUMENT TABLE

Description: Our hydraulic instrument table is height adjustable to ensure compatibility with multiple OR table heights and healthcare personnel heights. Adjust its height with a manual hand crank from 30" - 42". It includes one lower shelf and stands stationary on glider feet tips. Select the surface area with dimensions that fit your needs.

Customize the surface area dimensions to fit your needs.

Name	Hydraulic Table
Dimensions	**48" x 24"**
Model #	7835HYD
Item #	0177835000
Shipping Weight	145 lbs.
Dimensions	**60" x 30"**
Model #	7895SS-0
Item #	0177836030
Shipping Weight	188 lbs.

Custom Dimensions Available Upon Request

Please email us at info@blickman.com

Tables

Adjustable Tables

OVERBED TABLE

Description: Our overbed table comes in an attractive mark resistant laminate top in a walnut wood grain. It moves up or down with a simple one touch adjustment. Security features include a built-in column lock and four point base. The table travels smoothly on four 2" hooded casters.

Overbed Table Dimensions
Width: 30" x Height: 30" (max) x Depth: 15 1/2"

Name	Overbed Table
Model #	3400
Item #	2833400000
Shipping Weight	27 lbs.

Construction Specifications

Universal Dimensions	Adjustable heights to fit over OR table or hospital bed
Materials	304 stainless steel **Liberty:** Telescoping aluminum lifting columns. **Overbed Table:** Mar resistant laminate (tray), chrome plate steel (column & base)
Gauge	**Liberty:** 16GA Top; 11GA Sub Top; 14GA Base **Georgetown:** 18GA Top; 16GA Sub Top, 2" 16GA square tube legs
Welding	All welding by heliarc method and exposed welds are ground smooth
Finish	Exposed surfaces are free from pit marks, weld seams, scale and are polished with #4 polish to a satin finish
Casters	**Liberty:** 4" antistatic swivel casters with brakes **Georgetown:** 3" swivel casters, two with brakes
Notes	**Liberty:** Motorized adjustment mechanism Electrical Ratings: 100-120VAC, 15AMP, 60 Hz. **Georgetown:** Manual adjustment mechanism

Shipping Information

All shipping weights are estimates and may be changed without prior notice. Specifications may be improved and dimensions changed without prior notice. Please contact customer service for estimated shipping costs at info@blickman.com.

Custom Dimensions Available Upon Request
Please email us at info@blickman.com

THE BLICKMAN **DIFFERENCE**

Stationary Tables

- We offer a variety of stationary tables to fit any healthcare need. Our stationary tables include instrument tables, utility tables, and general work tables. Some models also come in MR conditional equivalents.
- Our instrument tables are reinforced with H-braces for stability or include an optional lower shelf for storing supplies. We offer standard dimensions or that can be customized to any size. We also have an optional nested set of up to six tables that can be ordered together or separately.
- Our utility tables come in a variety of drawer and shelf configurations to store and protect equipment and can include a workspace so you can store and prep your supplies on one efficient and transportable, setup.
- Our work tables are heavy duty with large surface areas designed for use in sterile and non-sterile preparation.

Key Product Features

NESTED TABLES

Description: Our nested instrument tables are space saving alternatives with a unique design that requires a mere 8 square feet of floor space, but yields 31 square feet of usable work space. All tables travel on 3" casters.

Name	Dimensions (WxHxD)	Model #	Item #	Ship Weight
Complete Set of 6	8 Sq. Ft. of Floor Space 31 Sq. Ft. of Work Space	7821SS	0137821000	255 lbs.
		ORDER SEPARATELY		
Largest	48" x 42" x 24"	7822SS	0137822000	56 lbs.
Second	44" x 40" x 22"	7823SS	0137823000	52 lbs.
Third	40" x 38" x 20"	7824SS	0137824000	51 lbs.
Fourth	36" x 36" x 18"	7825SS	0137825000	37 lbs.
Fifth	32" x 34" x 16"	7826SS	0137826000	34 lbs.
Smallest	28" x 32" x 14"	7827SS	0137827000	32 lbs.

MR options available, see MR section for more details

Tables

HOWARD & SAWYER TABLES

Description: Our instrument tables offer complete 18 gauge, 304 stainless steel construction. They are lightweight, yet extremely durable. Sanitary closed top help prevents bacterial build up. Sealed reinforcing channels provide rigidity. All tables are 34" tall, which is in the safety zone for reduced back stress, and travel on 3" casters. 16" clearance between shelves.

Sawyer Table

Howard Table

Table	H-Brace	Shelf
	20" x 16"	
Model #	7840SS	7830SS
Item #	0127840000	0117830000
Shipping Weight	28 lbs.	32 lbs.
	36" x 24"	
Model #	7843SS	7833SS
Item #	0127843000	0117833000
Shipping Weight	48 lbs.	56 lbs.
	48" x 24"	
Model #	7845SS	7835SS
Item #	0127845000	0117835000
Shipping Weight	56 lbs.	69 lbs.
	60" x 24"	
Model #	7846SS	7836SS
Item #	0127846000	0117836000
Shipping Weight	189 lbs.	200 lbs.

Options: Custom dimensions, three sided guardrails, and drawers (see Crescent table design).

MR options available, see MR section for more details

ANGULAR INSTRUMENT TABLE

Description: Choose our angular instrument table to have separate left and right work spaces. Add a lower shelf or drawers for additional storage. This 34" tall tableis in the safety zone for reduced back stress, and it travels on 3" casters. Select the surface area with dimensions that fit your needs.

Name	Angular Instrument Table
Dimensions	**60"x 15"**
Model #	7862SSA
Item #	0147862000
Shipping Weight	120 lbs.
Dimensions	**72" x 18"**
Model #	7863SSA
Item #	0147863000
Shipping Weight	137 lbs.

Custom Dimensions Available Upon Request
Please email us at info@blickman.com

Tables

UTILITY TABLES

Description: Our utility tables are popular in the OR and throughout healthcare facilities as a general utility table. Our superior construction adds a supporting channel underneath the top shelf to enhance its strength. All of our utility tables are 34" tall, which is in the safety zone for reduced back stress, and travel easily on 3" casters.

Shelf Configuration Includes:

- ✓ Two shelves, 17" and 34" off the ground
- ✓ Four sided guardrails for protection

Drawer Configurations Include:

- ✓ A positive stop to prevent accidental drawer removal
- ✓ Ball bearing slides for easy sliding drawers
- ✓ Three sided guardrails for protection (optional four sided guardrails are available)

All of our utility tables are the same dimensions:
Width: 20" x Height: 34" x Depth: 16"

Lower Shelf Clearance: 16"

Lower Shelf Clearance: 11"

Lower Shelf Clearance: 5 1/2"

Lower Shelf Clearance: 4 1/4"

Lowest Drawer Clearance: 11 1/2"

# of Drawers	0	1	2	3	4
Model #	7852SS	7850SS	7754SS	7857SS	7859SS
Item #	0257852000	0217850000	0227754000	0237857000	0247859000
Shipping Weight	32 lbs.	46 lbs.	59 lbs.	72 lbs.	82 lbs.

Options: Feet: glides, rubber tips, or larger diameter casters, four sided guard rails on drawer models

Tables

CRESCENT TABLES

Description: Our crescent table has the same construction as the Howard and Sawyer Instrument tables with the addition of drawers and guard rails. This table includes a large work surface area (36"x 20"), two 4" deep drawers and one optional lower shelf 16" off the ground. This model is 34" tall, which is in the safety zone for reduced back stress, and travels easily on 3" casters.

Customize the surface area dimensions of these models to fit your needs.

Name	Crescent Table	
	H-Brace	**Shelf**
Model #	7856SS	7856SS-SH
Item #	0317856000	0317856003
Shipping Weight	78 lbs.	81 lbs.

Options: Feet: glides, rubber tips, or larger diameter casters

WORK TABLES

Description: Our work tables are designed for use as prep tables. They are heavy duty with large surfaces areas designed for use in sterile and non-sterile environments. The smallest table dimensions uses four legs, and all other larger dimensions use six legs. All of our work tables are 36" tall, which is in the safety zone for reduced back stress., and come standard with bullet feet. Rubber tips, casters, and gliders are available as alternative options.

Customize the surface area dimensions of these models to fit your needs.

Surface Area	68" x 30"	80" x 36"	92" x 44"
		H-Brace	
Model #	CSDT6830	CSDT8036	CSDT9244
Item #	0336830000	0338036000	0339244000
Shipping Weight	210 lbs.	300 lbs.	390 lbs.
		Shelves	
Model #	CSDT6830S1	CSDT8036S1	CSDT9244S1
Item #	0336830100	0338036100	0339244100
Shipping Weight	260 lbs.	355 lbs.	435 lbs.

Options: Feet: glides, rubber tips, or larger diameter casters

Custom Designs Available Upon Request

Please email us at info@blickman.com

Tables

Options

STATIONARY TABLE OPTIONS

Drawers

Description: For added storage, add drawers beneith any tabletop.

Drawer Options





Model #	Item #	Description	Shipping Weight
DH124S	2043424000	1 Drawer, 24" Wide Drawer Housing	35 lbs.
DH129S	2043429000	1 Drawer, 29" Wide Drawer Housing	50 lbs.
DH235S	2043435000	2 Drawers, 35" Wide Drawer Housing	55 lbs.
DH247S	2043447000	2 Drawers, 47" Wide Drawer Housing	60 lbs.

Custom Designs Available Upon Request
Please email us at info@blickman.com

Tables

Options

STATIONARY TABLE OPTIONS

Guardrails

Description: For added placement security, add guardrails to any tabletop.

Feet Options

Rubber Tips | Casters | Gliders

Custom Designs Available Upon Request

Please email us at info@blickman.com

Construction Specifications

Universal Dimensions	Custom dimensions available on all tables
Materials	304 stainless steel
Gauge	**Instrument Tables:** 1 1 1/4" tube legs, 18GA table top **Utility Tables:** 1" Diameter 18GA tube legs, 18GA top & body **Work Tables:** 1 5/8", 16GA tube legs, 16GA table top & sub top
Welding	All welding by heliarc method and exposed welds are ground smooth
Finish	Exposed surfaces are free from pit marks, weld seams, scale and are polished with #4 polish to a satin finish
Casters	3" Casters
Notes	• MR conditional tables available where indicated

Shipping Information

All shipping weights are estimates and may be changed without prior notice. Specifications may be improved and dimensions changed without prior notice. Please contact customer service for estimated shipping costs at info@blickman.com.

Custom Dimensions/Designs Available Upon Request
Please email us at info@blickman.com

OUR PROMISE

For over 100 years, Blickman has been known throughout the healthcare industry for exceptional product quality. We pride ourselves on providing high-end and personalized service to ensure 100% customer satisfied. If you are not completely satisfied for any reason, we will make it right. All of our equipment is backed by our Limited Lifetime Warranty, so you can be certain that you have made the very best choice for your healthcare facility.

Call Blickman:
Toll Free: (800) 247-5070
Local: (973) 330-0557

www.blickman.com
info@blickman.com
500 U.S. Highway 46 East, Clifton, NJ 07011

BLICKMAN

Utility Carts

Convenient transport for medical equipment

Includes:

- Light Duty
- Medium Duty
- Heavy Duty

OUR MISSION

Customer Focus

Exceed customer expectations through a commitment to continuous improvement of our products and services.

Quality Products

Offer the marketplace a broad range of high quality, cost effective, and durable products of superior craftsmanship.

Organizational Excellence

Strive for excellence in all we do by fostering a participative, team based environment, which nurtures the active involvement of all members of the organization.

Marketplace Recognition

Earn the respect, admiration, and loyalty of our people, customers, and suppliers by treating them with dignity and respect, embracing diversity, and developing and maintaining long term partnerships.

Collaborative Workplace

Encourage all employees to work safely and efficiently, contribute innovative ideas, and personally benefit from the ongoing success of the company.

BLICKMAN

THE BLICKMAN **DIFFERENCE**

- Our utility carts are ideal for transporting medical equipment which needs to be used in various areas in your medical facility. We offer light duty, medium duty, and heavy duty options to suit all of your needs.
- Common features include a push handle, open construction for easy access, guardrails for securing contents, and 4" swivel casters for easy maneuverability.
- They contain two or three solid stainless steel shelves to provide ample storage space.
- The stainless steel construction allows for easy cleaning and sanitizing, while resisting corrosion and stains.
- We also offer a folding utility cart with wire baskets for any application such as movement of mail, patient records, and laboratory materials.

Key Product Features

Utility Carts

Light Duty

FOLDING UTILITY CART

Description: Our folding utility cart is versatile enough for any application such as movement of mail, patient records, and laboratory materials. Choose any combination of 6" or 12" deep wire baskets to complete your cart. The metal frame is designed for easy assembly and folds for storage. Rubber stoppers support and protect the wire racks and provide a quiet ride on four, 3" hard rubber casters.

Folding Utility Cart Dimensions:
Width: 29 1/4" x Height: 38 1/2" x Depth: 19 1/2"

6" Wire Basket (2441)
Item #: 2422441000



12" Wire Basket (2442)
Item #: 2422442000

Name	Model #	Item #	Shipping Weight
Kit with 6" + 12" Baskets	2440 KIT	24224400KT	33 lbs.
Kit with Two 6" Baskets	2440 6 KIT	24224401KT	31 lbs.
Kit with Two 12" Baskets	2440 12 KIT	24224402KT	35 lbs.
ORDER SEPARATELY			
Folding Frame	2440	2422440000	21 lbs.
6" Wire Basket	2441	2422441000	5 lbs.
12" Wire Basket	2442	2422442000	6 lbs.

Utility Carts

Light Duty

LIGHT DUTY CARTS

Description: Our light duty 7534 utility cart comes standard with three shelves and a push handle. The top two shelves have three sides and an open front to slide in equipment with ease while also securing supplies. The bottom shelf has no sides for easy access to materials. We offer optional designs with additional guardrails and IV poles.

Our light duty carts have the same dimensions:

Width: 28 1/4" x Height: 35 3/4" x Depth: 16"

Top Shelf: Three Sided Shelf with Open Front Edge
Middle Shelf: Three Sided Shelf with Open Front Edge
Bottom Shelf: Open Shelf

Top Shelf: Three Sided Shelf with Open Front Edge
Middle Shelf: Three Sided Shelf with Front Guardrail
Bottom Shelf: Shelf with Four Guardrails

Top Shelf: Three Sided Shelf with Front Guardrail
Middle Shelf: Three Sided Shelf with Front Guardrail
Bottom Shelf: Shelf with Four Guardrails

Name	Light Duty Utility Cart	Light Duty Utility Cart with 5 Guardrails	Light Duty Utility Cart with 6 Guardrails
Model #	7534SS	7534SS-GR	7534SS-GR4
Item #	2427534002	2427534000	2427534004
Shipping Weight	30 lbs.	30 lbs.	30 lbs.

Options: IV pole attachments.

Custom Designs Available Upon Request

Please email us at info@blickman.com

Utility Carts

Medium/Heavy Duty

MEDIUM DUTY CARTS

Description: Our medium duty utility carts each come with three solid stainless steel shelves and travel on 4" swivel casters. Choose between our design that includes four sided shelves and width-wise handles or our design that includes open shelving and depth-wise handles.

Dimensions: 27 1/2" x 40" x 18 1/8"

Dimensions: 25" x 16 1/2" x 35 3/4"

Name	Side Rails Medium Duty Cart	End Rails Medium Duty Cart
Model #	7535SS	7536SS
Item #	2427535000	2427536000
Shipping Weight	47 lbs.	40 lbs.

Options: IV pole attachments.

Dimensions: 41 3/4" x 40" x 19 1/4"

HEAVY DUTY CART

Description: Our heavy duty utility cart comes with two solid stainless steel shelves with four sides each and travels on 5" swivel casters. Easy maneuverability with angled push handles.

Name	Heavy Duty Cart
Model #	7537SS
Item #	2427537000
Shipping Weight	43 lbs.

Options: IV pole attachments.

Custom Designs Available Upon Request

Please email us at info@blickman.com

MR options available, see MR section for more details.

Utility Carts

Accessories

IV POLE ATTACHMENTS

Description: Our IV pole attachment can fit any Blickman utility cart with ease.

Name	7534SS with IV pole attachment	7535SS with IV pole attachment	7536SS with IV pole attachment	7537SS with IV pole attachment
Model #	7534SS-IV	7535SS-IV	7536SS-IV	7537SS-IV
Item #	2427534001	2427535001	2427536001	2427537001
Shipping Weight	35 lbs.	52 lbs.	45 lbs.	48 lbs.

GUARDRAILS & SIDING

Contact Blickman Customer Service about adding additional siding or guardrails.

Open Shelf

Lipped Shelf

Shelf with 4 Guardrails

3 Sided Shelf

Custom Designs Available Upon Request

Please email us at info@blickman.com

MR options available, see MR section for more details.

Utility Carts Construction Specifications

Construction Specifications

Universal Dimensions	**Light Duty:** Width: 28 1/4" x Height: 35 3/4" x Depth: 16"
Materials	Stainless steel Rubber bumper handles on 7534SS Carts
Gauge	**Light Duty:** 20GA & 18GA **Medium/Heavy Duty:** 16GA
Welding	All welding by spot and heliarc methods and exposed welds are ground smooth
Finish	Exposed surfaces are free from pit marks, weld seams, scale and are polished with a #4 polish to a satin finish
Casters	4" Swivel Casters

Shipping Information

All shipping weights are estimates and may be changed without prior notice. Specifications may be improved and dimensions changed without prior notice. Please contact customer service for estimated shipping costs at info@blickman.com.

Custom Designs Available Upon Request
Please email us at info@blickman.com

BLICKMAN

OUR PROMISE

For over 100 years, Blickman has been known throughout the healthcare industry for exceptional product quality. We pride ourselves on providing high-end and personalized service to ensure 100% customer satisfied. If you are not completely satisfied for any reason, we will make it right. All of our equipment is backed by our Limited Lifetime Warranty, so you can be certain that you have made the very best choice for your healthcare facility.

Call Blickman:
Toll Free: (800) 247-5070
Local: (973) 330-0557

www.blickman.com
info@blickman.com
500 U.S. Highway 46 East, Clifton, NJ 07011

BLICKMAN

Warming Cabinets

Keeping patients warm and comfortable

Includes:

- Freestanding
- Recessed
- Tabletop
- Under Counter
- Accessories

OUR MISSION

Customer Focus

Exceed customer expectations through a commitment to continuous improvement of our products and services.

Quality Products

Offer the marketplace a broad range of high quality, cost effective, and durable products of superior craftsmanship.

Organizational Excellence

Strive for excellence in all we do by fostering a participative, team based environment, which nurtures the active involvement of all members of the organization.

Marketplace Recognition

Earn the respect, admiration, and loyalty of our people, customers, and suppliers by treating them with dignity and respect, embracing diversity, and developing and maintaining long term partnerships.

Collaborative Workplace

Encourage all employees to work safely and efficiently, contribute innovative ideas, and personally benefit from the ongoing success of the company.

BLICKMAN

THE BLICKMAN **DIFFERENCE**

- We maintain the broadest line of warming cabinets in the healthcare market. Our blanket and fluid warming cabinets include freestanding, single chamber, dual chamber, tabletop, under-counter, and recessed models (including pass-through versions with doors on front and back).
- All of our models are offered with the choice of glass or stainless steel doors at the same price. Our glass door versions have wide windows designed to allow medical professionals to see all solutions and blankets at a glance, unlike the narrower porthole openings in competing models, so you never come up short of supplies in critical moments.
- Our warming cabinets allow for heat variances between 90° and 160° Fahrenheit. Temperatures remain within +/- 1° Fahrenheit of set point with virtually no leakage into adjoining champers or outside area.
- The warming fan is located at the top interior of the cabinet allowing for improved heat circulation (no hot/cold spots) and frees up the bottom shelf surface to store more blankets and/or solutions.
- Our digital control panel allows O.R. managers to lock the warming cabinet settings with a key or passcode to ensure recommended temperature levels are maintained and that the facility meets all requirements.
- Unlike with cumbersome, "meat locker" handles on competing models, our warming cabinets allow for hands free operation. Our warming cabinets comes standard with self-closing, adjustable tension, magnetic gasket doors. If your arms are full, simply open the door with your elbow and then the door will slowly close on its own.

Key Product Features

Sloped top available for freestanding models to prevent dust collection

New Digital Control Panel.

Features:

- Visual/audible alarm
- Digital adjustments
- Calibration due date reminder
- Graphical temp. trend view
- Set temp. "lock out"
- Lost passcode view
- Temp. data recorder w/ real time clock

Self-closing, magnetic gasket, adjustable tension doors afford convenient, hands free opening and closing

Sloped top available for free standing models to prevent dust collection

Wide glass window designed to let medical professionals see all solutions and blankets at a glance

Dual chamber models enable you to heat solutions and blankets simultaneously in their respective recommended temperatures

Free standing and recessed options available for tall models

Warming Cabinets

Freestanding

Description: Our freestanding cabinets come in either single or dual chamber configurations with open adjustable shelf design for flexibility and expanded use. The doors come in either glass or stainless steel and lock to secure contents. Each unit comes standard with three perforated stainless steel shelves and integrated casters for ease of mobility.

Dimensions

Width: 30" x Height: 74 1/2" x Depth: 26 5/8"

Electrical: Amps: 7.5 | Total Wattage: 750

Electrical: Amps: 15 | Total Wattage: 1500

Name	Single Chamber	Dual Chamber
	Glass Doors	
Model #	7921TG	7924TG
Item #	14B7921243	14B7924243
Shipping Weight	437 lbs.	500 lbs.
	Solid Doors	
Model #	7921TS	7924TS
Item #	14B7921200	14B7924200
Shipping Weight	437 lbs.	498 lbs.

Options: No Casters, sloped tops

Warming Cabinets

Recessed

Description: Our recessed warming cabinets are designed for built-in installation. Single chamber glass door, solid door, and passthrough models available. Three perforated stainless steel shelves come standard in these models.

Dimensions

Width: 30" x Height: 60" x Depth: 20 5/8"

Electrical: Amps: 7.5 | Total Wattage: 750

Glass Door

Solid Door

Front: Glass Door
Back: Solid Door

Name	Glass Door	Solid Door	Passthrough
Model #	SW30TG	SW30TS	SW30TPTGS
Item #	14BSW30243	14BSW30200	14BSW30278
Shipping Weight	320 lbs.	320 lbs.	245 lbs.

Options: Dual chambers, alternative passthrough configurations.

Warming Cabinets

Under Counter

Description: Our under counter warming cabinet is suited for use in limited spaces. It comes with either glass or stainless steel doors, and comes standard with two adjustable perforated stainless steel shelves.

Dimensions

Width: 30" x Height: 35 $^{1}/_{2}$" x Depth: 26 $^{5}/_{8}$"

Electrical: Amps: 7.5 | Total Wattage: 750

Name	Single Chamber
	Glass Door
Model #	7922TG
Item #	14B7922243
Shipping Weight	260 lbs.
	Solid Door
Model #	7922TS
Item #	14B7922200
Shipping Weight	260 lbs.

Options: Sloped tops

Warming Cabinets

Tabletop

Description: Our tabletop warming cabinets are available in a standard and compact size. They can sit on an existing countertop or on a Blickman mobile stand specifically designed to support our tabletop warmers. They come with either glass or stainless steel doors. One adjustable perforated stainless steel shelf is included in the standard model only.

Dimensions: 30" x x 24 1/2" x 26 5/8"
Electrical: Amps: 7.5 | Total Wattage: 750

Dimensions: 24" x 24 1/2" x 20 5/8"
Electrical: Amps: 3.5 | Total Wattage: 350

Name	Standard	Compact
	Glass Doors	
Model #	7925TG	7927TG
Item #	14B7925243	14B7927243
Shipping Weight	215 lbs.	161 lbs.
	Solid Doors	
Model #	7925TS	7927TS
Item #	14B7925200	14B7927200
Shipping Weight	215 lbs.	161 lbs.

Options: Sloped tops for 7925 models.

To set up a solutions only warming cabinet, these units can easily be programmed by the user to heat only between 90°F and 110°F.

Warming Cabinets

Tabletop Mobile Stand

Cleat in the back to coil power cord during transport.

Description: Our warming cabinet mobile stand allows for our tabletop warming cabinets to become mobilized for transport around your medical facility. These tables are designed to fit both our standard or compact tabletop warming cabinet dimensions without taking up any extra floor space. It inlcudes three sides to secure warming cabinet placement and an optional shelf with four guardrails is available for additional storage.

For transportation, wrap warming cabinet cable around cleat on the back of the mobile stand.

Table Dimensions
Width: 30" x Height: 34" x Depth: 26"

Name	H-Brace	Shelf
Model #	3026SSH	3026SS
Item #	0123026100	0113026000
Shipping Weight	40 lbs.	50 lbs.

Warming Cabinets

Accessories & Power Consumption

ACCESSORIES

Item	Description	Shipping Weight
14B3018000	Sloped top (30" x 8" x 18") for warming cabinet SW30	28 bs.
14B3026000	Sloped top (29 7/8" x 10" x 26") for warming cabinets: 7921, 7922, 7924, 7925	38 lbs.

Item	Description	Shipping Weight
14B7924SHF	Warming Cabinet Shelf Kit 30" x 26" with 1" Diameter holes for 7921, 7922, 7924, 7925	78 lbs.
14B7927SHF	Warming Cabinet Shelf Kit 20" x 17 1/2" for 7927	28 bs.
14BSW30SHF	Warming Cabinet Shelf Kit 30" x 18" for SW30	38 lbs.

POWER CONSUMPTION

Model #	Description	Cubic Feet	KW/Hr.	BTU/Hr.
7921	Single Chamber Tall Warming Cabinet	22.02	0.55	1878
7922	Under Counter Warming Cabinet	9.02	0.35	1195
7924	Dual Chamber Tall Warming Cabinet	18.58	0.78	2664
7925	Standard Tabletop Warming Cabinet	5.05	0.29	990
7927	Compact Tabletop Warming Cabinet	2.87	0.38	1298
SW30	Recessed Warming Cabinet	13.22	0.47	1605

Warming Cabinets

Construction Specifications

Construction Specifications

Standard Dimensions	**Free Standing:** 30" x 74 1/2" x 26 5/8" **Recessed:** 30" x 60" x 20 5/8" **Table Top:** Standard: 30" x 26 5/8" x 24 1/2"; Compact: 24" x 20 5/8" x 24 1/2" **Under Counter:** 30" x 60" x 20 5/8"
Materials/ Gauge	304 stainless steel, 16 GA 1/4" clear double panel, insulated, tempered sheet glass Perforated Stainless Steel Shelves
Welding	All welding by heliarc method and exposed welds are ground smooth
Finish	Exposed surfaces are free from pit marks, weld seams, scale and are polished with #4 polish to a satin finish
Electrical	Available in standard 100/120 VAC input or 220/240 VAC Units are FDA registered and conform to standards for Safety Medical Electrical Equipment UL 606011 (US) and CSA C22.2 #601.1M90 (Canada) Units are cord connected with a hospital grade cap
Casters	**Tall Warming Cabinets:** Hidden 3" ball bearing polyolefin casters with zinc finish
Notes	• MICROPROCESSOR CONTROLS: Dual display shows actual temperature and set point for each chamber at all times (each chamber in the double door warmer includes its own digital control system). Control panel components include an ON/OFF Button, UP/ DOWN Temperature Touch pad, Alarm Light, Heater Light Indicator, Set/Mute Touch pad. • TEMPERATURE: 90° to 160° Fahrenheit. There is a heater light indicator, digital temperature indicators and an over temperature alarm indicator if the actual temperature exceeds set temperature by 10° Fahrenheit. All units have a visual and audible alarm as well as an automatic safety switch. The units are furnished with tubular heater assemblies and a circulating fan for even heat distribution. From a cold start, a fully loaded cabinet will be heated to the selected temperature within four to six hours.

Shipping Information

All shipping weights are estimates and may be changed without prior notice. Specifications may be improved and dimensions changed without prior notice. Please contact customer service for estimated shipping costs at info@blickman.com.

BLICKMAN

OUR PROMISE

For over 100 years, Blickman has been known throughout the healthcare industry for exceptional product quality. We pride ourselves on providing high-end and personalized service to ensure 100% customer satisfied. If you are not completely satisfied for any reason, we will make it right. All of our equipment is backed by our Limited Lifetime Warranty, so you can be certain that you have made the very best choice for your healthcare facility.

Call Blickman:
Toll Free: (800) 247-5070
Local: (973) 330-0557

www.blickman.com
info@blickman.com
500 U.S. Highway 46 East, Clifton, NJ 07011

BLICKMAN

Upholstery

Providing ultimate comfort and function

Includes:

- 73 Vinyl Colors
- 19 Polyester Fabric Colors

THE BLICKMAN **DIFFERENCE**

Vinyl Colors

- We offer an array of vinyl colors to fit your needs. Pick from 73 different colors that range from neutrals to cool tones to warm tones.
- Our 100% vinyl seating ensures comfortable and easy-to-clean seating surfaces for exam/patient rooms.
- Ideal for use in sterile environments due to its antibacterial, antimicrobial, and mildew resistant qualities.
- Bleach cleaning allowed.

Key Product Features

Vinyl Colors

Snow White - 21

Platinum - 83

Parchment - 44

Coffee Cream - 81

Chocolate - 05



Super White - 06

Alabaster - 38

Camel - 66

Sand - 09

Chestnut - 61

Adobe - 48

Dove - 60

French Brown - 13

Light Maple - 14

Mocha - 73

Moonstone - 16

Franciscan Gray - 85

Taupe - 18

Brown Sugar - 19

Espresso - 20

Quail - 87

Gunmetal - 02

Eucalyptus - 84

Cinnamon - 23

Black - 25

Vinyl Colors

Summer Haze - 26

Light Lime - 27

Celadon Green - 28

China Green - 29

Cosmos Blue- 30

Corn Silk - 31

Greenery - 32

Jade - 33


Turquoise - 34

Space Blue - 35

Lemon Peel - 36

Leaf Green - 37


Spruce - 39

Aero Blue - 40

Sunflower - 41

Loden - 42

Viscaya Palm - 43

Grotto - 76


Azure Blue - 45


Tawny - 46

Yew Green - 47

Forest Green - 77

Ocean Gray - 49

Sky Blue - 17

Vinyl Colors

Colonial Blue - 51

Tomato - 53

Lipstick - 58

Dutch Orange - 54

Shell - 55

Midnight Blue - 86

Crescent Cherry - 52

American Beauty - 63

Mandarin - 59

Clay - 82

Royal Blue - 80

Raspberry - 57

Copper - 64

Rosetan - 65

Academy Blue - 78

Grape - 56


Bordeaux - 68

Cinnabar - 69

Petal - 70

Navy Blue - 71

Deep Phoenician - 72

Burgundy - 15

Paprika - 74

Tea Rose - 75

Vinyl Colors

Exam Stools & Patient Room Chairs

Cost:

- Stools come in your choice of 73 colors at ***no extra cost.***

Composition:

- Antibacterial, antimicrobial, and mildew resistant
- ***Face:*** 100% vinyl
- ***Backing:*** 65% polyester, 35% rayon

Specifications:

- ***Weight:*** 32.0 oz./lin. yd.

Abrasion Resistance:

- 100,000 Double Rubs

Flammability:

- California Technical Bulletin 117-2013
- FMVSS 302
- NFPA 260 Class 1
- UFAC Class 1

Color:

- We provide an array of 73 vinyl colors
- Dye lots may vary from samples shown

Cleaning:

- Code: W
- Denim dye cleanable
- Bleach cleanable (80% Water, 20% Bleach)

Proposition 65 Warning: This product may contain chemicals known to the State of California to cause cancer, birth defects, and other reproductive harm.

*Final determination of the suitability of this product for application rests with the user.

THE BLICKMAN **DIFFERENCE**

Fabric Colors

- Polyester fabric creates a more inviting, softer, and calming environment for use in your waiting room and other areas of your medical facilities that do not require harsh, sterile conditions.
- We offer an array of 19 polyester fabric colors to fit any environment in your medical facility.

Key Product Features

Fabric Colors

Lead - 24

Raven Black - 25

Denim - 23

Oak - 22

Coin- 17

Stone - 20


Azure - 19

Brick - 18

Cocoon - 21

Leaf - 16

Aegean - 15

Currant- 14

Wheat - 13


Lime - 12

Jewel - 11

Scarlet - 10


Butterscotch - 07

Blaze - 08

Plum - 09

Fabric Colors

Waiting Room Chairs

Composition:

- 55% post consumer recycled polyester
- 45% polyester
- Finish/Backing: soil and stain repellent/acrylic

Specifications:

- ***Weight:*** 13.0 oz./lin yd.

Abrasion Resistance:

- 500,000 Double Rubs

Note: Multiple factors impact fabric durability and appearance retention, including end user application and proper maintenance.

Flammability:

- California Technical Bulletin 117-2013
- UFAC
- ASTM E84
- NFPA 260

Note: Any term and any corresponding data refer to the typical performance in the specific tests indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.

Color:

- We provide an array of 19 fabric colors

Note: Dye lots may vary from samples shown. Final determination of the suitability of this product for an application rests with the user.

Cleaning:

- Code: W/S

OUR PROMISE

For over 100 years, Blickman has been known throughout the healthcare industry for exceptional product quality. We pride ourselves on providing high-end and personalized service to ensure 100% customer satisfied. If you are not completely satisfied for any reason, we will make it right. All of our equipment is backed by our Limited Lifetime Warranty, so you can be certain that you have made the very best choice for your healthcare facility.

Call Blickman:
Toll Free: (800) 247-5070
Local: (973) 330-0557

www.blickman.com
info@blickman.com
500 U.S. Highway 46 East, Clifton, NJ 07011